



US00D829844S

(12) **United States Design Patent**
Griffis

(10) **Patent No.:** **US D829,844 S**

(45) **Date of Patent:** **** Oct. 2, 2018**

(54) **FIREARM SOUND SUPPRESSOR**

(71) Applicant: **Travis Griffis**, Brunswick, GA (US)

(72) Inventor: **Travis Griffis**, Brunswick, GA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/607,924**

(22) Filed: **Jun. 16, 2017**

(51) **LOC (11) Cl.** **22-01**

(52) **U.S. Cl.**

USPC **D22/108**

(58) **Field of Classification Search**

USPC D22/100, 101, 103, 104, 108-110;
89/14.3, 14.05, 14.2, 14.4, 27.12; 42/79,

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,429,619 A * 9/1922 Nelson F41A 21/36
89/14.3

2,457,802 A * 1/1949 Bauer F41A 21/30
89/1.7

(Continued)

OTHER PUBLICATIONS

Best Muzzle Brake?, ShadowSpear.com, JBS, Mar. 24, 2009, [online],
[site visited Jul. 3, 2018]. <URL: <https://www.shadowspear.com/vb/threads/best-muzzle-brake.3654/>> (Year: 2009).*

(Continued)

Primary Examiner — T Chase Nelson

Assistant Examiner — Jonathan J. Han

(74) *Attorney, Agent, or Firm* — F. Wayne Thompson, Jr.;
Asgaard Patent Services, LLC

(57) **CLAIM**

The ornamental design for a firearm sound suppressor, as shown and described.

DESCRIPTION

FIG. 1 is a top, right, front isometric view of a first embodiment of a firearm sound suppressor;
FIG. 2 is a bottom, left, rear isometric view of the first embodiment of the firearm sound suppressor shown in FIG. 1;

FIG. 3 is a front view of the first embodiment of the firearm sound suppressor shown in FIG. 1;

FIG. 4 is a right side view of the first embodiment of the firearm sound suppressor shown in FIG. 1;

FIG. 5 is a rear view of the first embodiment of the firearm sound suppressor shown in FIG. 1;

FIG. 6 is a left side view of the first embodiment of the firearm sound suppressor shown in FIG. 1;

FIG. 7 is a top view of the first embodiment of the firearm sound suppressor shown in FIG. 1;

FIG. 8 is a bottom view of the first embodiment of the firearm sound suppressor shown in FIG. 1; and

FIG. 9 is a top, right, front isometric view of a second embodiment of a firearm sound suppressor;

FIG. 10 is a bottom, left, rear isometric view of the second embodiment of the firearm sound suppressor shown in FIG. 9;

FIG. 11 is a front view of the second embodiment of the firearm sound suppressor shown in FIG. 9;

FIG. 12 is a right side view of the second embodiment of the firearm sound suppressor shown in FIG. 9;

FIG. 13 is a rear view of the second embodiment of the firearm sound suppressor shown in FIG. 9;


FIG. 14 is a left side view of the second embodiment of the firearm sound suppressor shown in FIG. 9;

FIG. 15 is a top view of the second embodiment of the firearm sound suppressor shown in FIG. 9; and,

FIG. 16 is a bottom view of the second embodiment of the firearm sound suppressor shown in FIG. 9.

The broken lines shown in the drawings represent portions of the firearm sound suppressor that form no part of the claimed design.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 13




FIG. 15




FIG. 16