

US00D830163S

(12) **United States Design Patent** (10) **Patent No.:** **US D830,163 S**
Lee (45) **Date of Patent:** **** Oct. 9, 2018**

(54) **TIE AND SOCKS HOLDER**

(71) Applicant: **In Y. Lee**, Great Neck, NY (US)

(72) Inventor: **In Y. Lee**, Great Neck, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/649,376**

(22) Filed: **May 29, 2018**

Related U.S. Application Data

(62) Division of application No. 29/603,531, filed on May 10, 2017.

(51) **LOC (11) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/415**

(58) **Field of Classification Search**
USPC D9/415, 433, 457, 702, 722; D6/315
CPC .. B65D 85/18; B65D 85/182; B65D 73/0071;
B65D 5/18; B65D 5/5021; B65D
73/0064; B65D 75/14; B65D 73/0078;
B65D 33/14; B65D 75/54; B65D 77/26;
B65D 5/4208; B65D 75/04; B65D 75/02;
B65D 75/38; B65D 25/22; B65D 5/5035
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,103,742 A * 7/1914 Damman B65D 85/182
229/87.17
2,268,845 A * 1/1942 Powers B65D 75/02
24/17 A
2,755,924 A * 7/1956 Tuttle B65D 85/18
206/296
2,910,214 A * 10/1959 Gouner A47G 25/743
223/87
4,190,151 A * 2/1980 Russell B65D 73/0071
206/281

5,191,973 A * 3/1993 Shteynberg B65D 73/0071
206/15.2
D335,032 S * 4/1993 Durkin, III D4/199
5,469,959 A 11/1995 Gummer
5,515,966 A * 5/1996 Hodge B65D 73/0078
206/292
D373,723 S 9/1996 Healey
D419,064 S 1/2000 Gorry
6,612,431 B2 * 9/2003 Faircloth B65D 73/0078
206/297
6,622,858 B1 9/2003 Wilkinson et al.
D493,715 S 8/2004 Izen et al.
D496,265 S 9/2004 Dossett et al.
6,808,069 B1 10/2004 O'Toole
6,981,588 B2 * 1/2006 Kimura B65D 73/0071
206/278

(Continued)

Primary Examiner — Lauren R Calve

(74) *Attorney, Agent, or Firm* — Notaro, Michalos &
Zaccaria P.C.


(57) **CLAIM**

The ornamental design for a tie and socks holder, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a tie and socks holder in an unfolded configuration showing my new design;
FIG. 2 is a front elevational view of FIG. 1 in a folded configuration and in environmental use;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The short dash-long dash lines in the figures represent environmental subject matter and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

7,441,678	B2 *	10/2008	Ford		B65D 73/0071
					206/292
7,500,559	B2	3/2009	Kim		
7,540,377	B1	6/2009	Krisher		
7,568,577	B2 *	8/2009	Kim		B65D 25/22
					206/278
D688,030	S	8/2013	Kim		
D688,441	S *	8/2013	Kim		D2/501
D690,077	S	9/2013	Kim		
D696,838	S	1/2014	Kim		
8,978,941	B2 *	3/2015	Kim		A47F 5/0006
					223/87
D786,059	S	5/2017	Lee		
D786,060	S	5/2017	Lee		
D817,754	S *	5/2018	Kim		D9/415
2001/0030136	A1	10/2001	Faircloth		
2007/0108075	A1	5/2007	Withers		
2010/0059396	A1	3/2010	Lindars		

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6



FIG. 7