

US00D830176S

(12) **United States Design Patent**  
**Yasuhiro**

(10) **Patent No.:** **US D830,176 S**  
(45) **Date of Patent:** **\*\* Oct. 9, 2018**

(54) **COMBINED CONTAINER AND BASE**

(71) Applicant: **Hirai Yasuhiro**, Gunma (JP)

(72) Inventor: **Hirai Yasuhiro**, Gunma (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **35/503,679**

(22) Filed: **Mar. 10, 2017**

(80) **Hague Agreement Data**

Int. Filing Date: **Mar. 10, 2017**

Int. Reg. No.: **DM/096775**

Int. Reg. Date: **Mar. 10, 2017**

Int. Reg. Pub. Date: **Sep. 15, 2017**

(51) **LOC (11) Cl.** ..... **09-01**

(52) **U.S. Cl.**  
USPC ..... **D9/501; D11/152**

(58) **Field of Classification Search**  
USPC ..... D9/455, 500, 501, 516, 517, 530, 537,  
D9/539, 548, 549, 558; 215/381-385;  
220/660, 669, 675; D11/143, 152-154;  
D19/81, 84, 85, 102, 107

CPC ... B65D 1/00; B65D 1/02; B65D 1/12; B65D  
1/14; B65D 1/40; B65D 1/44; B65D  
1/023; B65D 1/0223; B65D 1/165; B65D  
1/238; B65D 1/246; B65D 1/253; B65D  
7/04; B65D 21/0209; B65D 21/0233;  
B65D 25/00; B65D 25/28; B65D  
41/0457; B65D 41/17; B65D 53/06;  
B65D 75/56; B65D 79/005; B65D  
2501/0036; B65D 2543/00064; B65D  
2543/00074; B65D 2543/00083; B65D  
2543/00092; B65D 2543/00101; B65D  
2543/00111; A01G 9/02; A01G 9/021

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D150,232 S \* 7/1948 Jones ..... 27/1  
D216,633 S \* 2/1970 Lawton ..... D26/11

D222,034 S \* 9/1971 Bagn ..... D9/455  
3,962,824 A \* 6/1976 Poston ..... A01G 27/04  
47/81  
D298,592 S \* 11/1988 Stoop ..... D6/390  
D423,360 S \* 4/2000 Hirato ..... D9/504  
D457,098 S \* 5/2002 Rollins ..... D11/148  
D463,615 S \* 9/2002 Habibi ..... D11/154  
D493,266 S \* 7/2004 Rashid ..... D19/81  
D561,021 S \* 2/2008 DuVal ..... D9/500  
D625,191 S \* 10/2010 Lepoitevin ..... D9/500  
D663,236 S \* 7/2012 Pedersen ..... D11/154  
D721,542 S \* 1/2015 Liming ..... D7/523  
D733,769 S \* 7/2015 Zorovich ..... D15/82  
D763,539 S \* 8/2016 Khan ..... D99/5

(Continued)

*Primary Examiner* — Keli L Hill

(57) **CLAIM**

The ornamental design for a combined container and base, as shown and described.



**DESCRIPTION**

1. Combined container and base

- 1.1 : Front
- 1.2 : Right
- 1.3 : Top
- 1.4 : Bottom
- 1.5 : Perspective
- 1.6 : Exploded
- 1.7 : Exploded
- 1.8 : Cross-sectional

The base part can be removed from the body; the rear view is the same as the front view and is omitted; the left side view is the same as the right side view and is omitted; FIG. 1.6 is a perspective view of the body; FIG. 1.7 is a perspective view of the base; shades represented on the entire surface of the article in each drawing are for specifying the shape of the solid surface; FIG. 1.8 is a sectional view of FIG. 1.1 vertically sectioned at the center.

**1 Claim, 8 Drawing Sheets**



(56)


**References Cited**

U.S. PATENT DOCUMENTS


D766,128 S *	9/2016	Mihlbauer .....	D11/152
D768,536 S *	10/2016	Sirk .....	D11/152
D776,536 S *	1/2017	Emoff .....	A01G 27/04 D9/455
D820,721 S *	6/2018	Wang .....	D11/143

\* cited by examiner


**1.1**




**1.2**




**1.3**




**1.4**



**1.5**




**1.6**





**1.7**



**1.8**

