



US00D830194S

(12) **United States Design Patent**  
**Maas et al.**

(10) **Patent No.:** **US D830,194 S**  
(45) **Date of Patent:** **\*\* Oct. 9, 2018**

(54) **SPRAYER DEVICE**

(71) Applicant: **Dispensing Technologies B.V.**

(72) Inventors: **Wilhelmus Johannes Joseph Maas**,  
Someren (NL); **Petrus Lambertus**  
**Wilhelmus Hurkmans**, Someren (NL);  
**Paulo Nervo**, Duizel (NL)

(73) Assignee: **Dispensing Technologies B.V.**,  
Helmond (NL)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/477,563**

(22) Filed: **Dec. 23, 2013**

**Related U.S. Application Data**

(62) Division of application No. 29/374,683, filed on Sep. 20, 2011, now Pat. No. Des. 698,660.

(51) **LOC (11) Cl.** ..... **09-01**

(52) **U.S. Cl.**  
USPC ..... **D9/685**; D9/689

(58) **Field of Classification Search**  
USPC ..... D9/500–505, 682–694, 516–575,  
D9/434–454; 222/129, 135, 153.01,  
222/153.03, 153.04, 153.09,  
222/153.11–153.14, 182, 631, 635, 209,  
222/211–213, 215, 321.7–321.9, 372,  
222/373, 378, 379, 383.1, 384–386, 398,  
222/400.7, 400.8, 401, 402.1–402.25  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D184,207 S \* 1/1959 Baird ..... D9/500  
D198,547 S \* 6/1964 Vuilleminot ..... D9/448

D476,558 S \* 7/2003 Cho et al. .... D9/685  
D481,305 S \* 10/2003 Walters et al. .... D9/685  
7,204,393 B2 \* 4/2007 Strand ..... 222/402.13

(Continued)

**FOREIGN PATENT DOCUMENTS**

EM 000971221-0001 \* 8/2008

*Primary Examiner* — Catherine A Tuttle

(74) *Attorney, Agent, or Firm* — Schwabe, Williamson & Wyatt, P.C.

(57) **CLAIM**

The ornamental design for a sprayer device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of the sprayer device showing our new design;

FIG. 2 is a rear elevation view thereof;

FIG. 3 is a right side elevation view thereof;

FIG. 4 is a front elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a top, front, and left perspective view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a top plan view of a sprayer device showing a variation of our new design;

FIG. 9 is a rear elevation view thereof;

FIG. 10 is a right side elevation view thereof;

FIG. 11 is a front elevation view thereof;

FIG. 12 is a left side elevation view thereof;


FIG. 13 is a top, front, and left perspective view thereof; and,

FIG. 14 is a bottom plan view thereof.

The broken lines shown in FIGS. 2, 4, 6, 7, 9, 11, 13 and 14, are included for the purpose of illustrating the portions of the sprayer device that form no part of the claimed design.

The appearance within the boundary of the nozzle element in FIGS. 11 and 13 forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D559,682	S *	1/2008	Meeker et al.	.....	D9/448
D591,612	S *	5/2009	Ames et al.	.....	D9/685
D649,048	S *	11/2011	Baker et al.	.....	D9/435
D653,106	S *	1/2012	Cohen et al.	.....	D9/434
D671,422	S *	11/2012	Thurin et al.	.....	D9/689
D672,655	S *	12/2012	Huffman et al.	.....	D9/500
2007/0051754	A1 *	3/2007	Strand et al.	.....	222/402.13
2011/0108583	A1 *	5/2011	Sell et al.	.....	222/402.13
2011/0192867	A1 *	8/2011	Best et al.	.....	222/402.13
2011/0220685	A1 *	9/2011	Lind et al.	.....	222/402.11
2012/0000937	A1 *	1/2012	Cohen et al.	.....	222/183
2012/0048959	A1 *	3/2012	Maas et al.	.....	239/1

\* cited by examiner

FIG. 1





FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7

FIG. 2




FIG. 8





FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14