



US00D830194S

(12) **United States Design Patent**
Maas et al.

(10) **Patent No.:** **US D830,194 S**
(45) **Date of Patent:** **** Oct. 9, 2018**

(54) **SPRAYER DEVICE**

(71) Applicant: **Dispensing Technologies B.V.**

(72) Inventors: **Wilhelmus Johannes Joseph Maas**,
Someren (NL); **Petrus Lambertus**
Wilhelmus Hurkmans, Someren (NL);
Paulo Nervo, Duizel (NL)

(73) Assignee: **Dispensing Technologies B.V.**,
Helmond (NL)

(**) Term: **14 Years**

(21) Appl. No.: **29/477,563**

(22) Filed: **Dec. 23, 2013**

Related U.S. Application Data

(62) Division of application No. 29/374,683, filed on Sep. 20, 2011, now Pat. No. Des. 698,660.

(51) **LOC (11) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/685**; D9/689

(58) **Field of Classification Search**
USPC D9/500–505, 682–694, 516–575,
D9/434–454; 222/129, 135, 153.01,
222/153.03, 153.04, 153.09,
222/153.11–153.14, 182, 631, 635, 209,
222/211–213, 215, 321.7–321.9, 372,
222/373, 378, 379, 383.1, 384–386, 398,
222/400.7, 400.8, 401, 402.1–402.25
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D184,207 S * 1/1959 Baird D9/500
D198,547 S * 6/1964 Vuilleminot D9/448

D476,558 S * 7/2003 Cho et al. D9/685
D481,305 S * 10/2003 Walters et al. D9/685
7,204,393 B2 * 4/2007 Strand 222/402.13

(Continued)

FOREIGN PATENT DOCUMENTS

EM 000971221-0001 * 8/2008

Primary Examiner — Catherine A Tuttle

(74) *Attorney, Agent, or Firm* — Schwabe, Williamson & Wyatt, P.C.

(57) **CLAIM**

The ornamental design for a sprayer device, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of the sprayer device showing our new design;

FIG. 2 is a rear elevation view thereof;

FIG. 3 is a right side elevation view thereof;

FIG. 4 is a front elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a top, front, and left perspective view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a top plan view of a sprayer device showing a variation of our new design;

FIG. 9 is a rear elevation view thereof;

FIG. 10 is a right side elevation view thereof;

FIG. 11 is a front elevation view thereof;

FIG. 12 is a left side elevation view thereof;


FIG. 13 is a top, front, and left perspective view thereof; and,

FIG. 14 is a bottom plan view thereof.

The broken lines shown in FIGS. 2, 4, 6, 7, 9, 11, 13 and 14, are included for the purpose of illustrating the portions of the sprayer device that form no part of the claimed design.

The appearance within the boundary of the nozzle element in FIGS. 11 and 13 forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | |
|--------------|------|---------|----------------|-------|------------|
| D559,682 | S * | 1/2008 | Meeker et al. | | D9/448 |
| D591,612 | S * | 5/2009 | Ames et al. | | D9/685 |
| D649,048 | S * | 11/2011 | Baker et al. | | D9/435 |
| D653,106 | S * | 1/2012 | Cohen et al. | | D9/434 |
| D671,422 | S * | 11/2012 | Thurin et al. | | D9/689 |
| D672,655 | S * | 12/2012 | Huffman et al. | | D9/500 |
| 2007/0051754 | A1 * | 3/2007 | Strand et al. | | 222/402.13 |
| 2011/0108583 | A1 * | 5/2011 | Sell et al. | | 222/402.13 |
| 2011/0192867 | A1 * | 8/2011 | Best et al. | | 222/402.13 |
| 2011/0220685 | A1 * | 9/2011 | Lind et al. | | 222/402.11 |
| 2012/0000937 | A1 * | 1/2012 | Cohen et al. | | 222/183 |
| 2012/0048959 | A1 * | 3/2012 | Maas et al. | | 239/1 |

* cited by examiner

FIG. 1





FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7

FIG. 2

FIG. 8





FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14