



US00D830199S

(12) **United States Design Patent** (10) **Patent No.:** **US D830,199 S**
Ogata et al. (45) **Date of Patent:** **** Oct. 9, 2018**

(54) **SHEET STOWAGE CONTAINER**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **KURARAY KURAFLEX CO., LTD.**,
Okayama-shi, Okayama (JP)

JP S52-34726 U 3/1977
JP S59-60175 U 4/1984

(Continued)

(72) Inventors: **Koki Ogata**, Tokyo (JP); **Toshiaki Nakata**, Tokyo (JP); **Haruhiko Asai**, Mitaka (JP)

OTHER PUBLICATIONS

Nov. 14, 2017 Search Report issued in International Application No. PCT/JP2017/037147.

(Continued)

(73) Assignee: **KURARAY KURAFLEX CO., LTD.**,
Okayama (JP)

(**) Term: **15 Years**

Primary Examiner — Lauren R Calve

(74) *Attorney, Agent, or Firm* — Oliff PLC

(21) Appl. No.: **29/600,875**

(57) **CLAIM**

(22) Filed: **Apr. 17, 2017**

The ornamental design for a sheet stowage container, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Oct. 17, 2016 (JP) 2016-022615

(51) **LOC (11) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/734; D9/416**

(58) **Field of Classification Search**
USPC D9/414, 416, 432, 433, 730, 734;
D6/515, 518, 519, 521, 522, 523;
D7/601, 602, 631

CPC B65D 85/00; B65D 81/00; B65D 81/22;
B65D 83/0805; A47K 10/42; A47K
10/426; A47K 2010/3266; G07F 11/00

See application file for complete search history.

FIG. 1 is a front, right-side, top perspective view of the sheet stowage container;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left-side elevational view thereof;

FIG. 7 is a right-side elevational view thereof;

FIG. 8 is a front, right-side, top perspective view thereof in a first open configuration;

FIG. 9 is a front, right-side, top perspective view thereof in a second open configuration; and,

FIG. 10 is a top plan view thereof in a disassembled configuration.

The short dash-short dash-long dash lines shown in the figures depict score lines that assist in hinged bending. The short dash-short dash-long dash lines form part of the claimed design. The broken lines shown in the figures depict a perforated edge to assist in tearing. The broken lines form part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,529,853 A * 11/1950 Taggart B65D 83/0847
221/63

2,651,409 A * 9/1953 Fay B65D 5/16
221/63

D214,879 S * 8/1969 Roccaforte D9/416
(Continued)

1 Claim, 8 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 7





Fig. 6






Fig. 8

Fig. 9




Fig. 10

