



US00D830199S

(12) **United States Design Patent** (10) **Patent No.:** **US D830,199 S**
Ogata et al. (45) **Date of Patent:** **** Oct. 9, 2018**

(54) **SHEET STOWAGE CONTAINER**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **KURARAY KURAFLEX CO., LTD.**,
Okayama-shi, Okayama (JP)

JP S52-34726 U 3/1977
JP S59-60175 U 4/1984

(Continued)

(72) Inventors: **Koki Ogata**, Tokyo (JP); **Toshiaki Nakata**, Tokyo (JP); **Haruhiko Asai**, Mitaka (JP)

OTHER PUBLICATIONS

Nov. 14, 2017 Search Report issued in International Application No. PCT/JP2017/037147.

(Continued)

(73) Assignee: **KURARAY KURAFLEX CO., LTD.**,
Okayama (JP)

(**) Term: **15 Years**

Primary Examiner — Lauren R Calve

(74) *Attorney, Agent, or Firm* — Oliff PLC

(21) Appl. No.: **29/600,875**

(57) **CLAIM**

(22) Filed: **Apr. 17, 2017**

The ornamental design for a sheet stowage container, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Oct. 17, 2016 (JP) 2016-022615

(51) **LOC (11) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/734; D9/416**

(58) **Field of Classification Search**
USPC D9/414, 416, 432, 433, 730, 734;
D6/515, 518, 519, 521, 522, 523;
D7/601, 602, 631

CPC B65D 85/00; B65D 81/00; B65D 81/22;
B65D 83/0805; A47K 10/42; A47K
10/426; A47K 2010/3266; G07F 11/00

See application file for complete search history.

FIG. 1 is a front, right-side, top perspective view of the sheet stowage container;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left-side elevational view thereof;

FIG. 7 is a right-side elevational view thereof;

FIG. 8 is a front, right-side, top perspective view thereof in a first open configuration;

FIG. 9 is a front, right-side, top perspective view thereof in a second open configuration; and,

FIG. 10 is a top plan view thereof in a disassembled configuration.

The short dash-short dash-long dash lines shown in the figures depict score lines that assist in hinged bending. The short dash-short dash-long dash lines form part of the claimed design. The broken lines shown in the figures depict a perforated edge to assist in tearing. The broken lines form part of the claimed design.

(56) **References Cited**


U.S. PATENT DOCUMENTS

2,529,853 A * 11/1950 Taggart B65D 83/0847
221/63

2,651,409 A * 9/1953 Fay B65D 5/16
221/63

D214,879 S * 8/1969 Roccaforte D9/416
(Continued)

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D269,068 S * 5/1983 Mann, Sr. D9/416
 4,605,128 A * 8/1986 Rieke B65D 5/545
 206/449
 5,193,740 A * 3/1993 Newborough A61M 5/3205
 110/241
 5,577,612 A * 11/1996 Chesson B65D 83/0847
 206/494
 D419,440 S * 1/2000 Hansen D9/416
 D506,927 S * 7/2005 Sharron D9/416
 D573,014 S * 7/2008 Hetrick D9/416
 7,699,214 B2 * 4/2010 Mestre B65D 5/606
 206/233
 D643,283 S * 8/2011 Witte D9/416
 D679,582 S * 4/2013 Witte D9/416
 D710,215 S * 8/2014 Palmer D9/734
 D721,575 S * 1/2015 Paboojian D9/423
 D806,572 S * 1/2018 Brouillette D9/734
 2005/0109827 A1 * 5/2005 Martin B65D 5/5435
 229/232
 2007/0228132 A1 * 10/2007 Philips B65D 5/001
 229/242
 2009/0301903 A1 * 12/2009 Andersson B65D 75/5833
 206/215

FOREIGN PATENT DOCUMENTS

JP D963770 S 9/1996
 JP H08-230958 A 9/1996
 JP D1227913 S 1/2005
 JP 2009-214903 A 9/2009
 JP 2010-116193 A 5/2010
 JP D1430796 S 1/2012
 JP 2016-049993 A 4/2016
 JP 2016-120953 A 7/2016
 JP D1556698 S 8/2016
 TW D146388 S 4/2012
 TW D169384 S 8/2015

OTHER PUBLICATIONS

May 31, 2017 Notice Letter issued in Japanese Design Application
 No. 2016-022615.
 Dec. 28, 2017 Search Report issued in Taiwanese Design Applica-
 tion No. 106301924.

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 7





Fig. 6






Fig. 8

Fig. 9




Fig. 10

