



US00D830466S

(12) **United States Design Patent**
Carter et al.

(10) **Patent No.:** **US D830,466 S**
(45) **Date of Patent:** **** *Oct. 9, 2018**

(54) **RATTLE**

(71) Applicant: **SKIP HOP, INC.**, New York, NY (US)

(72) Inventors: **Chelsea Carter**, Jersey City, NJ (US);
Benjamin Bearsh, Brooklyn, NY (US);
Rany Joo, Hawthorne, NY (US); **David Block**, Brooklyn, NY (US); **Janet Villano**, Jersey City, NJ (US); **Ellen Diamant**, New York, NY (US)

(73) Assignee: **SKIP HOP, INC.**, New York, NY (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/532,181**

(22) Filed: **Jul. 2, 2015**

(51) **LOC (11) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/406**

(58) **Field of Classification Search**
USPC D21/398, 405–408, 465–468, 473–476,
D21/576–661, 707, 712, 713, 714;
D24/193, 194, 195, 197–199; D30/160;
D10/118; D17/22, 99; D11/43, 44, 49,
D11/57, 58, 65, 75–78, 79, 80, 82, 121,
D11/125, 127, 141; D3/20, 21, 26, 208,
D3/211, 215, 226, 229, 232–238, 244,
D3/257, 258, 271.1, 271.2, 300, 303,
D3/304–306; D9/600–681, 702–706,
D9/720, 434, 435, 436, 444, 455;
D6/536–540; D28/63; 119/707–711
CPC A61J 17/00; A61J 17/001; A61J 17/002;
A61J 17/007; A61J 17/02; A61J 9/06;
A61J 9/0607; A61J 9/0623; A61J 9/063;
A61J 9/0653; A61J 9/0661; A61J 9/0669;
A61J 9/0684; A61J 9/08; A63H 3/00;
A63H 3/005; A63H 3/04; A63H 3/14;
A63H 3/28; A63H 5/00; A63H 33/00;
A63H 33/006; A63H 33/30; A63H 33/42;

A01K 15/025; A01K 15/026; A63B
39/00; A63B 39/06; A63B 43/00; A63B
43/002; A63B 43/007; A63B 43/02; A63B
2043/001

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,534,964 A * 4/1925 Kahnweiler A63H 33/00
119/711
2,211,102 A * 8/1940 Davis A63H 5/00
156/293
2,211,330 A * 8/1940 Hochberg A63F 7/0005
273/118 D

(Continued)

Primary Examiner — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Stephen J. Weyer, Esq.;
Stites & Harbison, PLLC.


(57) **CLAIM**

The ornamental design for the rattle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view taken from the top, from, and left side of the rattle embodying our new design; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a left side elevation view thereof; the opposite side being substantially a mirror image thereof; and FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view of the rattle of FIG. 1; and, FIG. 7 is a perspective view taken from the top, front, and left side of a specific further embodiment of the general rattle of FIG. 1, having the head of an owl, in accordance with the present invention. The broken lines are included for the purpose of illustrating the portions of the rattle that form no part of the claimed design.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D830,466 S
APPLICATION NO. : 29/532181
DATED : October 9, 2018
INVENTOR(S) : Carter et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Change:

*** DESCRIPTION**

FIG. 1 is a perspective view taken from the top, from, and left side of the rattle embodying our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left side elevation view thereof; the opposite side being substantially a mirror image thereof; and

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view of the rattle of FIG. 1; and,

FIG. 7 is a perspective view taken from the top, front, and left side of a specific further embodiment of the general rattle of FIG. 1, having the head of an owl, in accordance with the present invention.

The broken lines are included for the purpose of illustrating the portions of the rattle that form no part of the claimed design. *

To:

--- DESCRIPTION

FIG. 1 is a perspective view taken from the top, from, and left side of the rattle embodying our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left side elevation view thereof; the opposite side being substantially a mirror image thereof; and

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view of the rattle of FIG. 1

The broken lines are included for the purpose of illustrating the portions of the Rattle that form no part of the claimed design. ---

Signed and Sealed this
Sixth Day of April, 2021



Drew Hirshfeld
*Performing the Functions and Duties of the
Under Secretary of Commerce for Intellectual Property and
Director of the United States Patent and Trademark Office*

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D830,466 S
APPLICATION NO. : 29/532181
DATED : October 9, 2018
INVENTOR(S) : Carter et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:


On the Title Page

Replace the title page with the attached title page

In the Drawings

Fig 7 was cancelled and total drawings corrected on the title page

Signed and Sealed this
Sixth Day of September, 2022



Katherine Kelly Vidal
Director of the United States Patent and Trademark Office

(12) **United States Design Patent** (10) **Patent No.:** **US D830,466 S**
Carter et al. (45) **Date of Patent:** **** *Oct. 9, 2018**

(54) **RATTLE** A01K 15/025; A01K 15/026; A63B 39/00; A63B 39/06; A63B 43/00; A63B 43/002; A63B 43/007; A63B 43/02; A63B 2043/001

(71) Applicant: **SKIP HOP, INC.**, New York, NY (US)

(72) Inventors: **Chelsea Carter**, Jersey City, NJ (US); **Benjamin Bearsh**, Brooklyn, NY (US); **Rany Joo**, Hawthorne, NY (US); **David Block**, Brooklyn, NY (US); **Janet Villano**, Jersey City, NJ (US); **Ellen Diamant**, New York, NY (US)

See application file for complete search history.

(73) Assignee: **SKIP HOP, INC.**, New York, NY (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/532,181**

(22) Filed: **Jul. 2, 2015**

(51) **LOC (11) CL** **21-01**

(52) **U.S. CL**
 USPC **D21/406**

(58) **Field of Classification Search**
 USPC D21/398, 405-408, 465-468, 473-476, D21/576-661, 707, 712, 713, 714; D24/193, 194, 195, 197-199; D30/160; D10/118; D17/22, 99; D11/43, 44, 49, D11/57, 58, 65, 75-78, 79, 80, 82, 121, D11/125, 127, 141; D3/20, 21, 26, 208, D3/211, 215, 226, 229, 232-238, 244, D3/257, 258, 271.1, 271.2, 300, 303, D3/304-306; D9/600-681, 702-706, D9/720, 434, 435, 436, 444, 455; D6/536-540; D28/63; 119/707-711
 CPC A61J 17/00; A61J 17/001; A61J 17/002; A61J 17/007; A61J 17/02; A61J 9/06; A61J 9/0607; A61J 9/0623; A61J 9/063; A61J 9/0653; A61J 9/0661; A61J 9/0669; A61J 9/0684; A61J 9/08; A63H 3/00; A63H 3/005; A63H 3/04; A63H 3/14; A63H 3/28; A63H 5/00; A63H 33/00; A63H 33/006; A63H 33/30; A63H 33/42;

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,534,964 A * 4/1925 Kahnweiler A63H 33/00 119/711
 2,211,102 A * 8/1940 Davis A63H 5/00 156/293
 2,211,330 A * 8/1940 Hochberg A63F 7/0005 273/118 D

(Continued)

Primary Examiner — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Stephen J. Weyer, Esq.; Stites & Harbison, PLLC.

(57) **CLAIM**

The ornamental design for the rattle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view taken from the top, from, and left side of the rattle embodying our new design;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a rear elevation view thereof;
 FIG. 4 is a left side elevation view thereof; the opposite side being substantially a mirror image thereof; and
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view of the rattle of FIG. 1

The broken lines are included for the purpose of illustrating the portions of the rattle that form no part of the claimed design.

1 Claim, 6 Drawing Sheets

