

US00D830644S

(12) **United States Design Patent** (10) **Patent No.:** **US D830,644 S**  
**Noordzij et al.** (45) **Date of Patent:** **\*\* Oct. 9, 2018**

- (54) **BALLISTIC APPLIQUE INSERT**
- (71) Applicant: **Gentex Corporation**, Simpson, PA (US)
- (72) Inventors: **Duco Noordzij**, Roslindale, MA (US); **Michael Josh Raples**, Weymouth, MA (US)
- (73) Assignee: **GENTEX CORPORATION**, Simpson, PA (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/629,219**
- (22) Filed: **Dec. 12, 2017**

D673,329 S 12/2012 Batsch  
 8,640,267 B1 2/2014 Cohen  
 D701,348 S 3/2014 Thurgood  
 D733,972 S 7/2015 Szalkowski  
 9,222,758 B2 12/2015 Strum  
 (Continued)

OTHER PUBLICATIONS

<https://www.velsyst.com/762x39-msc-slaap.html>; Velocity Systems webpage for SLAAP helmet, downloaded Oct. 11, 2016.

*Primary Examiner* — Randall H Gholson  
(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

**Related U.S. Application Data**

- (63) Continuation of application No. 29/580,800, filed on Oct. 13, 2016, now Pat. No. Des. 806,322.

(51) **LOC (11) Cl.** ..... **29-02**

(52) **U.S. Cl.**  
USPC ..... **D29/122**

(58) **Field of Classification Search**  
 USPC ..... D29/100, 102, 104, 105, 106, 107, 108, D29/109, 110, 122  
 CPC .. A42B 1/066; A42B 1/00; A42B 1/06; A42B 3/228; A42B 3/00; A42B 3/08; A42B 3/32; A42B 3/222; A42B 3/20; A42B 3/227; A42B 3/105; A42B 3/04; A42B 3/06; A42B 3/0406; A42B 3/18; A42B 3/166; A42B 3/16; A42B 3/22; A42B 3/0473; A42B 3/127; A63B 71/10; A63B 71/105; A41D 13/0512

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 6,389,607 B1 \* 5/2002 Wood ..... A42B 3/00 2/411
- 6,625,820 B1 9/2003 Lampe

(57) **CLAIM**


The ornamental design for a ballistic applique insert, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a ballistic applique insert showing our new design;  
 FIG. 2 is a rear perspective view of the ballistic applique insert shown in FIG. 1;  
 FIG. 3 is a front elevational view of the ballistic applique insert shown in FIG. 1;  
 FIG. 4 is a rear elevational view of the ballistic applique insert shown in FIG. 1;  
 FIG. 5 is a left-side elevational view of the ballistic applique insert shown in FIG. 1;  
 FIG. 6 is a right-side elevational view of the ballistic applique insert shown in FIG. 1;  
 FIG. 7 is a top plan view of the ballistic applique insert shown in FIG. 1; and,  
 FIG. 8 is a bottom plan view of the ballistic applique insert shown in FIG. 1.

The broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D754,930 S     4/2016   Vito  
D802,225 S \* 11/2017 Newman ..... D29/122

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8