



US00D830955S

(12) **United States Design Patent** (10) **Patent No.:** **US D830,955 S**  
**Yamaoka** (45) **Date of Patent:** **\*\* Oct. 16, 2018**

(54) **TIRE FOR AUTOMOBILE**  
(71) Applicant: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Hyogo (JP)  
(72) Inventor: **Hiroshi Yamaoka**, Kobe (JP)  
(73) Assignee: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Kobe-shi, Hyogo (JP)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **35/503,694**  
(22) Filed: **Mar. 21, 2017**

D601,939 S \* 10/2009 Fontaine ..... D12/519  
D606,002 S \* 12/2009 Yamakawa ..... D12/519  
D606,926 S \* 12/2009 Heinen ..... D12/521  
D630,997 S \* 1/2011 Wright ..... D12/516  
D633,433 S \* 3/2011 Sieber ..... D12/519  
D639,719 S \* 6/2011 Harvey ..... D12/521  
D644,593 S \* 9/2011 Fontaine ..... D12/523  
D684,920 S \* 6/2013 Maxwell ..... D12/521  
D694,702 S \* 12/2013 Leconte ..... D12/521  
D713,325 S \* 9/2014 Maxwell ..... D12/521  
D733,635 S \* 7/2015 Digman ..... D12/521  
D733,636 S \* 7/2015 Janesh ..... D12/520  
D735,113 S \* 7/2015 Schoeppner ..... D12/521  
D735,637 S \* 8/2015 Hughes ..... D12/521  
D743,872 S \* 11/2015 Huang ..... D12/519  
D794,542 S \* 8/2017 Tahon ..... D12/528  
D795,793 S \* 8/2017 Schoeppner ..... D12/523  
D797,650 S \* 9/2017 Bucher ..... D12/505  
D798,224 S \* 9/2017 Zhang ..... D12/209

(80) **Hague Agreement Data**

Int. Filing Date: **Mar. 21, 2017**  
Int. Reg. No.: **DM/095404**  
Int. Reg. Date: **Mar. 21, 2017**  
Int. Reg. Pub. Date: **Sep. 22, 2017**

\* cited by examiner

*Primary Examiner* — Darlington Ly  
(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(51) **LOC (11) Cl.** ..... **12-15**

(57) **CLAIM**

(52) **U.S. Cl.**  
USPC ..... **D12/521**; D12/519

The ornamental design for a tire for automobile, as shown and described.

(58) **Field of Classification Search**  
USPC ..... D12/505–532, 900, 901  
CPC . B60C 11/00; B60C 11/0016; B60C 11/0304;  
B60C 11/0302; B60C 11/0306; B60C  
11/0309; B60C 11/0318; B60C 11/0311;  
B60C 11/042; B60C 11/11; B60C 11/12;  
B60C 11/13

**DESCRIPTION**

See application file for complete search history.

1. Tire for automobile  
**1.1** is a front elevation view of a tire for automobile showing my new design;  
**1.2** is a rear elevation view thereof;  
**1.3** is a top plan view thereof;  
**1.4** is a bottom plan view thereof;  
**1.5** is a right side elevation view thereof;  
**1.6** is a left side elevation view thereof;  
**1.7** is a perspective view thereof; and  
**1.8** is an enlarged partial front elevation view thereof, wherein the enlargement area is indicated by the broken line bracket marked **1.8** in **1.1**.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D522,442 S \* 6/2006 Shirouzu ..... D12/515  
D551,156 S \* 9/2007 Shinohara ..... D12/521  
D562,757 S \* 2/2008 Iwai ..... D12/519  
D581,346 S \* 11/2008 Shondel ..... D12/521  
D584,214 S \* 1/2009 Mukai ..... D12/519


**1 Claim, 8 Drawing Sheets**



1.1 front view




1.2




1.3




1.4



1.5



1.6



1.7





1.8

