



US00D830964S

(12) **United States Design Patent** (10) **Patent No.:** **US D830,964 S**
Aoyagi et al. (45) **Date of Patent:** **** Oct. 16, 2018**

(54) **BATTERY FOR AN ELECTRONIC DEVICE**

- (71) Applicant: **Apple Inc.**, Cupertino, CA (US)
- (72) Inventors: **Shota Aoyagi**, San Francisco, CA (US); **Jeremy Bataillou**, San Francisco, CA (US); **Sina Bigdeli**, Saratoga, CA (US); **Richard Hung Minh Dinh**, San Jose, CA (US); **Richard P. Howarth**, San Francisco, CA (US); **Kurtis James Mundell**, San Francisco, CA (US); **Scott A. Myers**, San Francisco, CA (US); **Benjamin J. Pope**, Sunnyvale, CA (US); **Clement Tissandier**, San Francisco, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/576,681**

(22) Filed: **Sep. 6, 2016**

(51) **LOC (11) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**
USPC D13/118, 119, 184, 102-110, 123, 133,
D13/137.1-137.4, 138.1-138.2,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D310,367 S 9/1990 Dockery
 - D320,649 S 10/1991 Fleming
- (Continued)

FOREIGN PATENT DOCUMENTS

- JP D1470109 5/2013
- TW 171302 10/1991

OTHER PUBLICATIONS

iPhone 5C Teardown, ifixit.com, Retrieved on Sep. 20, 2013, Retrieved from the Internet:<URL: https://www.ifixit.com/Teardown/iPhone+5c+Teardown/17382>.

(Continued)

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Christy M Nemeth
(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.

(57) **CLAIM**



The ornamental design for a battery for an electronic device, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of a battery for an electronic device showing the claimed design; FIG. 2 is a bottom rear perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a right side view thereof; FIG. 7 is a top view thereof; FIG. 8 is a bottom view thereof; FIG. 9 is a front perspective view of a battery for an electronic device showing the claimed design; FIG. 10 is a bottom rear perspective view thereof; FIG. 11 is a front view thereof; FIG. 12 is a rear view thereof; FIG. 13 is a left side view thereof; FIG. 14 is a right side view thereof; FIG. 15 is a top view thereof; and, FIG. 16 is a bottom view thereof.

The broken lines in the figures and the areas within the broken lines show portions of the battery for an electronic device that form no part of the claimed design.

1 Claim, 16 Drawing Sheets



(58) **Field of Classification Search**

USPC D13/139.1–139.8, 152–154, 146, 147,
 D13/156, 158, 177, 160; D14/251, 253,
 D14/432, 434, 433; D15/9; D8/300,
 D8/303, 315, 321, 350–353
 CPC Y02E 60/12; Y02E 60/122; Y02E 60/124;
 Y02E 60/50; Y02T 90/14; Y02T 90/122;
 Y02T 90/128; Y02T 90/163; Y02T
 10/7005; Y02T 10/705; Y02T 10/7088;
 H02J 7/025; H02J 7/0042; H02J 7/0044;
 H02J 7/0045; H02J 7/0003; H02J
 2001/008; H02J 3/32; H02J 3/008; H02J
 7/0027; H02J 7/0013; H02J 7/0054; H02J
 7/00; H02J 7/0034; H02J 7/1423; H01F
 38/14; H01R 13/6675; H01R 11/00;
 H01R 9/00; H01R 25/00; H01R 25/006;
 H01M 2/1022; H01M 2/1055; H01M
 10/44; H01M 10/46; H01M 10/425;
 H01M 10/4257; H01M 10/0436; H01M
 10/48; H01M 2/02; H01M 2/022; H01M
 2/0202; H01M 2/0207; H01M 2/0212;
 H01M 2/1061; H01M 2/1066; H01M
 2/105; H01M 2/204; B60L 11/182; B60L
 11/1809; B60L 11/1861; B60R 16/03
 See application file for complete search history.

8,168,319	B2	5/2012	Spare et al.	
D669,427	S	10/2012	Ignor et al.	
D669,849	S	10/2012	Morisawa	
8,309,245	B2	11/2012	Coish et al.	
D672,713	S	12/2012	Masui	
D677,620	S	3/2013	Corbin et al.	
D678,184	S	3/2013	Banko et al.	
D678,188	S	3/2013	Sasada	
D684,529	S	6/2013	Moon et al.	
D684,530	S	6/2013	Moon et al.	
D684,531	S	6/2013	Moon et al.	
D684,532	S	* 6/2013	Ignor	D13/103
D684,926	S	6/2013	Murchison et al.	
D685,319	S	7/2013	Ignor et al.	
D685,731	S	7/2013	Brown et al.	
D686,147	S	7/2013	Morisawa	
D686,148	S	7/2013	Inaba	
D689,018	S	9/2013	Honda et al.	
D692,823	S	11/2013	Tanaka	
D693,292	S	11/2013	Salvi et al.	
D696,186	S	12/2013	Kannou et al.	
D697,479	S	1/2014	Andre et al.	
D700,137	S	2/2014	Ashida et al.	
8,703,322	B2	4/2014	Lee et al.	
D704,625	S	5/2014	Tsutsumi et al.	
D708,128	S	7/2014	Andre et al.	
D708,269	S	7/2014	Moore et al.	
D709,026	S	7/2014	Lee et al.	
D709,440	S	7/2014	Kwon et al.	
D709,441	S	7/2014	Kwon et al.	
D709,442	S	7/2014	Kwon et al.	
D709,443	S	7/2014	Kwon et al.	
D709,822	S	7/2014	Kwon et al.	
D709,823	S	7/2014	Corley et al.	
D711,310	S	8/2014	Sanders	
D711,311	S	8/2014	Corbin et al.	
D712,345	S	9/2014	Kwon et al.	
D712,346	S	9/2014	Kwon et al.	
D712,835	S	9/2014	Yasuda et al.	
D713,785	S	9/2014	Tehrani	
D714,718	S	10/2014	Loeckenhoff et al.	
D716,721	S	11/2014	Kwon et al.	
D716,722	S	11/2014	Kwon et al.	
D716,723	S	11/2014	Kwon et al.	
D717,800	S	11/2014	Akana et al.	
D718,753	S	12/2014	Akana et al.	
D719,085	S	* 12/2014	Aoyagi	D13/103
D719,087	S	* 12/2014	Bataillou	D13/103
D724,014	S	3/2015	Kwon et al.	
D724,015	S	3/2015	Kwon et al.	
D724,016	S	3/2015	Kwon et al.	
D724,017	S	3/2015	Kwon et al.	
D724,019	S	3/2015	Kwon et al.	
D724,020	S	3/2015	Kwon et al.	
D724,021	S	3/2015	Kwon et al.	
D724,022	S	3/2015	Kwon et al.	
D724,528	S	3/2015	Kwon et al.	
D724,529	S	3/2015	Kwon et al.	
D724,530	S	3/2015	Kwon et al.	
D724,532	S	3/2015	Kwon et al.	
D724,533	S	3/2015	Kwon et al.	
D729,805	S	* 5/2015	Bataillou	D14/432
D738,821	S	9/2015	Banko et al.	
D743,399	S	11/2015	Frank	
D758,961	S	* 6/2016	Aoyagi	D13/103
D765,625	S	* 9/2016	Akana	D14/248
9,570,775	B2	* 2/2017	Huang	H01M 10/0436
9,711,770	B2	* 7/2017	Anastas	H01M 2/1653
9,735,595	B2	* 8/2017	Colahan	H02J 7/0045
D807,824	S	* 1/2018	Krivonak	D13/118
D808,897	S	* 1/2018	Mascolo	D13/102
9,887,403	B2	* 2/2018	Huang	H01M 2/1094
2002/0094475	A1	7/2002	Aoyama	
2009/0274953	A1	* 11/2009	Myers	H01M 2/1066 429/100
2012/0208046	A1	* 8/2012	Koh	H01M 2/021 429/7
2014/0065474	A1	* 3/2014	Werner	H01M 2/08 429/185

(56) **References Cited**

U.S. PATENT DOCUMENTS

D327,868	S	7/1992	Oka
5,180,644	A	1/1993	Bresin et al.
D337,984	S	8/1993	Lindahl
D348,247	S	6/1994	Cooper
5,326,651	A	7/1994	Mehta et al.
D356,992	S	4/1995	Dilgard
5,436,089	A	7/1995	Fedele
D374,424	S	10/1996	Nagele
5,601,942	A	2/1997	Fedele
D407,063	S	3/1999	Reis
D409,973	S	5/1999	Iwamoto
D422,263	S	4/2000	Waldner
D435,827	S	1/2001	Rausch
D440,201	S	4/2001	Huynh et al.
D442,915	S	5/2001	Sasaoka
D454,544	S	3/2002	Takach, Jr. et al.
D460,411	S	7/2002	Wang
D477,275	S	7/2003	Wada
D479,193	S	9/2003	Fujihara et al.
D485,530	S	1/2004	Ogasawara
D489,325	S	5/2004	Nakamura
D494,924	S	8/2004	Maruyama
D495,992	S	9/2004	Lim
6,884,540	B2	4/2005	Chikada
D516,026	S	2/2006	Barrett et al.
D517,478	S	3/2006	Bayat et al.
D519,919	S	5/2006	Yokota
D532,363	S	11/2006	Morisawa
D535,249	S	1/2007	Ogasawara
D538,225	S	3/2007	Lyman et al.
D546,277	S	7/2007	Andre et al.
D548,176	S	8/2007	Eto et al.
D548,686	S	8/2007	Eto et al.
7,595,129	B2	9/2009	Kato
D614,124	S	4/2010	Mistyurik
D625,263	S	10/2010	Takuma
D635,506	S	4/2011	Morisawa
D637,157	S	5/2011	Andre et al.
D637,193	S	5/2011	Andre et al.
D642,515	S	8/2011	Crawford et al.
D653,611	S	2/2012	Lee et al.
D655,673	S	3/2012	Masui
D658,583	S	5/2012	Andre et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0265915 A1* 9/2014 Huang H01M 2/1094
315/291
2014/0272541 A1* 9/2014 Huang H01M 10/0436
429/158
2014/0273890 A1* 9/2014 Huang H01M 10/0436
455/90.2

OTHER PUBLICATIONS

Kazmucha, A., "How to Replace the Battery in an iPhone 4S," iMore, Retrieved on Aug. 28, 2012, Retrieved from the Internet:< URL: <http://www.imore.com/how-diy-replace-battery-iphone-4s>>.

Klug, B., "Motorola Droid Bionic Review" Retrieved on Oct. 11, 2011, AnandTech, Retrieved from the Internet:< URL: <http://www.anandtech.com/show/4910/motorola-droid-bionic-review-dual-core--with-4g-lte/2>>.

Leather, A., "How to Replace the iPhone 5's Battery," Forbes, Retrieved on Oct. 31, 2013, Retrieved from the Internet:< URL: <http://www.forbes.com/sites/antonyleather/2013/10/31/how-to-replace-the-i-phone-5s-battery/>>.

New Original Battery for Apple iPhone 6 4.7 inch, Retrieved on Oct. 9, 2015, Retrieved from the Internet:< URL: [Hyratech.com https://www.hyratech.com/product.php?productid=8743&cat=28644&page=1](https://www.hyratech.com/product.php?productid=8743&cat=28644&page=1)>.

Original iPhone 6 Battery Replacement, iPhoneFix UK, Retrieved on Oct. 9, 2015, Retrieved from the Internet:< URL: <http://www.iphonefixuk.co.uk/products/original-iphone-6-battery-replacement>>.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15



FIG. 16