



US00D831266S

(12) **United States Design Patent** (10) **Patent No.:** **US D831,266 S**
Pyshos et al. (45) **Date of Patent:** **** Oct. 16, 2018**

(54) **DIMPLED TRIM FOR A RECESSED LUMINAIRE**

(71) Applicant: **Cooper Technologies Company**,
Houston, TX (US)

(72) Inventors: **Steven Pyshos**, Peachtree City, GA
(US); **Nivay Sahaye**, Lawrenceville,
GA (US)

(73) Assignee: **Cooper Technologies Company**,
Houston, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/623,133**

(22) Filed: **Oct. 23, 2017**

Related U.S. Application Data

(63) Continuation of application No. 29/535,726, filed on
Aug. 10, 2015, now Pat. No. Des. 800,956.

(51) **LOC (11) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/138**

(58) **Field of Classification Search**
USPC D26/28, 30, 31, 118, 2, 73, 74, 75, 76,
D26/78, 122, 121, 138, 136, 137,
D26/139-145, 155, 71, 60, 68, 113
CPC F21V 31/03; F21V 7/0083; F21V 29/004;
B60Q 1/04; B60Q 1/26
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D325,999 S	5/1992	Sonneman	
D446,880 S	8/2001	Lin	
D467,676 S	12/2002	Packer	
D548,391 S *	8/2007	Lecluze	D26/138
D575,902 S *	8/2008	Ricereto	D26/138

D604,454 S	11/2009	Majidi	
D615,688 S *	5/2010	Chen	D26/63
D663,888 S *	7/2012	Davis	D26/138
D693,517 S *	11/2013	Davis	D26/138
D719,283 S *	12/2014	Kung	D26/2
D723,153 S *	2/2015	Borkholder	D23/411
8,948,438 B2	2/2015	Hatton	
D762,906 S *	8/2016	Jeswani	D26/74
D769,504 S *	10/2016	Jeswani	D26/74
D776,325 S *	1/2017	Jeswani	D26/74
D777,966 S *	1/2017	Jeswani	D26/74
D778,482 S *	2/2017	Guzzini	D26/74
D788,357 S *	5/2017	Dodge	D26/138
D800,956 S *	10/2017	Pyshos	D26/138
2015/0233537 A1	8/2015	Athalye	
2015/0308660 A1	10/2015	Chiu	
2016/0061438 A1	3/2016	Lu	

(Continued)

Primary Examiner — Mark A Goodwin

Assistant Examiner — Benjamin M Weeks

(74) *Attorney, Agent, or Firm* — King & Spalding LLP


(57) **CLAIM**

The ornamental design for a dimpled trim for a recessed luminaire, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a dimpled trim for a recessed luminaire, showing our new design; FIG. 2 is a bottom perspective view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a right-side elevation view thereof, the left-side elevation view being a mirror image of the right-side elevation view; FIG. 6 is a front elevation view thereof; and, FIG. 7 is a rear elevation view thereof. The broken lines shown in the figures represent portions of the dimpled trim for a recessed luminaire that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0178186 A1 6/2016 Kusunoki
2016/0195255 A1 7/2016 Kathawate
2016/0201891 A1 7/2016 Wandrey
2016/0209018 A1 7/2016 Johnson

* cited by examiner




FIG.1




FIG. 2




FIG.3




FIG. 4




FIG. 5




FIG. 6




FIG. 7