



US00D831308S

(12) **United States Design Patent**  
**Lu**

(10) **Patent No.:** **US D831,308 S**  
(45) **Date of Patent:** **\*\* Oct. 23, 2018**

- (54) **BALACLAVA**
- (71) Applicant: **Xujiao Lu**, Guangdong (CN)
- (72) Inventor: **Xujiao Lu**, Guangdong (CN)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/602,836**
- (22) Filed: **May 3, 2017**
- (51) **LOC (11) Cl.** ..... **02-03**
- (52) **U.S. Cl.**  
USPC ..... **D2/878; D2/881**
- (58) **Field of Classification Search**  
USPC ..... D2/728, 823, 824, 825, 828, 831, 865,  
D2/866, 867, 870, 874, 877, 878, 880,  
D2/881, 883, 884, 889; D29/106, 107,  
D29/108  
CPC ... A41D 1/04; A41D 3/00; A41D 3/08; A41D  
2200/20; A41D 2300/30; A41D 27/12;  
A42B 1/00; A42B 1/02; A42B 1/04;  
A42B 1/041; A42B 1/043; A42B 1/046;  
A42B 1/061; A42B 1/066; A42B 1/201;  
A42B 1/22; A42B 3/00; A42B 3/18;  
A42B 5/00; A42B 7/00  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS

D140,461 S *	2/1945	Butler	.....	D2/865
3,531,952 A *	10/1970	Chesebro, Jr.	.....	A42B 1/046 2/202
D286,222 S *	10/1986	Talbot	.....	D29/106
D334,830 S *	4/1993	Siegel	.....	D2/878
5,704,068 A *	1/1998	Martin	.....	A41D 13/1153 128/201.13
5,822,800 A *	10/1998	Anderson	.....	A42B 1/041 2/202
D518,625 S *	4/2006	Barnhouse	.....	D2/866
7,152,252 B2 *	12/2006	Gellis	.....	A41D 13/11 2/206

7,188,374 B2 \* 3/2007 Carey ..... A42B 1/046  
2/173  
D751,768 S \* 3/2016 Kim ..... D29/108  
D784,660 S \* 4/2017 Garcia ..... D2/865  
(Continued)

*Primary Examiner* — Karen S Acker  
*Assistant Examiner* — Jasmine Mlinarcik


(57) **CLAIM**

The ornamental design for a balaclava, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a balaclava showing my new design;  
FIG. 2 is a rear elevational view of FIG. 1;  
FIG. 3 is a right side view of FIG. 1;  
FIG. 4 is a perspective view of FIG. 1;  
FIG. 5 is a front elevational view showing the balaclava in a first use state;  
FIG. 6 is a rear elevational view of FIG. 5;  
FIG. 7 is a right side view of FIG. 5;  
FIG. 8 is a perspective view of FIG. 5;  
FIG. 9 is a front elevational view showing the balaclava in a second use state;  
FIG. 10 is a rear elevational view of FIG. 9;  
FIG. 11 is a right side view of FIG. 9;  
FIG. 12 is a perspective view of FIG. 9;  
FIG. 13 is a perspective view showing the balaclava in a third use state;  
FIG. 14 is a perspective view showing the balaclava in a fourth use state; and,  
FIG. 15 is a perspective view showing the balaclava in a fifth use state.  
The broken lines in FIGS. 10-11 and 13-15 depict a partial human figure showing how the claimed design may appear when in use and forms no part of the claimed design.

**1 Claim, 15 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D813,499 S \* 3/2018 Leemet ..... D2/866  
2009/0178176 A1 \* 7/2009 Rowe ..... A42B 1/048  
2/172

\* cited by examiner






Fig. 1




Fig. 2






Fig. 3




Fig. 4






Fig. 5






Fig. 6






Fig. 7






Fig. 8






Fig. 9




Fig. 10






Fig. 11




Fig. 12






Fig. 13




Fig. 14






Fig. 15