



US00D831820S

(12) **United States Design Patent**
Petersen(10) **Patent No.:** **US D831,820 S**
(45) **Date of Patent:** **** Oct. 23, 2018**(54) **SYRINGE PUMP HOUSING**(71) Applicant: **CSL Behring Recombinant Facility AG, Bern (CH)**(72) Inventor: **Carsten Petersen, Hoejbjerg (DK)**(73) Assignees: **CSL BEHRING RECOMBINANT FACILITY AG, Bern (CH); MEDICOM INNOVATION PARTNER a/s, Struer (DK)**(**) Term: **15 Years**(21) Appl. No.: **29/562,963**(22) Filed: **Apr. 29, 2016**(51) LOC (11) Cl. **24-02**

(52) U.S. Cl.

USPC **D24/111**(58) **Field of Classification Search**USPC D24/107, 108, 111, 169, 185, 188
CPC A61M 5/142; A61M 2005/14208; A61M 5/14212; A61M 5/14228; A61M 5/14232;
A61M 5/145; A61M 5/1456; A61M 5/14566; A61M 5/1458; A61M 5/1452; A61M 2205/505; A61M 5/14244; A61M 5/1723; A61M 2205/52; G06F 19/3468

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D265,243 S * 6/1982 Manno D24/111
4,493,704 A * 1/1985 Beard A61M 5/1452
604/154
4,529,401 A * 7/1985 Leslie A61M 5/1456
128/DIG. 1
4,648,872 A * 3/1987 Kamen A61M 5/1456
128/DIG. 12
4,978,335 A * 12/1990 Arthur, III A61M 5/1456
128/DIG. 1D325,255 S * 4/1992 Busche D24/108
D325,781 S * 4/1992 Moller-Jensen D24/169
D326,152 S * 5/1992 Rutter D24/111
D326,153 S * 5/1992 Eastman D24/111
D326,320 S * 5/1992 Rutter D24/111
D351,469 S * 10/1994 Okamoto D24/169
5,505,709 A * 4/1996 Funderburk A61M 5/1456
604/151
5,637,095 A * 6/1997 Nason A61M 5/14244
604/135
5,954,697 A * 9/1999 Srisathapat A61M 5/1456
604/154
6,302,855 B1 * 10/2001 Lav A61B 5/14532
600/584
D461,241 S * 8/2002 Moberg D24/111
D461,891 S * 8/2002 Moberg D24/111
D506,007 S * 6/2005 Best D24/169
D669,165 S * 10/2012 Estes D24/111

(Continued)

Primary Examiner — Garth Rademaker*Assistant Examiner* — Lilyana Bekic(74) *Attorney, Agent, or Firm* — Finnegan, Henderson, Farabow, Garrett & Dunner LLP**CLAIM**

The ornamental design for a syringe pump housing, as shown and described.

DESCRIPTION

FIG. 1 is a front bottom right perspective view of a syringe pump housing showing my new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side view thereof; and,

FIG. 7 is a right side view thereof.

The broken lines shown in the drawings illustrate portions of the syringe pump housing that form no part of the claimed design.

1 Claim, 5 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

- D669,167 S * 10/2012 Estes D24/111
8,454,562 B1 * 6/2013 Sims A61M 5/14244
604/151
D689,523 S * 9/2013 Galbraith D15/7
D691,258 S * 10/2013 Estes D24/111
D691,259 S * 10/2013 Estes D24/111
9,427,523 B2 * 8/2016 Qi
D791,306 S * 7/2017 Clemente et al. D24/111
9,833,569 B2 * 12/2017 Gray A61M 5/14244
D809,134 S * 1/2018 Crothall D24/111
9,861,740 B2 * 1/2018 Adams A61M 5/1452
9,878,095 B2 * 1/2018 Alderete, Jr. A61M 5/16831
9,956,339 B2 * 5/2018 Smith A61M 5/14244
9,962,482 B2 * 5/2018 Patel A61M 5/1413
2001/0034502 A1 * 10/2001 Moberg A61M 5/1456
604/154
2008/0306449 A1 * 12/2008 Kristensen A61M 5/20
604/192
2011/0040247 A1 * 2/2011 Mandro A61M 5/142
604/66
2018/0117253 A1 * 5/2018 Salahshoor Kordestani
A61M 5/30

* cited by examiner





FIG. 1

**FIG. 2**




FIG. 3




FIG. 4






FIG. 5

**FIG. 6****FIG. 7**