



US00D831830S

(12) **United States Design Patent**
Lemons et al.(10) **Patent No.:** US D831,830 S
(45) **Date of Patent:** ** *Oct. 23, 2018(54) **ELECTRODE PATCH**(71) Applicant: **Brain Sentinel, Inc.**, San Antonio, TX (US)(72) Inventors: **Eliza Lemons**, San Antonio, TX (US); **Luke E. Whitmire**, San Antonio, TX (US)(73) Assignee: **Brain Sentinel, Inc.**, San Antonio, TX (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**(21) Appl. No.: **29/582,883**(22) Filed: **Oct. 31, 2016**(51) LOC (11) Cl. **24-01**

(52) U.S. Cl.

USPC **D24/168; D24/187**(58) **Field of Classification Search**

USPC D24/165–168, 186, 187, 107, 200; D10/30–39, 65, 70, 75, 78, 97, 98, 103;

600/301, 382–384, 386, 390, 483,

600/500–503, 508, 509, 513

CPC A61N 1/04; A61N 1/0404; A61N 1/0476;

A61N 1/048; A61N 1/0484; A61N

1/0488; A61N 1/0492; A61N 1/0456;

A61N 1/36014; A61N 1/22; A61N 1/0536

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

4,757,817 A 7/1988 Healy
D429,337 S * 8/2000 Sanfilippo D24/187
(Continued)

Primary Examiner — Anhdao Doan

Assistant Examiner — Mary Shannon Malley

(74) Attorney, Agent, or Firm — Pizarro Allen PC

(57) **CLAIM**

The ornamental design for an electrode patch, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an electrode patch showing the first embodiment of our new design.




FIG. 2 is a rear elevational view of the embodiment of FIG. 1.

FIG. 3 is a front elevational view of the embodiment of FIG. 1.

FIG. 4 is a left side view of the embodiment of FIG. 1.

FIG. 5 is a right side view of the embodiment of FIG. 1.

FIG. 6 is a top plan view of the embodiment of FIG. 1.

FIG. 7 is a bottom plan view of the embodiment of FIG. 1.

FIG. 8 is a bottom perspective view of the embodiment of FIG. 1.

FIG. 9 shows how a sensor device may be disposed relative to an electrode patch having a new design as disclosed herein. The sensor device is not claimed.

FIG. 10 shows one embodiment of how an electrode patch having a new design as disclosed herein may be positioned on the human arm. The sensor device and human arm are not claimed.

FIG. 11 is a top perspective view of an electrode patch showing a second embodiment of our new design.

FIG. 12 is a rear elevational view of the embodiment in FIG. 11.

FIG. 13 is a front elevational view of the embodiment in FIG. 11.

FIG. 14 is a left side elevational view of the embodiment in FIG. 11.

FIG. 15 is a right side elevational view of the embodiment in FIG. 11.

FIG. 16 is a top plan elevational view of the embodiment in FIG. 11.

FIG. 17 is a bottom plan elevation view of the embodiment in FIG. 11; and,

FIG. 18 is a bottom perspective view of the embodiment in FIG. 11.

The broken lines showing a sensor device and a human figure represent environment and form no part of the claimed design.

1 Claim, 12 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D471,281 S * 3/2003 Baura D24/187
D475,138 S * 5/2003 Baura D24/187
D477,085 S * 7/2003 Sanfilippo D24/187
D478,173 S * 8/2003 Nielsen D24/187
D558,352 S * 12/2007 Sanfilippo D24/187
D590,342 S * 4/2009 Davila D13/121
D658,768 S * 5/2012 Parker, III D24/187
D716,958 S * 11/2014 Thomas D24/200
D733,598 S * 7/2015 Just D10/77
D757,280 S * 5/2016 Ogaki D24/200
D796,046 S * 8/2017 Sadot D24/186
2005/0215918 A1 9/2005 Frantz et al.
2013/0296996 A1 * 11/2013 Wahlgren A61N 1/303
607/149
2017/0319859 A1 * 11/2017 Bachinski A61N 1/37247

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. II




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18