

US00D831884S

(12) **United States Design Patent** (10) **Patent No.:** **US D831,884 S**
Owens et al. (45) **Date of Patent:** **** Oct. 23, 2018**

(54) **HIGH BAY LIGHTING DEVICE**

(71) Applicant: **Cooper Lighting, LLC**, Cleveland, OH (US)

(72) Inventors: **Walten Peter Owens**, Syracuse, NY (US); **Christopher D. Nolan**, Syracuse, NY (US); **Joseph R. Casper**, Syracuse, NY (US)

(73) Assignee: **Cooper Lighting, LLC**, Cleveland, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/579,864**

(22) Filed: **Oct. 4, 2016**

(51) **LOC (11) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/142**

(58) **Field of Classification Search**

USPC D26/76, 78, 79, 80, 81, 82, 83, 85, 86,
D26/88, 90, 113, 118, 119, 120, 121, 122,
D26/138, 139, 140, 141, 142, 152, 154
CPC F21S 2/00; F21S 4/00; F21S 4/003; F21S
4/005; F21S 4/006; F21S 4/007; F21S
4/008; F21S 6/00; F21S 8/00; F21S
8/024; F21S 8/026; F21S 8/031; F21S
8/033; F21S 8/035–8/037; F21S 8/04;
F21S 8/043; F21S 8/063

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D587,383 S * 2/2009 Wei D26/2
D624,692 S * 9/2010 Mackin D26/142

D642,316 S * 7/2011 Zheng D26/72
D657,492 S * 4/2012 Blincoe D26/152
D666,334 S * 8/2012 Kim D26/2
D701,629 S * 3/2014 Steedly D26/2
D720,880 S * 1/2015 Schuyler D26/142
D723,192 S * 2/2015 Soni D26/2
D770,673 S * 11/2016 Hasan D26/138
2017/0184299 A1 * 6/2017 Nolan F21V 31/005

FOREIGN PATENT DOCUMENTS

EM 003241066-0001 8/2016
EM 003241645-0001 8/2016

* cited by examiner

Primary Examiner — George D Kirschbaum

Assistant Examiner — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Fox Rothschild LLP

(57) **CLAIM**

The ornamental design of a high bay lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a second embodiment of a high bay lighting device.


FIG. 2 is a bottom plan view of the second embodiment of the high bay lighting device.

FIG. 3 is a top plan view of the second embodiment of the high bay lighting device. FIG. 4 is a side elevation view of the second embodiment of the high bay lighting device.

FIG. 5 is a side elevation view of the second embodiment of the high bay lighting device, in which the side of FIG. 5 is opposite that shown in FIG. 4.

The broken lines in the drawings illustrate portions of the high bay lighting device which forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5