



US00D831901S

(12) **United States Design Patent**
Ruetenik

(10) **Patent No.: US D831,901 S**

(45) **Date of Patent: ** *Oct. 23, 2018**

(54) **EQUINE BOOT ORTHOTIC PAD WITH FROG SUPPORT**

7/04; A01L 7/06; A01L 7/08; A01L 9/00;
A01L 15/00

See application file for complete search history.

(71) Applicant: **Monty L. Ruetenik**, Clear Lake Shores, TX (US)

(56) **References Cited**

(72) Inventor: **Monty L. Ruetenik**, Clear Lake Shores, TX (US)

U.S. PATENT DOCUMENTS

(*) Notice: This patent is subject to a terminal disclaimer.

196,479	A *	10/1877	Read	A01L 1/02
					168/24
520,409	A *	5/1894	Burgstaller	A01L 3/04
					168/21
849,879	A *	4/1907	Hewitt	A01L 3/04
					168/19
1,328,708	A *	1/1920	Blondeau	A01L 3/00
					168/18
2,191,834	A *	2/1940	Slack	A01L 7/02
					168/28
2,353,568	A *	7/1944	King	A01L 5/00
					168/13
3,302,723	A *	2/1967	Renkenberger	A01L 3/02
					168/24

(**) Term: **15 Years**

(21) Appl. No.: **29/602,041**

(22) Filed: **Apr. 27, 2017**

(Continued)

(51) **LOC (11) Cl.** **30-01**

(52) **U.S. Cl.**

USPC **D30/149; D30/147**

OTHER PUBLICATIONS

(58) **Field of Classification Search**

USPC D30/119, 108, 114, 116, 120, 136, 137, D30/138, 144, 145, 151, 152, 199, 146, D30/147, 148, 150; D2/627, 896, 897, D2/902, 909, 919, 943, 980; D3/215, D3/327; D29/101.1, 101.3, 101.5; D24/190, 192; D21/387; 119/174, 798, 119/814, 850, 856, 863, 865, 853; 36/58.5, 111, 122, 140; 602/3, 5, 6, 65; 168/1, 4, 6, 10, 12, 14, 17, 18, 26, 29, 168/28; 473/591

Standard Turquoise, published 2017 [online], [retrieved Apr. 9, 2018], Available from Internet, URL: <<https://www.softrideboots.com/gels-standard-turquoise.asp>>.*

(Continued)

CPC A01K 25/00; A01K 13/006; A01K 13/007; A01K 13/008; A01K 15/04; A01K 47/00; A01K 47/02; A01K 47/04; A01K 47/06; A01L 1/00; A01L 1/02; A01L 1/04; A01L 3/00; A01L 3/02; A01L 3/04; A01L 3/06; A01L 5/00; A01L 7/00; A01L 7/02; A01L

Primary Examiner — Jeffrey D Asch
Assistant Examiner — Mary C Ramirez
(74) *Attorney, Agent, or Firm* — Douglas Baldwin

(57) **CLAIM**

The ornamental design for an equine boot orthotic pad with frog support, as shown and described.

DESCRIPTION

FIG. 1 is a top view of an equine boot orthotic pad with frog support showing my new design;
FIG. 2 is a bottom view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a front view thereof;

(Continued)





FIG. 5 is a left side view thereof; and,
 FIG. 6 is a top, front, right perspective view thereof.

1 Claim, 3 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

3,599,720 A * 8/1971 Mathern A01L 3/00
 168/12
 3,794,119 A * 2/1974 Paise A01L 3/00
 168/18
 5,924,274 A * 7/1999 Kerckhaert A01L 1/02
 59/36
 D565,256 S * 3/2008 Ruetenik D30/146
 D580,111 S * 11/2008 Lander D30/146
 D629,165 S * 12/2010 Lander D30/146
 D685,142 S * 6/2013 Lander D30/148
 D689,246 S * 9/2013 Blair D30/148
 D709,656 S * 7/2014 Ruetenik D30/149
 D746,519 S * 12/2015 Ruetenik D30/149
 D771,880 S * 11/2016 Broadus D30/148
 2005/0072128 A1 * 4/2005 Ruetenik A01K 13/007
 54/82
 2008/0022562 A1 * 1/2008 Manis A43B 13/26
 36/59 R

2010/0276163 A1 * 11/2010 Berghorn A01L 1/04
 168/4
 2011/0067366 A1 * 3/2011 Ruetenik A01L 7/02
 54/82
 2011/0186309 A1 * 8/2011 Hoselton A01L 3/00
 168/17
 2014/0033661 A1 * 2/2014 Ruetenik B29C 70/66
 54/82
 2015/0151136 A1 * 6/2015 Ruetenik A61N 2/004
 600/14
 2016/0165871 A1 * 6/2016 Ruetenik A61D 9/00
 168/22
 2016/0249597 A1 * 9/2016 Ruetenik A01L 7/02
 168/12
 2016/0324136 A1 * 11/2016 Silanus A01K 13/007
 2017/0099825 A1 * 4/2017 Ruetenik A01L 7/02
 2017/0280682 A1 * 10/2017 Ruetenik A01K 13/007
 2017/0290317 A1 * 10/2017 Ruetenik A01L 7/02

OTHER PUBLICATIONS

Soft Ride Comfort Boot—All Natural Horse Care, published Jul. 9, 2015 [online], [retrieved Apr. 9, 2018], Available from Internet, URL : <<https://web.archive.org/web/20150709031401/http://www.all-natural-horse-care.com:80/soft-ride-comfort-boot.html>>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6