



US00D832558S

(12) **United States Design Patent** (10) **Patent No.:** **US D832,558 S**
Hawes et al. (45) **Date of Patent:** **** Nov. 6, 2018**

(54) **HEADWEAR**
(71) Applicant: **Under Armour, Inc.**, Baltimore, MD (US)
(72) Inventors: **Eric Hawes**, Baltimore, MD (US); **Whitney Enck**, Baltimore, MD (US)
(73) Assignee: **UNDER ARMOUR, INC.**, Baltimore, MD (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/627,699**
(22) Filed: **Nov. 29, 2017**

Related U.S. Application Data

(62) Division of application No. 29/564,589, filed on May 13, 2016, now Pat. No. Des. 818,247.
(51) **LOC (11) Cl.** **02-03**
(52) **U.S. Cl.**
USPC **D2/875**
(58) **Field of Classification Search**
USPC D2/865, 866, 867, 868, 869, 870, 874, D2/875, 877, 878, 880, 881, 885, 889, D2/891, 895; D29/106
CPC A42B 1/00; A42B 1/004; A42B 1/006; A42B 1/02; A42B 1/04; A42B 1/041; A42B 1/043; A42B 1/06; A42B 1/062; A42B 1/064; A42B 1/066; A42B 1/12; A42B 1/206; A42B 1/22; A42B 1/24; A42B 1/247; A42B 7/00; A42C 5/00; A42C 5/02; A42C 5/04; A45D 8/00; A45D 8/40
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,744,256 A 5/1956 Slotkin et al.
4,864,619 A * 9/1989 Spates H04R 1/10
381/309

5,329,592 A * 7/1994 Altman A41D 20/00
2/171
6,115,843 A 9/2000 Travalgia
D468,013 S * 12/2002 Mason D24/128
6,671,885 B2 1/2004 Viggiano
D511,036 S * 11/2005 Moses D2/894
D565,281 S 4/2008 Dhillon
D567,480 S 4/2008 Harris et al.
D580,634 S 11/2008 Robinson
D599,085 S 9/2009 Booker
8,111,859 B2 2/2012 Phillips
8,213,670 B2 * 7/2012 Lai H04R 5/0335
2/171.8
8,813,265 B2 8/2014 Schwantes
D712,637 S 9/2014 Thompson et al.
D720,520 S 1/2015 Klaiber et al.
D750,356 S 3/2016 McLendon et al.

(Continued)

Primary Examiner — Karen S Acker
Assistant Examiner — Jasmine Mlinarcik
(74) *Attorney, Agent, or Firm* — Edell, Shapiro & Finnan, LLC



(57) **CLAIM**

The ornamental design for a headwear, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of headwear showing our new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front view in elevation thereof;
FIG. 4 is a rear view in elevation thereof;
FIG. 5 is a left side view in elevation thereof;
FIG. 6 is a right side view in elevation thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines depict stitching that forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D756,606	S	5/2016	Benjamin-Cintron	
D766,551	S	9/2016	Barrett	
D771,355	S	11/2016	Eichenberger	
D779,120	S	2/2017	Cull	
9,636,066	B2	5/2017	IDrees	
D806,365	S *	1/2018	Yates D2/889
9,924,271	B2 *	3/2018	Lai H04R 5/0335
D818,247	S *	5/2018	Hawes D2/889
2005/0123151	A1 *	6/2005	Whipple A42B 1/245 381/103
2006/0185062	A1 *	8/2006	Peng H04R 5/0335 2/209.13
2008/0044052	A1 *	2/2008	Whipple A42B 1/245 381/376
2008/0144872	A1 *	6/2008	Phillips H04R 5/0335 381/333
2010/0024091	A1	2/2010	Mehtab et al.	
2013/0039524	A1 *	2/2013	Jones H04R 5/033 381/378
2015/0335086	A1	11/2015	Murphy et al.	
2016/0331057	A1	11/2016	Hawes et al.	

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8