

US00D832637S

(12) **United States Design Patent** (10) **Patent No.:** **US D832,637 S**
Schwartz (45) **Date of Patent:** **** Nov. 6, 2018**

(54) **ELECTRIC WARMER**
(71) Applicant: **LittleWunz, LLC**, Jupiter, FL (US)
(72) Inventor: **Eric D. Schwartz**, Palm Beach Gardens, FL (US)
(73) Assignee: **LittleWunz, LLC**, Jupiter, FL (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/592,209**
(22) Filed: **Jan. 27, 2017**
(51) **LOC (11) Cl.** **07-02**
(52) **U.S. Cl.**
USPC **D7/326**
(58) **Field of Classification Search**
USPC D7/323, 326, 372, 376–386, 412–413,
D7/602, 629, 665–666, 669, 679,
D7/693–694; D23/336
CPC A21C 1/02; A21C 1/04; A23N 1/00; A23N
1/02; A47J 36/2433; A47J 36/2438; A47J
36/2461; A47J 36/2483; A47J 43/04;
A47J 43/25; A47J 43/27; A47J 43/042;
A47J 43/044; A47J 43/046; A47J 43/075;
A47J 43/0722; A47J 43/0727; B01F 3/00;
B01F 3/0807; B01F 3/0853; B01F
13/0059; B01F 13/0064; B02C 1/08;
B02C 2/04; B02C 4/42; B02C 4/142;
B02C 4/143; B02C 4/423; B02C 13/1835;
B28C 5/10; B28C 5/12; B28C 5/14;
B28C 5/16; B65D 81/3886; H01R
13/7038; H05B 3/36
See application file for complete search history.



(56) **References Cited**
U.S. PATENT DOCUMENTS

2,128,016 A 8/1938 Sinko
2,516,637 A 7/1950 McCollum
2,526,447 A * 10/1950 Aiken A47J 36/2483
200/85 R
2,609,479 A 9/1952 Loewe
3,152,245 A 10/1964 Litman
3,892,945 A 7/1975 Lerner

4,462,444 A * 7/1984 Larson B65D 81/3886
215/12.1
4,573,447 A 3/1986 Thrash et al.
4,801,782 A 1/1989 Ineson
5,042,455 A 8/1991 Yue et al.
5,408,068 A * 4/1995 Ng H05B 3/36
219/202
5,436,429 A 7/1995 Cline
5,842,353 A 12/1998 Kuo-Liang
5,975,337 A 11/1999 Hadley
6,072,161 A 6/2000 Stein
6,403,928 B1 6/2002 Ford
6,469,280 B2 10/2002 Graham et al.
6,528,766 B1 3/2003 Parks et al.
6,554,466 B1 4/2003 Lee
6,571,564 B2 * 6/2003 Upadhye A47J 36/2438
165/80.5
6,601,576 B1 8/2003 Baysinger et al.
6,639,186 B1 10/2003 Perez
6,870,135 B2 * 3/2005 Hamm A47J 36/2433
219/202
6,921,880 B2 7/2005 Berger
7,196,293 B2 * 3/2007 Britto H01R 13/7038
219/387
7,994,454 B2 * 8/2011 Traylor A47J 36/2461
219/432
D716,096 S * 10/2014 Krooshof D7/326
D741,102 S * 10/2015 Glucksman D7/323
9,480,363 B2 * 11/2016 Delattre A47J 36/2433
D794,385 S * 8/2017 Lee D7/376
D801,496 S * 10/2017 Letham D23/336
2003/0137168 A1 7/2003 Kain
2004/0139860 A1 * 7/2004 Hamm A47J 36/2433
99/275
2006/0081599 A1 4/2006 Anderson
2006/0264831 A1 11/2006 Skwarek et al.
2007/0204851 A1 9/2007 Justo
2007/0223895 A1 9/2007 Flemm
2008/0041859 A1 2/2008 Teglbjarg
2008/0087270 A1 4/2008 Shaikh et al.
2008/0118614 A1 5/2008 Kehoe et al.
2008/0178865 A1 7/2008 Retterer
2008/0179311 A1 7/2008 Koro et al.
2008/0251063 A1 10/2008 Palena et al.
2010/0025414 A1 2/2010 Mansour et al.
2010/0089901 A1 4/2010 Montana
2012/0061376 A1 3/2012 McBean et al.

OTHER PUBLICATIONS

http://www.babyage.com/products/4225-pl_prince_lionheart_prince_lionheart_on_the_go_bottle_warmer.htm, 2 pgs., Sep. 2009.



<http://www.petersofkensington.com.au/Product/ProductInfo.aspx?id=1625368&cid=483>, 1 pg., Sep. 2009.
<http://www.mom4life.com/catalog.php?item=1255>, 3 pgs., Sep. 2009.
http://www.babyage.com/dex_products/53171/dex_products_grab_n_go_bottle_warmer.htm, 1 pg., Sep. 2009.

* cited by examiner

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — Akerman LLP; Mammen (Roy) P. Zachariah, Jr.

(57) **CLAIM**

The ornamental design for an electric warmer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of my ornamental design for the electric warmer including three bands;

FIG. 2 is a back view of the ornamental design of the embodiment of FIG. 1;

FIG. 3 is a front view of the ornamental design of the embodiment of FIG. 1;

FIG. 4 is a left side view of the ornamental design of the embodiment of FIG. 1;

FIG. 5 is a right side view of the ornamental design of the embodiment of FIG. 1;

FIG. 6 is a top view of the ornamental design of the embodiment of FIG. 1;

FIG. 7 is a bottom view of the ornamental design of the embodiment of FIG. 1;

FIG. 8 is a front perspective view of the ornamental design of the embodiment of FIG. 1 when the electric warmer is unwrapped;

FIG. 9 is a front view of the ornamental design of the embodiment of FIG. 1 when the electric warmer is unwrapped;

FIG. 10 is a back view of the ornamental design of the embodiment of FIG. 1 when the electric warmer is unwrapped;

FIG. 11 is a side view of the ornamental design of the embodiment of FIG. 1 when the electric warmer is unwrapped and the front of the electric warmer is facing up;

FIG. 12 is another side view of the ornamental design of the embodiment of FIG. 1 when the electric warmer is unwrapped and the back of the electric warmer is facing up;

FIG. 13 is another side view of the ornamental design of the embodiment of FIG. 1 when the electric warmer is unwrapped and the front of the electric warmer is facing down;

FIG. 14 is another side view of the ornamental design of the embodiment of FIG. 1 when the electric warmer is unwrapped and the front of the electric warmer is facing up;

FIG. 15 is a perspective view of a second embodiment of my ornamental design for my electric warmer including two bands;

FIG. 16 is a back view of the ornamental design of the embodiment of FIG. 15;

FIG. 17 is a front view of the ornamental design of the embodiment of FIG. 15;

FIG. 18 is a left side view of the ornamental design of the embodiment of FIG. 15;

FIG. 19 is a ride side view of the ornamental design of the embodiment of FIG. 15;

FIG. 20 is a top view of the ornamental design of the embodiment of FIG. 15;

FIG. 21 is a bottom view of the ornamental design of the embodiment of FIG. 15;

FIG. 22 is a front perspective view of the ornamental design of the embodiment of FIG. 15 when the electric warmer is unwrapped;

FIG. 23 is a front view of the ornamental design of the embodiment of FIG. 15 when the electric warmer is unwrapped;

FIG. 24 is a back view of the ornamental design of the embodiment of FIG. 15 when the electric warmer is unwrapped;

FIG. 25 is a side view of the ornamental design of the embodiment of FIG. 15 when the electric warmer is unwrapped and the front of the electric warmer is facing up;

FIG. 26 is another side view of the ornamental design of the embodiment of FIG. 15 when the electric warmer is unwrapped and the back of the electric warmer is facing up;

FIG. 27 is another side view of the ornamental design of the embodiment of FIG. 15 when the electric warmer is unwrapped and the front of the electric warmer is facing down;

FIG. 28 is another side view of the ornamental design of the embodiment of FIG. 15 when the electric warmer is unwrapped and the front of the electric warmer is facing up;

FIG. 29 is a perspective view of a third embodiment of my ornamental design for my electric warmer including one band;

FIG. 30 is a back view of the ornamental design of the embodiment of FIG. 29;

FIG. 31 is a front view of the ornamental design of the embodiment of FIG. 29;

FIG. 32 is a left side view of the ornamental design of the embodiment of FIG. 29;

FIG. 33 is a ride side view of the ornamental design of the embodiment of FIG. 29;

FIG. 34 is a top view of the ornamental design of the embodiment of FIG. 29;

FIG. 35 is a bottom view of the ornamental design of the embodiment of FIG. 29;

FIG. 36 is a front perspective view of the ornamental design of the embodiment of FIG. 29 when the electric warmer is unwrapped;

FIG. 37 is a front view of the ornamental design of the embodiment of FIG. 29 when the electric warmer is unwrapped;

FIG. 38 is a back view of the ornamental design of the embodiment of FIG. 29 when the electric warmer is unwrapped;

FIG. 39 is a side view of the ornamental design of the embodiment of FIG. 29 when the electric warmer is unwrapped and the front of the electric warmer is facing up;


FIG. 40 is another side view of the ornamental design of the embodiment of FIG. 29 when the electric warmer is unwrapped and the back of the electric warmer is facing up;


FIG. 41 is another side view of the ornamental design of the embodiment of FIG. 29 when the electric warmer is unwrapped and the front of the electric warmer is facing down; and,

FIG. 42 is another side view of the ornamental design of the embodiment of FIG. 29 when the electric warmer is unwrapped and the front of the electric warmer is facing up.

The broken lines show a charging apparatus for providing power to the electric warmer, which is shown for illustrative purposes only and forms no part of the claimed design.

1 Claim, 33 Drawing Sheets








FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13






FIG. 14








FIG. 17




FIG. 19




FIG. 18




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27






FIG. 28








FIG. 31




FIG. 33




FIG. 32




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41



FIG. 42