



US00D833244S

(12) **United States Design Patent** (10) **Patent No.:** **US D833,244 S**
Dill (45) **Date of Patent:** **** Nov. 13, 2018**

(54) **POWER TOOL**

(71) Applicant: **Illinois Tool Works Inc.**, Glenview, IL (US)

(72) Inventor: **Michael C. Dill**, Elk Grove Village, IL (US)

(73) Assignee: **Illinois Tool Works Inc.**, Glenview, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/606,100**

(22) Filed: **Jun. 1, 2017**

Related U.S. Application Data

(63) Continuation of application No. 29/548,920, filed on Dec. 17, 2015, now Pat. No. Des. 790,940.

(51) **LOC (11) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/68**

(58) **Field of Classification Search**
USPC D8/61, 67, 68

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D328,411 S * 8/1992 Cavedo D8/68
5,273,198 A 12/1993 Popovich et al.

(Continued)

OTHER PUBLICATIONS

Hilti Corporation, DX 460 Operating Instructions, 2003 (24 Pages).

(Continued)

Primary Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Neal, Gerber & Eisenberg LLP

(57) **CLAIM**

The ornamental design for a power tool, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a power tool showing my new design in accordance to a first embodiment;

FIG. 2 is a left side elevation view thereof;

FIG. 3 is a right side elevation view thereof;

FIG. 4 is a front elevation view thereof;

FIG. 5 is a rear elevation view thereof;

FIG. 6 is a top plan view thereof; and

FIG. 7 is a bottom plan view thereof.

FIG. 8 is a front perspective view of a power tool showing my new design in accordance to a second embodiment;

FIG. 9 is a left side elevation view thereof;

FIG. 10 is a right side elevation view thereof;

FIG. 11 is a front elevation view thereof;

FIG. 12 is a rear elevation view thereof;

FIG. 13 is a top plan view thereof; and

FIG. 14 is a bottom plan view thereof.

FIG. 15 is a front perspective view of a power tool showing my new design in accordance to a third embodiment;

FIG. 16 is a left side elevation view thereof;

FIG. 17 is a right side elevation view thereof;

FIG. 18 is a front elevation view thereof;

FIG. 19 is a rear elevation view thereof;

FIG. 20 is a top plan view thereof; and

FIG. 21 is a bottom plan view thereof.

FIG. 22 is a front perspective view of a power tool showing my new design in accordance to a fourth embodiment;

FIG. 23 is a left side elevation view thereof;

FIG. 24 is a right side elevation view thereof;

FIG. 25 is a front elevation view thereof;


FIG. 26 is a rear elevation view thereof;

FIG. 27 is a top plan view thereof; and

FIG. 28 is a bottom plan view thereof.

The broken lines in the drawings illustrate portions of the power tool that form no part of the claimed design.

1 Claim, 24 Drawing Sheets



(58) **Field of Classification Search**
 CPC B62D 23/005; B62D 29/00; B62D 29/043;
 B62D 31/00; B62D 33/046; B62D 35/00;
 B62D 35/001; B60Q 1/0005
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|----|---|---------|-----------------|-------|-------|
| D459,182 | S | * | 6/2002 | Morgan | | D8/68 |
| D459,643 | S | * | 7/2002 | Morgan | | D8/68 |
| D459,644 | S | * | 7/2002 | Morgan | | D8/68 |
| D460,675 | S | * | 7/2002 | Morgan | | D8/68 |
| D466,778 | S | * | 12/2002 | Morgan | | D8/68 |
| D487,219 | S | * | 3/2004 | Chudy | | D8/68 |
| D498,128 | S | * | 11/2004 | Sterling | | D8/68 |
| D500,653 | S | * | 1/2005 | Concari | | D8/68 |
| D508,835 | S | * | 8/2005 | Schiller | | D8/68 |
| D508,836 | S | * | 8/2005 | Schiller | | D8/68 |
| 7,021,511 | B2 | | 4/2006 | Popovich et al. | | |

| | | | | | | |
|-----------|----|---|---------|----------|-------|--------|
| D524,624 | S | * | 7/2006 | Ki | | D8/68 |
| D529,776 | S | * | 10/2006 | Chen | | D8/68 |
| D543,819 | S | | 6/2007 | Lee | | |
| D589,771 | S | | 4/2009 | Lee | | |
| D590,682 | S | * | 4/2009 | Enriquez | | D8/68 |
| D600,996 | S | * | 9/2009 | Sterling | | D8/107 |
| D609,544 | S | * | 2/2010 | Lopano | | D8/68 |
| D619,438 | S | | 7/2010 | Lee | | |
| D689,355 | S | * | 9/2013 | Miller | | D8/68 |
| 8,960,517 | B2 | | 2/2015 | Lee | | |

OTHER PUBLICATIONS

Ramset® Powder Fastening Systems MasterShot™ Low Velocity Powder Actuated Tool Operator's Instruction & Training Manual, Jul. 2013 (20 pages).
 Ramset® Powder Fastening Systems Cobra+ Semi-Automatic, Low Velocity, Pison-Type Fastening Tool Operator's Instruction & Training Manual, Nov. 2013 (18 pages).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 12




FIG. 11




FIG. 13




FIG. 14





FIG. 15






FIG. 17




FIG. 19




FIG. 18




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 26




FIG. 25




FIG. 27




FIG. 28