



US00D833735S

(12) **United States Design Patent**
Häuser et al.

(10) **Patent No.:** **US D833,735 S**

(45) **Date of Patent:** **** Nov. 20, 2018**

(54) **CARRYING DEVICE FOR BABIES**

(71) Applicant: **CYBEX GMBH**, Bayreuth (DE)

(72) Inventors: **Johannes Häuser**, Bayreuth (DE); **Ralf Holleis**, Bischofsgrün (DE)

(73) Assignee: **Cybex GmbH**, Bayreuth (DE)

(**) Term: **15 Years**

(21) Appl. No.: **35/502,187**

(22) Filed: **Jun. 29, 2016**

(80) **Hague Agreement Data**

Int. Filing Date: **Jun. 29, 2016**

Int. Reg. No.: **DM/091864**

Int. Reg. Date: **Jun. 29, 2016**

Int. Reg. Pub. Date: **Dec. 30, 2016**

(51) **LOC (11) Cl.** **03-99**

(52) **U.S. Cl.**
USPC **D3/214**

(58) **Field of Classification Search**
USPC D3/213–216, 259, 303; D2/719, 828–831
CPC A47D 13/02; A47D 13/025
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D247,199 S *	2/1978	Carter	D3/214
D253,558 S *	12/1979	Carter	D3/214
D276,478 S *	11/1984	Fallon	D3/214
D507,102 S *	7/2005	Bergkvist	D3/213
D527,519 S *	9/2006	Yee	D3/213
D611,699 S *	3/2010	Lundh	D3/213
D642,375 S *	8/2011	Zack	D3/214

D655,495 S *	3/2012	Sauer	D3/214
D693,569 S *	11/2013	Lehan	D3/214
D712,134 S *	9/2014	Gunter	D3/214
D733,419 S *	7/2015	Wikner	D3/214
D738,614 S *	9/2015	Chapman	D3/214
D738,615 S *	9/2015	Chapman	D3/214
D772,560 S *	11/2016	Kemp	D3/214
2014/0014692 A1 *	1/2014	Andren	A47D 13/025 224/161

* cited by examiner

Primary Examiner — Manpreet S Matharu

Assistant Examiner — Holly E Thurman

(74) *Attorney, Agent, or Firm* — Boyle Fredrickson, S.C.



(57) **CLAIM**


The ornamental design for a carrying device for babies, as shown and described.

DESCRIPTION


1.1 is a perspective view of a carrying device for babies in accordance with the present invention;
1.2 is a front view of the carrying device for babies of 1.1;
1.3 is a rear view of the carrying device for babies of 1.1;
1.4 is a side view of a first side of the carrying device for babies of 1.1;
1.5 is a side view of a second side of the carrying device for babies of 1.1;
1.6 is a bottom plan view of the carrying device for babies of 1.1; and
1.7 is a top plan view of the carrying device for babies of 1.1.
In the drawings, the broken lines represent portions of the carrying device for babies that form no part of the claimed design.

1 Claim, 7 Drawing Sheets







1.1




1.2




1.3




1.4



1.5



1.6



1.7