

US00D833854S

(12) **United States Design Patent** (10) **Patent No.:** **US D833,854 S**
Yamamoto (45) **Date of Patent:** **** Nov. 20, 2018**

(54) **PROTECTIVE TOOL FOR A TWISTED MEMBER**

(71) Applicant: **TOKYO ROPE MANUFACTURING CO., LTD.**, Tokyo (JP)

(72) Inventor: **Yukito Yamamoto**, Tokyo (JP)

(73) Assignee: **TOKYO ROPE MANUFACTURING CO., LTD.**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/611,729**

(22) Filed: **Jul. 25, 2017**

(30) **Foreign Application Priority Data**

Feb. 6, 2017 (JP) D2017-002034

(51) **LOC (11) Cl.** **09-06**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**
USPC D8/367, 356, 354, 349
CPC B65H 57/16; B63B 21/045
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,728,136	A *	3/1998	Thal	A61B 17/0401 606/232
D608,353	S *	1/2010	Tsai	D14/228
D642,989	S *	8/2011	Montena	H01R 13/5213 D13/156
D645,022	S *	9/2011	Lee	D13/154
D661,256	S *	6/2012	Shawgo	D13/151
D675,985	S *	2/2013	Izen	D13/133
D678,199	S *	3/2013	Izen	D13/133

D679,660	S *	4/2013	Haberek	D13/151
D680,963	S *	4/2013	Purdy	D13/151
D775,937	S *	1/2017	Davis	D8/356
D813,015	S *	3/2018	O'Brien	D8/356
D814,269	S *	4/2018	Veilleux	D8/356
D814,907	S *	4/2018	Baiz	D8/356
D817,154	S *	5/2018	Landrum	D8/356
2015/0251488	A1 *	9/2015	Hoff	B60B 7/16 301/37.21

* cited by examiner

Primary Examiner — Cynthia R Underwood

(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC


(57) **CLAIM**

The ornamental design for a protective tool for a twisted member, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a protective tool for a twisted member of an embodiment formed from two half-bodies, showing my new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a left side view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof;
 FIG. 8 is a perspective view of the half-body thereof;
 FIG. 9 is a front view of the half-body thereof;
 FIG. 10 is a rear view of the half-body thereof;
 FIG. 11 is a left side view of the half-body thereof;
 FIG. 12 is a right side view of the half-body thereof;
 FIG. 13 is a top view of the half-body thereof;
 FIG. 14 is a bottom view of the half-body thereof; and,
 FIG. 15 is a perspective view thereof shown in an unclaimed environment of use.

1 Claim, 9 Drawing Sheets






Fig. 1

Fig. 2




Fig. 3




Fig. 5




Fig. 4




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 12



Fig. 11



Fig. 13





Fig. 14






Fig. 15