



US00D834414S

(12) **United States Design Patent** (10) **Patent No.:** **US D834,414 S**  
**Moore et al.** (45) **Date of Patent:** **\*\* Nov. 27, 2018**

(54) **FLUID CONTAINER SPOUT WITH STRAW** 1,998,646 A 4/1935 Yager et al.  
 2,008,593 A 7/1935 Pedersen  
 (71) Applicant: **PURA STAINLESS LLC**, Santa Barbara, CA (US) 2,084,099 A 6/1937 Maccoy  
 2,157,896 A 5/1939 Held  
 2,194,004 A 3/1940 Bukolt  
 (72) Inventors: **Roger P. Moore**, Santa Barbara, CA (US); **Jenifer R. Moore**, Santa Barbara, CA (US) 2,438,299 A 3/1948 Relis  
 2,449,014 A 9/1948 Shaffer  
 D181,337 S \* 11/1957 Beall, Jr. .... D9/447  
 2,812,764 A 11/1957 Crisp  
 (73) Assignee: **PURA STAINLESS LLC**, Santa Barbara, CA (US) 2,836,321 A 5/1958 Soltesz et al.  
 D188,393 S 7/1960 Fagan  
 D193,121 S 6/1962 Wickman et al.  
 (\*\*) Term: **15 Years** 3,117,702 A 1/1964 Henchert  
 (21) Appl. No.: **29/646,390** 3,160,327 A 12/1964 Porcelli  
 3,168,221 A 2/1965 Parker  
 (22) Filed: **May 3, 2018** 3,282,477 A \* 11/1966 Henchert ..... B65D 47/103  
 220/258.2

**Related U.S. Application Data**

(62) Division of application No. 29/604,733, filed on May 19, 2017, now Pat. No. Des. 820,085. 3,292,809 A 12/1966 Shomock et al.  
 3,434,620 A 3/1969 Laurizio  
 3,445,023 A 5/1969 Giessler et al.  
 D220,732 S 5/1971 Ritsi  
 (51) **LOC (11) Cl.** ..... **09-07** 3,788,510 A 1/1974 Collins  
 (52) **U.S. Cl.** 3,855,997 A \* 12/1974 Sauer ..... A61B 10/0045  
 215/309  
 USPC ..... **D9/449**; D9/436; D7/300.2; D7/392.1; D7/396.2


(58) **Field of Classification Search**  
 USPC ..... D9/434, 435, 436, 442, 443, 445-450, D9/499, 682, 684; D7/300.2, 387, 392, D7/392.1, 396.2, 509-511, 538, 900; D3/202, 318  
 CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D 1/02; B65D 1/10; B65D 1/46; B65D 2585/56; B65D 2585/545; B65D 41/00; B65D 41/38; B65D 41/56; B65D 41/62; B65D 47/00; B65D 47/06; B65D 47/08; B65D 2543/00046; B65D 2543/00092; B65D 2543/00296; B65D 5/46; B65D 2251/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,099,082 A	6/1914	Decker	5,769,277 A	6/1998	Elliott
1,510,363 A	9/1924	Wangen et al.	D404,646 S	1/1999	Black, Sr. et al.
1,659,784 A	2/1928	Pfister et al.	D409,303 S	5/1999	Oepping
1,733,184 A	10/1929	More	5,909,820 A	6/1999	Yeh
1,797,433 A	3/1931	McCrea	5,950,689 A	9/1999	Variet
			5,996,859 A *	12/1999	Beck ..... B65D 47/0809 215/237
			D424,937 S	5/2000	Tucker
			D437,782 S	2/2001	Haley et al.
			D438,799 S	3/2001	Anderson
			6,223,919 B1	5/2001	Kuehn



# US D834,414 S

D448,971 S 10/2001 Hughes  
 6,371,315 B1 4/2002 Chien  
 D463,567 S 9/2002 Morano  
 D465,028 S 10/2002 Renz  
 D466,016 S 11/2002 Serrano et al.  
 D475,923 S 6/2003 Renz  
 D479,606 S 9/2003 Randolph  
 6,634,417 B1 10/2003 Kolowich  
 D487,227 S 3/2004 Haley  
 D504,725 S 5/2005 Randolph et al.  
 D507,722 S 7/2005 Rockhill  
 6,948,630 B2 9/2005 Julian et al.  
 D514,935 S 2/2006 Sturk  
 6,994,225 B2 2/2006 Hakim  
 7,070,065 B2 7/2006 Wong  
 D526,208 S 8/2006 Klein et al.  
 D531,901 S 11/2006 Rueschhoff et al.  
 D537,714 S \* 3/2007 Yerby ..... D9/445  
 D555,795 S 11/2007 Mallet  
 D567,384 S 4/2008 Sakulsacha et al.  
 D573,017 S 7/2008 Henderson  
 D588,616 S 3/2009 Tanaka et al.  
 D592,505 S \* 5/2009 Mobley ..... D7/300.2  
 7,624,868 B2 \* 12/2009 Booker ..... A61D 19/024  
 206/305

D617,465 S 6/2010 Hakim  
 D630,510 S 1/2011 Yacktman  
 D630,511 S 1/2011 Stull, Sr. et al.  
 D634,439 S 3/2011 Hakim  
 7,938,281 B2 5/2011 Horntrich et al.  
 D639,968 S 6/2011 Pukall et al.  
 D639,969 S 6/2011 Pukall et al.  
 D643,722 S 8/2011 Gorskey et al.  
 D645,339 S 9/2011 Oakes  
 8,123,086 B2 2/2012 Haley  
 D666,096 S \* 8/2012 Cummings ..... D9/447  
 D666,098 S \* 8/2012 Cummings ..... D9/447  
 D667,558 S 9/2012 Hakim  
 D671,793 S 12/2012 Hakim  
 D676,318 S 2/2013 MacNeill et al.  
 D678,767 S 3/2013 Haley  
 D679,589 S 4/2013 Hauth  
 D681,216 S 4/2013 Smith  
 D683,189 S 5/2013 Thomas  
 D693,650 S 11/2013 De Leo  
 8,573,436 B2 11/2013 Moore et al.  
 D699,068 S 2/2014 Dunn et al.  
 8,739,991 B2 6/2014 Moore et al.  
 D711,230 S 8/2014 den Boer  
 8,807,386 B2 8/2014 Lam  
 D713,259 S 9/2014 Naef et al.  
 D713,724 S 9/2014 den Boer  
 8,919,610 B2 12/2014 Haley et al.  
 D721,976 S 2/2015 Cornelius et al.  
 D722,173 S 2/2015 Wilson  
 D722,872 S \* 2/2015 Bowman ..... D9/436  
 D724,233 S 3/2015 Moore et al.  
 D728,808 S 5/2015 Sakulsacha  
 D730,730 S 6/2015 Haley et al.  
 D731,240 S \* 6/2015 Bell ..... D7/300.2  
 RE45,611 E 7/2015 Haley  
 D734,476 S 7/2015 Chaitanarit  
 D735,049 S 7/2015 Cornelius et al.  
 D744,778 S \* 12/2015 Wahl ..... D7/391  
 D747,200 S 1/2016 Chiorazzi et al.  
 9,233,052 B2 1/2016 Moore et al.  
 D749,745 S 2/2016 Prentice  
 D750,490 S 3/2016 Moore et al.  
 D752,234 S 3/2016 Moore et al.  
 D752,434 S 3/2016 Willows  
 D758,789 S 6/2016 Moore et al.  
 D767,390 S 9/2016 Miksovsky et al.  
 D768,490 S 10/2016 Robinson et al.  
 D769,671 S 10/2016 Bielawski  
 D769,713 S 10/2016 Moore et al.  
 D776,533 S 1/2017 Kikel  
 D780,579 S 3/2017 Kim et al.  
 D781,640 S \* 3/2017 Roth ..... D7/300.2  
 D782,245 S \* 3/2017 Ellsworth ..... D7/300.2

RE46,506 E 8/2017 Haley  
 D794,811 S 8/2017 Thomas  
 D795,064 S 8/2017 Moore et al.  
 D808,802 S 1/2018 Seiders et al.  
 D815,890 S \* 4/2018 Boroski ..... D7/392.1  
 D820,996 S \* 6/2018 Knaus ..... C12M 23/08  
 D24/224

2003/0089676 A1 5/2003 Uehara  
 2004/0124168 A1 7/2004 Silver  
 2004/0221385 A1 11/2004 Su  
 2005/0000930 A1 1/2005 Weissberg  
 2005/0006415 A1 1/2005 Kiehne  
 2005/0184026 A1 8/2005 Haley  
 2005/0258201 A1 11/2005 Willows et al.  
 2006/0011571 A1 1/2006 Silver  
 2006/0261064 A1 11/2006 Holley, Jr.  
 2007/0102434 A1 5/2007 Dunwoody et al.  
 2007/0221604 A1 9/2007 Hakim  
 2008/0282907 A1 11/2008 Begin et al.  
 2009/0261054 A1 10/2009 Shelby  
 2009/0301990 A1 12/2009 Cresswell et al.  
 2011/0062105 A1 3/2011 Itzek  
 2012/0074090 A1 3/2012 Rees  
 2012/0305582 A1 12/2012 Dunn  
 2014/0251939 A1 9/2014 Boonprasop  
 2015/0053637 A1 2/2015 Archer et al.

## FOREIGN PATENT DOCUMENTS

AU	2009200949	10/2009
CN	2813523	3/2013
CN	201320170041.6	12/2013
CN	2013305348008	3/2014
EP	0151862 A2	8/1985
EP	1354579 A1	10/2003
EP	002346577-0001	11/2013
EP	002346577-0002	11/2013
GB	2154451 A1	9/1985
GB	2491790	4/2013
KR	20-1999-0021881	6/1999
KR	10-2000-0022013	4/2000
KR	20-2000-0007813	5/2000
KR	10-2000-0042244	7/2000
WO	WO 0016731 A1	3/2000
WO	WO 2011/116354 A2	9/2011
ZA	2012/07314	11/2012

## OTHER PUBLICATIONS

U.S. Appl. No. 29/640,196 including its prosecution history, the cited references, and the Office Actions therein, Jenifer R. Moore.  
 U.S. Appl. No. 29/568,981 including its prosecution history, the cited references, and the Office Actions therein, Moore et al.  
 Organickidz, About us, [www.organickidz.ca/about-us/founder](http://www.organickidz.ca/about-us/founder), Pub. Date Unknown.  
 CamelBak Eddy, .75L BPA-Free Water Bottle for Hydration on the Go. [http://shop.camelbak.com/eddy-751/d/1012\\_c\\_755\\_cl\\_6192](http://shop.camelbak.com/eddy-751/d/1012_c_755_cl_6192), printed on Mar. 9, 2016.  
 Tejada, Avoid Bisphenol A when you can, [www.azcentral.com/community/chandler/citizen/articles/2009/05/26/20090526fraskexpert0527.html](http://www.azcentral.com/community/chandler/citizen/articles/2009/05/26/20090526fraskexpert0527.html), May 26, 2009.  
 My Precious Kid, Baby Bottles—BPA free/stainless steel on sale, <http://www.mypreviouskid.com/blog/2009/10/baby-bottles-bpa-freestainless-steel-on-sale/>, Oct. 21, 2009.  
 Mittelstaedt, Bisphenol A poses disease risk for adults, study says, [theglobeandmail.com/technology/science/.../article1061117](http://theglobeandmail.com/technology/science/.../article1061117), Sep. 16, 2008.  
 Mommyauctions, Bottle raid 2007!, [mommyauctions.com/blog/2007/10/01/kitchen-raid-2007-what-s-the-scoop-on-all-the-bpa-free-hype](http://mommyauctions.com/blog/2007/10/01/kitchen-raid-2007-what-s-the-scoop-on-all-the-bpa-free-hype), Oct. 21, 2009.  
 Wellings, Concerns over baby bottles, <http://au.news.yahoo.com/today-tonight/latest/article/-/6098435/concerns-over-baby-bottles>, Sep. 24, 2009.  
 Examination Report issued in United Kingdom Patent Application No. GB1218578.1 dated Oct. 31, 2012 by Examiner Emily Jones.

Daley, Harvard study backs bottle concern, says plastic used leaches Bisphenol A, *The Boston Globe* [www.boston.com/lifestyle/green/articles/2009/05/22/harvard\\_study\\_backs\\_bottle\\_concern\\_and](http://www.boston.com/lifestyle/green/articles/2009/05/22/harvard_study_backs_bottle_concern_and): [www.organickidz.ca/stainless-steel-bpa/news-articles](http://www.organickidz.ca/stainless-steel-bpa/news-articles), May 22, 2009.

International Search Report and Written Opinion for International Application No. PCT/US2011/029098, Notification dated Nov. 28, 2011.

Consumer Reports, Major baby bottle manufacturers agree to ban BPA, <http://news.consumerreports.org/safety/2009/03/baby-bottle-makers-agree-to-ban-bpa.html>, Mar. 9, 2009.

Nuby Replacement Spouts, Copyright 2011.

Nuby Klik-it FlexStraw, copyright 2016, <https://nuby.com/en/nuby/cups-spouts/10130/>.

Cornell University, Plastics—Avoiding BPA, [http://envirocancer.cornell.eduhttp://envirocancer.cornell.edu](http://envirocancer.cornell.edu/envirocancer.cornell.eduhttp://envirocancer.cornell.edu), Mar. 2009.

Adams, Six baby bottle manufacturers quietly agree to remove BPA from baby bottles, [http://www.naturalnews.com/025804\\_BPA\\_Baby\\_Bottles.html](http://www.naturalnews.com/025804_BPA_Baby_Bottles.html), Mar. 9, 2009.

Wiley, Stainless Steel Baby Bottles are the best alternative to plastic, [voices.yahoo.com/stainless-steel-baby-bottles-best-alternative-2999481.html?cat=25](http://voices.yahoo.com/stainless-steel-baby-bottles-best-alternative-2999481.html?cat=25), Mar. 6, 2009.

Alter, Time to pack in the polycarbonates, <http://vwww.treehugger.com/green-food/time-to-pack-in-the-polycarbonates.html>, Aug. 1, 2007.

Thinkbaby, The New Design—Stage B, Cross Cut, No Spill (6 to 12 months)—Two Pack, [http://thinkbabybottles.3dcartstores.com/The-New-Design--Stage-B-Cross-Cut-No-Spill-6-to-12-months-Two-Pack-\\_p\\_200.html](http://thinkbabybottles.3dcartstores.com/The-New-Design--Stage-B-Cross-Cut-No-Spill-6-to-12-months-Two-Pack-_p_200.html) retrieved May 5, 2015. The publication date of this reference is not readily available. Applicant requests that the Examiner review the reference as prior art. Applicant requests that the right to disqualify the reference as prior art if needed.

Garvey, World's first stainless steel baby bottles—safe, strong and sustainable, [www.gizmag.com/worlds-first-stainless-steel-baby-bottles/12910](http://www.gizmag.com/worlds-first-stainless-steel-baby-bottles/12910), Sep. 22, 2009.

Manila Mommy, A Review and a Giveaway! Pura Kiki Stainless Steel Bottle, <http://manilamommy.com/pura-kiki-review/>, Mar. 5, 2012.

Family Education, Pura Stainless Steel Water Bottle Giveaway, <http://blogs.familyeducation.com/blogs/lindsay/pura-stainless-steel-water-bottle-giveaway>, Sep. 14, 2011.

Stannard, Yale study details how and why of BPA's dangers, [www.ehhi.org/plastics/taylor\\_nhregister\\_0310.shtml](http://www.ehhi.org/plastics/taylor_nhregister_0310.shtml) and: [www.organickidz.ca/stainless-steel-bpa/news-articles](http://www.organickidz.ca/stainless-steel-bpa/news-articles), Mar. 9, 2009.

\* cited by examiner

*Primary Examiner* — Michael A. Pratt

*Assistant Examiner* — Wendy L Arminio

(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear LLP

(57)

### CLAIM

The ornamental design for a fluid container spout with straw, as shown and described.

### DESCRIPTION

FIG. 1 is a front, top, and side perspective view of a first embodiment of a fluid container spout with straw embodying our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a back side view thereof.

FIG. 4 is a left side view thereof.

FIG. 5 is a right side view thereof.

FIG. 6 is a top view thereof.

FIG. 7 is a bottom view thereof.

FIG. 8 is a cross-sectional view taken in the direction of line 8-8 shown in FIG. 4.

FIG. 9 is a front, top, and side perspective view of a second embodiment of a fluid container spout with straw embodying our new design.

FIG. 10 is a front view thereof.

FIG. 11 is a back side view thereof.

FIG. 12 is a left side view thereof.

FIG. 13 is a right side view thereof.


FIG. 14 is a top view thereof.

FIG. 15 is a bottom view thereof; and,


FIG. 16 is a cross-sectional view taken in the direction of line 16-16 shown in FIG. 12.

Broken lines are used to illustrate features of the fluid container spout with straw which form no part of the claimed design. In the first and second embodiments of the fluid container spout with straw, broken lines showing the lid and strap form no part of the claimed design. In the second embodiment of the fluid container spout with straw, broken lines showing a portion of the straw form no part of the claimed design.


**1 Claim, 16 Drawing Sheets**



*FIG. 1*



*FIG. 2*



*FIG. 3*





FIG. 4



*FIG. 5*






FIG. 6







FIG. 7




*FIG. 8*







*FIG. 10*



*FIG. 11*




*FIG. 12*




*FIG. 13*






*FIG. 14*



*FIG. 15*



*FIG. 16*