



US00D834486S

(12) **United States Design Patent**  
**Patel**

(10) **Patent No.:** **US D834,486 S**

(45) **Date of Patent:** **\*\* Nov. 27, 2018**

(54) **WHEEL**

(71) Applicant: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)

(72) Inventor: **Paven Patel**, Coventry (GB)

(73) Assignee: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/614,003**

(22) Filed: **Aug. 15, 2017**

**Related U.S. Application Data**

(62) Division of application No. 29/538,441, filed on Sep. 3, 2015, now Pat. No. Des. 794,526.

(30) **Foreign Application Priority Data**

Mar. 16, 2015 (EM) ..... 002656371

(51) **LOC (11) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/209**

(58) **Field of Classification Search**  
USPC ..... D12/204–213  
CPC .... B60B 7/00; B60B 7/02; B60B 7/04; B60B 7/01; B60B 7/06; B60B 3/02; B60B 3/04; B60B 3/06; B60B 3/10; B60B 1/00; B60B 1/08; B60B 1/10; B60B 1/12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D697,007 S \* 1/2014 Pollmann ..... D12/209  
D728,441 S \* 5/2015 Zhang ..... D12/209  
D734,234 S \* 7/2015 Juergens ..... D12/209

D739,326 S \* 9/2015 Juergens ..... D12/209  
D744,925 S \* 12/2015 Wheel ..... D12/209  
D746,750 S \* 1/2016 Curtis ..... D12/209  
D746,751 S \* 1/2016 Wheel ..... D12/209  
D748,552 S \* 2/2016 Wagener ..... D12/209  
D749,028 S \* 2/2016 Henstridge ..... D12/209  
D751,482 S \* 3/2016 Caswell ..... D12/209  
D753,571 S \* 4/2016 Juergens ..... D12/211  
D760,139 S \* 6/2016 Dionisopoulos ..... D12/209  
D765,575 S \* 9/2016 Holstein ..... D12/211  
D766,153 S \* 9/2016 Wheel ..... D12/209  
D775,574 S \* 1/2017 Maher ..... D12/209  
D794,526 S \* 8/2017 Patel ..... D12/209

\* cited by examiner

*Primary Examiner* — Stacia A Cadmus

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP

(57) **CLAIM**

The ornamental design for a wheel, as shown and described.

**DESCRIPTION**

FIG. 1 is a front left perspective view of a wheel according to the present invention.

FIG. 2 is a front right perspective view thereof.

FIG. 3 is a rear right perspective view thereof.

FIG. 4 is a front view thereof.

FIG. 5 is a rear view thereof.

FIG. 6 is a left side view thereof, the right side being a mirror image thereof.

FIG. 7 is a front left perspective view of a wheel according to a second embodiment of the present invention.

FIG. 8 is a front right perspective view thereof.

FIG. 9 is a rear right perspective view thereof.

FIG. 10 is a front view thereof.

FIG. 11 is a rear view thereof; and,

FIG. 12 is a left side view thereof, the right side being a mirror image thereof.

**1 Claim, 12 Drawing Sheets**







FIG. 1



FIG. 2



FIG. 3



FIG. 4




FIG. 5



FIG. 6



FIG. 7





FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12