

US00D834655S

(12) **United States Design Patent** (10) **Patent No.:** **US D834,655 S**
Oberndorfer et al. (45) **Date of Patent:** **** Nov. 27, 2018**

(54) **DRONE CONTROL DEVICE**
(71) Applicant: **Intel IP Corporation**, Santa Clara, CA (US)
(72) Inventors: **Fabian Oberndorfer**, Germering (DE); **Markus Luetzenburger**, Maisach (DE)
(73) Assignee: **Intel IP Corporation**, Santa Clara, CA (US)

D740,708 S * 10/2015 Pecorari D21/566
D741,952 S * 10/2015 Nokuo D14/401
D774,933 S * 12/2016 Pecorari D10/104.1
D794,135 S * 8/2017 Snyder D21/566
D795,257 S * 8/2017 Jiang D14/339
D815,064 S * 4/2018 Garncarz D14/217
D817,416 S * 5/2018 Pecorari D21/566
D819,640 S * 6/2018 Lu D14/391
2014/0111317 A1* 4/2014 Shen A63H 30/04
340/12.22
2016/0124458 A1* 5/2016 Yamaguchi G05G 5/03
74/523

(**) Term: **15 Years**

(21) Appl. No.: **29/580,375**

(22) Filed: **Oct. 7, 2016**

(51) **LOC (11) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/566**; D21/321; D21/696; D14/401;
D14/412

(58) **Field of Classification Search**
USPC D21/332, 566, 696; D14/401, 412
CPC G08C 17/02; G08C 2201/00; G08C 2201/30;
G08C 2201/32; A63H 30/00; A63H
30/02; A63H 30/04; G05G 9/04; G05G
9/047

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D374,694 S * 10/1996 Arai 446/456
D395,472 S * 6/1998 Kanetsuna D21/566
D573,204 S * 7/2008 Arai D21/566
D594,071 S * 6/2009 Jinno D21/566
D636,825 S * 4/2011 Tanaka D21/566
D650,021 S * 12/2011 Suzuki D21/566
D655,758 S * 3/2012 Sunabe D21/330
D657,426 S * 4/2012 Gomez D21/330
D670,768 S * 11/2012 Isono D21/566
D723,558 S * 3/2015 Downs D12/133
D740,288 S * 10/2015 O'Donnell, Sr. D14/401

(Continued)

Primary Examiner — Robin V Webster

Assistant Examiner — Keith J Wilson

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.

(57) **CLAIM**

The ornamental design for a drone control device, as shown and described.

DESCRIPTION

FIG. 1 is a top-left-rear perspective view of a drone control device, showing our new design.

FIG. 2 is a rear view thereof.

FIG. 3 is a front view thereof.

FIG. 4 is a left side view thereof.

FIG. 5 is a right side view thereof.


FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken line showings of connector ports, ventilation holes, screw holes, bottom surface protrusions (e.g., “legs” or “feet”), and a removable panel in the bottom surface of the drone control device are for the purpose of illustrating environmental structure and form no part of the claimed design.

The shade lines show surface contour and not surface ornamentation.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0367890 A1* 12/2016 Kuhl A63F 13/21
2017/0069223 A1* 3/2017 Cramer G09B 19/003

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7