



US00D834945S

(12) **United States Design Patent** (10) **Patent No.:** **US D834,945 S**
LaPorte et al. (45) **Date of Patent:** **** Dec. 4, 2018**

(54) **SPRAY BOTTLE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Phonosoap LLC**, Orem, UT (US)
(72) Inventors: **Wesley David LaPorte**, Provo, UT (US); **Daniel Harrison Barnes**, Orem, UT (US)

DE 9216727 U1 * 5/1993 A45D 34/02
DE 202014004505 U1 * 7/2014 F41H 9/10
(Continued)

(73) Assignee: **Phonosoap LLC**, Orem, UT (US)

Primary Examiner — Catherine A Tuttle
(74) *Attorney, Agent, or Firm* — Stoel Rives LLP

(**) Term: **15 Years**

(21) Appl. No.: **29/594,675**

(22) Filed: **Feb. 21, 2017**

(51) **LOC (11) Cl.** **09-01**

(52) **U.S. Cl.**

USPC **D9/687**; D9/682

(58) **Field of Classification Search**

USPC D9/516, 517, 754, 543, 544, 546, 548, D9/549–558, 560, 562, 563, 564, 566, D9/569, 567, 571, 572, 573, 682, D9/684–694, 715, 719, 737, 738, 741, D9/745–747, 763–783, 521, 529, D9/723–729, 436, 445, 447–449, D9/700–702, 711, 730–736, 414, 415, D9/418, 419, 423, 424, 430, 432, 456, D9/457, 499; D28/7, 86, 91.1, 73–85; D3/201–203.8, 205–212, 215, 218, 219, D3/247, 249, 298, 300, 302, 318, 319, D3/321, 322; D27/139–161, 172–194; D14/341–347, 366, 383–386, 432–461, D14/474–484.1, 507, 511, 137, 138 R, D14/138 AA, 138 AB, 138 AC, 138 AD, D14/138 C, 138 G, 154, 155, 158, 160,

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D215,817 S * 11/1969 Gorman D9/687
D238,378 S * 1/1976 Hocq D27/154

(Continued)


(57) **CLAIM**

The ornamental design for a spray bottle, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a spray bottle, showing our new design; FIG. 2 is a front elevation view thereof; FIG. 3 is a right side elevation view thereof, with the left side elevation view being a mirror image of FIG. 3; FIG. 4 is a rear elevation view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a front perspective view of a second embodiment of a spray bottle, showing our new design, wherein the crossed-line surface shading depicts a fabric material; FIG. 8 is a front elevation view thereof; FIG. 9 is a right side elevation view thereof, with the left side elevation view being a mirror image of FIG. 9; FIG. 10 is a rear elevation view thereof; FIG. 11 is a bottom plan view thereof; and, FIG. 12 is a top plan view thereof. The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design, while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(58) **Field of Classification Search**

USPC D14/163–165, 167, 188, 191–193, 203.1,
 D14/203.3, 203.4, 203.5, 203.7, 217–219,
 D14/224, 224.1, 238.1, 244, 248,
 D14/250–257; D19/2, 9–12, 26, 27, 32,
 D19/103, 113, 86, 88, 90, 91, 92, 95, 99,
 D19/100, 115–204
 CPC B65D 11/10; B65D 11/105; B65D 11/12;
 B65D 83/14; B65D 83/20; B65D 83/205;
 B65D 83/38; B65D 83/384; B65D
 83/386; B65D 83/40; B65D 23/0842;
 B65D 23/085; B65D 23/0857; B65D
 23/0885; B65D 77/0446; B65D 77/0453;
 B65D 77/046; A45D 34/00; A45D 34/02;
 A45D 2034/005; A45D 2034/007; A45D
 2200/054–2200/057; B05B 11/00–11/3098
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D266,961 S * 11/1982 Balleraud D28/5
 D277,549 S * 2/1985 Martinez D9/448
 4,662,541 A * 5/1987 Fossati A45D 34/02
 222/135
 D292,066 S * 9/1987 Rodriguez Gazulla D28/91.1
 D306,554 S * 3/1990 Lawson D9/573
 D309,570 S * 7/1990 Kinoshita D9/418
 D328,029 S * 7/1992 Grip D9/544
 D351,789 S * 10/1994 Lee D9/417
 5,429,301 A * 7/1995 Franks B65D 83/384
 222/145.1
 5,927,548 A * 7/1999 Villaveces A45F 5/02
 222/175
 D425,407 S * 5/2000 Ackerman D9/687
 6,230,889 B1 * 5/2001 Chen B65D 83/384
 206/1.5

D449,978 S * 11/2001 Viellard D9/521
 D466,403 S * 12/2002 Haas D9/687
 D467,164 S * 12/2002 Savean D9/694
 D469,464 S * 1/2003 Vidal D19/2
 D537,620 S * 3/2007 Glennie D3/203.5
 D571,225 S * 6/2008 Andersen D9/719
 D575,452 S * 8/2008 Jones D27/189
 D593,420 S * 6/2009 Augenbraun D9/529
 D617,649 S * 6/2010 Puglisi D9/631
 D628,495 S * 12/2010 Sheikh D9/733
 7,866,328 B2 * 1/2011 Chen A45D 33/22
 132/287
 D657,680 S * 4/2012 Cora D9/521
 D715,155 S * 10/2014 Meyers D9/687
 D728,881 S * 5/2015 Gameiro D32/45
 D764,309 S * 8/2016 Yakos D9/682
 D771,043 S * 11/2016 Avetisov D14/384
 D776,547 S * 1/2017 Schroeder D6/542
 D806,556 S * 1/2018 Finch D9/682
 D814,118 S * 3/2018 McIver D28/85
 2002/0003152 A1 * 1/2002 Garcia B65D 83/38
 222/321.9
 2002/0102124 A1 * 8/2002 Kohlruss A47L 13/16
 401/139
 2010/0252573 A1 * 10/2010 Hetmaniok A45D 34/04
 222/105
 2011/0220682 A1 * 9/2011 Lim B05B 11/0054
 222/183
 2014/0102585 A1 * 4/2014 Lasnier B05B 11/0056
 141/18
 2016/0068303 A1 * 3/2016 Schroeder B65D 21/0204
 220/23.4

FOREIGN PATENT DOCUMENTS

FR 2537093 A1 * 6/1984 A45D 34/02
 WO WO-02052977 A2 * 7/2002 A45D 34/02

* cited by examiner



Fig.4




Fig.6




Fig.3




Fig.2




Fig.5



Fig.1



Fig. 10




Fig. 9




Fig. 8




Fig. 7




Fig. 12




Fig. 11