



US00D835086S

(12) **United States Design Patent** (10) **Patent No.:** **US D835,086 S**  
**Wilcox et al.** (45) **Date of Patent:** **\*\* \*Dec. 4, 2018**

(54) **NETWORK INTERFACE DEVICE WITH SURFACE ORNAMENTATION**

(71) Applicant: **Corning Optical Communications LLC**, Hickory, NC (US)

(72) Inventors: **Dayne Wilcox**, Menlo Park, CA (US); **Lea Kobeli**, San Francisco, CA (US); **Marie Noury**, Croix (FR); **Marcelle Van Beusekom**, San Francisco, CA (US)

(73) Assignee: **Corning Optical Communications LLC**, Hickory, NC (US)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/569,956**

(22) Filed: **Jul. 1, 2016**

(51) **LOC (11) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D14/242**

(58) **Field of Classification Search**  
USPC ..... D14/242, 240, 355, 357, 358, 125, D14/140-140.9, 155, 137, 139, 243, 239,  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D449,824 S 10/2001 Higa et al.  
D454,837 S 3/2002 Ibuki et al.  
(Continued)

**FOREIGN PATENT DOCUMENTS**

CN 303542272 \* 1/2016  
CN 304253724 \* 8/2017  
EM 003480235-0002 \* 12/2016

**OTHER PUBLICATIONS**

Amazon. <URL: [https://www.amazon.com/USB-AC68-Dual-Band-AC1900-Adapter-Included/dp/B01I7QFR10/ref=pd\\_sim\\_147\\_7?\\_encoding=UTF8&psc=1&refRID=82E3S6K8VD9R4SPTDJD6](https://www.amazon.com/USB-AC68-Dual-Band-AC1900-Adapter-Included/dp/B01I7QFR10/ref=pd_sim_147_7?_encoding=UTF8&psc=1&refRID=82E3S6K8VD9R4SPTDJD6)> Oct. 30, 2015. ASUS RT-AC88U Wireless-AC3100 Router.\*

(Continued)

*Primary Examiner* — Thomas Johannes

*Assistant Examiner* — Lauren McVey

(74) *Attorney, Agent, or Firm* — Adam R. Weeks

(57) **CLAIM**

The ornamental design for a network interface device with surface ornamentation, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of a network interface device with surface ornamentation showing our new design;

FIG. 2 is a front view of FIG. 1;

FIG. 3 is a rear view of FIG. 1;

FIG. 4 is a bottom view of FIG. 1;

FIG. 5 is a top view of FIG. 1;

FIG. 6 is a right view of FIG. 1;

FIG. 7 is a left view of FIG. 1;

FIG. 8 is front perspective view of a second embodiment of a network interface device with surface ornamentation showing our new design;

FIG. 9 is a front view of FIG. 8;

FIG. 10 is a rear view of FIG. 8;

FIG. 11 is a bottom view of FIG. 8;

FIG. 12 is a top view of FIG. 8;



FIG. 13 is a right view of FIG. 8; and,

FIG. 14 is a left view of FIG. 8.

The differences in shading and stippling indicate a contrast in appearance.

The dot-dash broken lines immediately adjacent to the claim represent the bounds of the claim, while all other broken lines are directed to environment. The broken lines form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**



(58) **Field of Classification Search**

USPC ..... D14/433, 314, 496, 188, 348, 351, 356;  
 D13/152  
 CPC ..... H04L 12/00; H03K 17/00; H04W 88/00;  
 H04W 88/005; H04W 88/02; H04W  
 88/08; H04W 88/085; H04W 88/10;  
 H04W 88/12; H04W 88/14; H04B 1/38  
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D471,543 S	3/2003	Yang et al.	
D476,764 S	7/2003	Khovaylo et al.	
D478,580 S	8/2003	Schmidt et al.	
D494,952 S	8/2004	Taniguchi	
D496,346 S	9/2004	Fuss et al.	
D502,173 S *	2/2005	Jung .....	D13/158
D512,697 S	12/2005	Enns et al.	
D514,562 S	2/2006	Lu et al.	
D549,663 S	8/2007	Tsou et al.	
D556,145 S	11/2007	Williams et al.	
D559,233 S	1/2008	Tang	
D578,483 S	10/2008	Lannoch	
D578,484 S	10/2008	Lannoch	
D583,795 S	12/2008	Keenum et al.	
D591,688 S	5/2009	Nishiyama et al.	
D591,690 S	5/2009	Vogel et al.	
D596,175 S	7/2009	Viertola et al.	
D606,034 S *	12/2009	Suzuki .....	D14/125
D616,815 S	6/2010	Jadraque Aznarez et al.	

D629,785 S *	12/2010	Yachida .....	D14/155
D637,162 S	5/2011	Bridgman	
D645,823 S	9/2011	Dillon	
D651,993 S *	1/2012	Cheng .....	D14/125
D661,680 S *	6/2012	Wei .....	D14/155
D671,100 S *	11/2012	Huang .....	D14/242
D686,206 S	7/2013	Wu et al.	
D688,657 S	8/2013	Hallar et al.	
D697,901 S *	1/2014	Gao .....	D14/240
D698,349 S	1/2014	Sun et al.	
D703,556 S	4/2014	Emge et al.	
D714,734 S	10/2014	Bertolotti	
D714,735 S	10/2014	Bertolotti	
D732,041 S	6/2015	Conn et al.	
D733,707 S *	7/2015	Chen .....	D14/240
D739,385 S	9/2015	James et al.	
D781,811 S *	3/2017	Chanay .....	D14/155
D782,430 S *	3/2017	Tam .....	D14/125
D785,579 S *	5/2017	McMiller .....	D14/125
D791,774 S *	7/2017	Wilcox .....	D14/444
D795,079 S *	8/2017	Wilcox .....	D9/703
D808,915 S *	1/2018	Wang .....	D14/125
D812,571 S *	3/2018	Jackson .....	D13/152
D815,636 S *	4/2018	Zhou .....	D14/351
2015/0033953 A1	2/2015	Fung et al.	

OTHER PUBLICATIONS

Corning, OptiWay Network Interface Device, FNI-NG Series, Product Specification Sheet, 2007, Corning Cable Systems, [www.corning.com/cablesystems](http://www.corning.com/cablesystems).

\* cited by examiner




FIG. 1





FIG. 2



**FIG. 3**




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8







FIG. 9



**FIG. 10**



*FIG. 11*



*FIG. 12*




FIG. 13




FIG. 14