



US00D835396S

(12) **United States Design Patent** (10) **Patent No.:** **US D835,396 S**  
**Raffle et al.** (45) **Date of Patent:** **\*\* Dec. 11, 2018**

(54) **LANYARD**

(71) Applicant: **GOOGLE INC.**, Mountain View, CA (US)

(72) Inventors: **Hayes S. Raffle**, Palo Alto, CA (US); **Albert Lee**, San Francisco, CA (US); **Eric Allan MacIntosh**, Mountain View, CA (US); **Aviv Shoval**, Palo Alto, CA (US); **David Bibl**, Santa Cruz, CA (US); **Carmela Guizar-Sanchez**, Santa Clara, CA (US); **Stuart Douglas**, San Francisco, CA (US); **Sandeep Waraich**, Mountain View, CA (US); **Michael Simonian**, San Francisco, CA (US); **Darcy Grinolds**, Mountain View, CA (US); **HongWei Zheng**, GuangDong (CN)

(73) Assignee: **GOOGLE LLC**, Mountain View, CA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/579,781**

(22) Filed: **Oct. 3, 2016**

(51) **LOC (11) Cl.** ..... **03-01**

(52) **U.S. Cl.**  
USPC ..... **D3/215**

(58) **Field of Classification Search**  
USPC ..... D11/2-3, 4-5, 7, 26; D3/207-211, 215; 24/3.11, 3.13, 3.3; 224/194, 219, 222, 224/267, 269, 220, 615, 626, 901.4, 224/901.8; 294/137, 149-150, 164; 2/69, 422; 40/633

CPC ..... A44C 5/0053; A45C 13/30; A45F 5/022; A61B 5/117; G09F 3/005

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,628,395 A \* 2/1953 Richards ..... A45F 5/022  
24/3.11  
2,954,621 A \* 10/1960 Mosher, Jr. .... G09F 3/005  
224/222

(Continued)

*Primary Examiner* — Catherine R Oliver-Garcia  
(74) *Attorney, Agent, or Firm* — Brake Hughes Bellermann LLP


(57) **CLAIM**

The ornamental design for a lanyard, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of the lanyard showing the new design;  
FIG. 2 is a rear perspective view thereof;  
FIG. 3 is a rear elevation view thereof;  
FIG. 4 is a top plan view, with the bottom plan view being a mirror image thereof;  
FIG. 5 is a front elevation view thereof;  
FIG. 6 is a front perspective view of a second embodiment of the lanyard;  
FIG. 7 is a rear perspective view thereof;  
FIG. 8 is a rear elevation view thereof;  
FIG. 9 is a top plan view, with the bottom plan view being a mirror image thereof;  
FIG. 10 is a front elevation view thereof;  
FIG. 11 is a front perspective view of a third embodiment of the lanyard;  
FIG. 12 is a rear perspective view thereof;  
FIG. 13 is a rear elevation view thereof;  
FIG. 14 is a top plan view, with the bottom plan view being a mirror image thereof; and,  
FIG. 15 is a front elevation view thereof.

(Continued)



The broken lines depict environmental structure and are for the purpose of illustration only and form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,020,658	A *	2/1962	Clark .....	G09F 3/005 40/633
5,603,231	A *	2/1997	Abraham .....	A44C 5/0053 40/633
D418,774	S *	1/2000	Kalbach .....	D11/26
6,056,173	A *	5/2000	Gillespie .....	A45C 13/30 224/194
D686,217	S *	7/2013	Andre .....	D11/2
D723,264	S *	3/2015	Akana .....	D11/3
D727,276	S *	4/2015	Jung .....	D11/3
D796,835	S *	9/2017	Mericle .....	D3/215
D813,527	S *	3/2018	Orban .....	D3/215

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15