



US00D835678S

(12) **United States Design Patent** (10) **Patent No.:** **US D835,678 S**  
**Su** (45) **Date of Patent:** **\*\* Dec. 11, 2018**

(54) **PUMPING UNIT**  
(71) Applicant: **Zhishen Su**, Heilongjiang (CN)  
(72) Inventor: **Zhishen Su**, Heilongjiang (CN)  
(73) Assignee: **Daqing Dannuo Petroleum Technology Development Co., Ltd.**, Ranghu Dist., Daqing, Heilongjiang (CN)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/610,041**  
(22) Filed: **Jul. 8, 2017**  
(51) **LOC (11) Cl.** ..... **15-02**  
(52) **U.S. Cl.**  
USPC ..... **D15/7**  
(58) **Field of Classification Search**  
USPC ..... D15/7-9; D23/231, 232, 225; 417/60, 417/235, 265, 321, 355, 358, 363, 359, 417/410.1, 415-416, 405, 900, 269, 539; 60/408, 412; 52/115-118, 745.18; 415/140-147; 123/495, 509; 137/565.34; 172/122  
CPC ..... F02M 37/04; F02M 37/14; F04B 53/92; F04B 1/005; F04D 13/06; F04D 29/22; F04D 29/046; F04D 29/2266; F21B 7/02; E21B 15/09; E21B 15/003; E21B 19/14  
See application file for complete search history.

3,788,074 A \* 1/1974 Castela ..... E21B 19/09 175/5  
3,902,319 A \* 9/1975 Olmsted ..... E21B 19/09 175/27  
D267,718 S \* 1/1983 Gostomski ..... D15/7  
D276,434 S \* 11/1984 Laney ..... D15/7  
D303,263 S \* 9/1989 Yeatts ..... D15/7  
6,112,834 A \* 9/2000 Barrett ..... E21B 19/084 175/162  
6,821,071 B2 \* 11/2004 Woolslayer ..... E21B 19/14 175/85  
7,828,086 B2 \* 11/2010 Lesko ..... E21B 7/023 166/77.1  
7,931,076 B2 \* 4/2011 Ditta ..... E21B 15/00 166/75.11  
8,468,753 B2 \* 6/2013 Donnally ..... E21B 7/02 173/186  
8,646,240 B1 \* 2/2014 Patrick ..... E21B 15/00 166/85.1  
8,814,487 B2 \* 8/2014 Yater ..... E21B 19/14 211/70.4  
8,875,447 B2 \* 11/2014 Flusche ..... E21B 7/023 52/111  
8,959,874 B2 \* 2/2015 Wasterval ..... E21B 7/021 52/117

(Continued)

Primary Examiner — Ralf Seifert

(57) **CLAIM**

The ornamental design for pumping unit, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of pumping unit showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.

**1 Claim, 7 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,838,956 A \* 12/1931 Nottage ..... E21B 19/08 173/151  
3,163,005 A \* 12/1964 Reed, II ..... E21B 19/09 60/415  
3,483,933 A \* 12/1969 Dyer ..... E21B 15/00 173/39



(56)

**References Cited**

U.S. PATENT DOCUMENTS

9,016,004	B2 *	4/2015	Vogt .....	E21B 7/023 52/118
9,032,689	B2 *	5/2015	Yustus .....	E04H 12/344 52/745.18
9,091,125	B2 *	7/2015	Konduc .....	E21B 15/00
9,212,526	B1 *	12/2015	Barnes .....	E21B 19/155
9,464,488	B2 *	10/2016	Thiessen .....	E21B 15/003
9,574,403	B2 *	2/2017	Ferrari .....	E21B 15/00
9,650,840	B2 *	5/2017	Cheng .....	E21B 15/00
9,784,051	B2 *	10/2017	Bergan .....	B63B 39/00
9,879,442	B2 *	1/2018	Magnuson .....	E21B 19/12
2005/0194189	A1 *	9/2005	Barnes .....	E21B 7/02 175/122
2009/0200856	A1 *	8/2009	Chegade .....	E21B 7/02 299/30

\* cited by examiner




FIG.1






FIG.2




FIG.3




FIG.4




FIG.5




FIG.6






FIG. 7