



US00D835854S

(12) **United States Design Patent** (10) **Patent No.:** **US D835,854 S**  
**Huddleston** (45) **Date of Patent:** **\*\* Dec. 11, 2018**

(54) **CONDENSATION SUPPORT FOR PORTABLE FIRE EXTINGUISHER**

(71) Applicant: **CATO 2007, Inc.**, Orlando, FL (US)

(72) Inventor: **Charles Huddleston**, Orlando, FL (US)

(73) Assignee: **CATO 2007, Inc.**, Orlando, FL (US)

(\*\*) Term: **15 Years**

D422,119 S 3/2000 Austin  
6,102,352 A \* 8/2000 Kvalvog ..... A47G 23/03  
248/346.11  
D439,805 S \* 4/2001 Krohn ..... D7/624.1  
6,745,987 B2 6/2004 Rousselet et al.  
D503,312 S 3/2005 Reis  
7,726,620 B1 6/2010 Kleespie  
8,033,420 B2 10/2011 Roseblade et al.  
8,708,304 B2 4/2014 Dysinger et al.  
D743,298 S \* 11/2015 Macari ..... D29/129  
9,380,900 B2 7/2016 Tehensky  
2015/0122755 A1 5/2015 McGee

(21) Appl. No.: **29/625,441**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Nov. 9, 2017**

CN 202185092 4/2012

(51) **LOC (11) Cl.** ..... **29-01**

\* cited by examiner

(52) **U.S. Cl.**

USPC ..... **D29/129**

(58) **Field of Classification Search**

USPC ..... D29/125, 126, 129, 130; D8/394-396

CPC ..... A47K 1/08; F16B 45/00; E04G 21/32;  
H04N 17/00

See application file for complete search history.

*Primary Examiner* — Randall H Gholson

(74) *Attorney, Agent, or Firm* — Brian S. Steinberger;  
Law Offices of Brian S. Steinberger, P.A.

(57) **CLAIM**

The ornamental design for a condensation support for a portable fire extinguisher, as shown and described.

(56) **References Cited**

**DESCRIPTION**

U.S. PATENT DOCUMENTS

539,698 A 5/1895 Milligan  
D87,415 S 7/1932 Sanders  
1,951,656 A 3/1934 Haffling  
1,981,627 A 11/1934 Merriman  
2,404,777 A 7/1946 Gaines  
2,496,157 A 1/1950 Guadino  
3,268,198 A 8/1966 Swett  
3,744,671 A 7/1973 Saunders, Jr.  
3,762,591 A 10/1973 Gray  
4,759,524 A 7/1988 Anderson  
D298,719 S 11/1988 Beckerer, Jr.  
4,833,823 A 5/1989 Edwards, III  
4,858,872 A 8/1989 Witt  
5,285,996 A 2/1994 Waller  
5,395,086 A 3/1995 Goldstein  
5,584,345 A 12/1996 Joy  
D391,449 S 3/1998 Toth

FIG. 1 is a lower perspective view of the novel condensation support for portable fire extinguishers.

FIG. 2 is a top perspective view of the support of FIG. 1.

FIG. 3 is a top view of the support of FIG. 1.

FIG. 4 is a bottom view of the support of FIG. 1.

FIG. 5 is a front view of the support of FIG. 1.

FIG. 6 is a rear view of the support of FIG. 1.

FIG. 7 is a left side view of the support of FIG. 1.

FIG. 8 is a right side view of the support of FIG. 1; and,

FIG. 9 is another top perspective view of the support of FIG. 1 with a fire extinguisher.

The broken lines in FIG. 9 are for illustrative purposes and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**




FIG. 1





FIG. 2

FIG. 3





FIG. 4

FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9

