



US00D835854S

(12) **United States Design Patent** (10) **Patent No.:** **US D835,854 S**
Huddleston (45) **Date of Patent:** **** Dec. 11, 2018**

(54) **CONDENSATION SUPPORT FOR PORTABLE FIRE EXTINGUISHER**

(71) Applicant: **CATO 2007, Inc.**, Orlando, FL (US)

(72) Inventor: **Charles Huddleston**, Orlando, FL (US)

(73) Assignee: **CATO 2007, Inc.**, Orlando, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/625,441**

(22) Filed: **Nov. 9, 2017**

(51) **LOC (11) Cl.** **29-01**

(52) **U.S. Cl.**
USPC **D29/129**

(58) **Field of Classification Search**
USPC D29/125, 126, 129, 130; D8/394-396
CPC A47K 1/08; F16B 45/00; E04G 21/32;
H04N 17/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

539,698 A	5/1895	Milligan
D87,415 S	7/1932	Sanders
1,951,656 A	3/1934	Haffling
1,981,627 A	11/1934	Merriman
2,404,777 A	7/1946	Gaines
2,496,157 A	1/1950	Guadino
3,268,198 A	8/1966	Swett
3,744,671 A	7/1973	Saunders, Jr.
3,762,591 A	10/1973	Gray
4,759,524 A	7/1988	Anderson
D298,719 S	11/1988	Beckerer, Jr.
4,833,823 A	5/1989	Edwards, III
4,858,872 A	8/1989	Witt
5,285,996 A	2/1994	Waller
5,395,086 A	3/1995	Goldstein
5,584,345 A	12/1996	Joy
D391,449 S	3/1998	Toth

D422,119 S	3/2000	Austin	
6,102,352 A *	8/2000	Kvalvog A47G 23/03 248/346.11
D439,805 S *	4/2001	Krohn D7/624.1
6,745,987 B2	6/2004	Rousselet et al.	
D503,312 S	3/2005	Reis	
7,726,620 B1	6/2010	Kleespie	
8,033,420 B2	10/2011	Roseblade et al.	
8,708,304 B2	4/2014	Dysinger et al.	
D743,298 S *	11/2015	Macari D29/129
9,380,900 B2	7/2016	Tehensky	
2015/0122755 A1	5/2015	McGee	

FOREIGN PATENT DOCUMENTS

CN 202185092 4/2012

* cited by examiner

Primary Examiner — Randall H Gholson
(74) *Attorney, Agent, or Firm* — Brian S. Steinberger;
Law Offices of Brian S. Steinberger, P.A.

(57) **CLAIM**

The ornamental design for a condensation support for a portable fire extinguisher, as shown and described.

DESCRIPTION

FIG. 1 is a lower perspective view of the novel condensation support for portable fire extinguishers.
FIG. 2 is a top perspective view of the support of FIG. 1.
FIG. 3 is a top view of the support of FIG. 1.
FIG. 4 is a bottom view of the support of FIG. 1.
FIG. 5 is a front view of the support of FIG. 1.
FIG. 6 is a rear view of the support of FIG. 1.
FIG. 7 is a left side view of the support of FIG. 1.
FIG. 8 is a right side view of the support of FIG. 1; and,
FIG. 9 is another top perspective view of the support of FIG. 1 with a fire extinguisher.
The broken lines in FIG. 9 are for illustrative purposes and form no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 1





FIG. 2

FIG. 3





FIG. 4

FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9

