



US00D835951S

(12) **United States Design Patent** (10) **Patent No.:** **US D835,951 S**  
**Merritt** (45) **Date of Patent:** **\*\* Dec. 18, 2018**

(54) **PLATE LIFTER**

(71) Applicant: **Matthew H Merritt**, Ponte Vedra Beach, FL (US)

(72) Inventor: **Matthew H Merritt**, Ponte Vedra Beach, FL (US)

(73) Assignee: **SMOKEWARE.NET LLC**, Jacksonville Beach, FL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/607,558**

(22) Filed: **Jun. 14, 2017**

(51) **LOC (11) Cl.** ..... **07-99**

(52) **U.S. Cl.**  
USPC ..... **D7/669**; D7/393

(58) **Field of Classification Search**  
USPC ..... D7/669, 368, 680–696, 393, 387, 402  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,143,253 A \* 6/1915 Constatine ..... A47J 43/283  
294/10  
8,465,068 B1 \* 6/2013 Vinson, Jr. .... A47J 45/10  
294/32  
D715,109 S \* 10/2014 Kiraly ..... D7/688

\* cited by examiner

*Primary Examiner* — Terry A Wallace

(74) *Attorney, Agent, or Firm* — Mark Young, P.A.

(57) **CLAIM**

The ornamental design for a plate lifter, as shown and described.


**DESCRIPTION**

FIG. 1 is a plan view of a plate lifter according to the invention; and

FIG. 2 is a left side view of the plate lifter of FIG. 1; and FIG. 3 is a front view of the plate lifter of FIG. 1; and FIG. 4 is a bottom view of the plate lifter of FIG. 1; and FIG. 5 is a right side view of the plate lifter of FIG. 1; and FIG. 6 is a first top perspective view of the plate lifter of FIG. 1; and FIG. 7 is a second top perspective view of the plate lifter of FIG. 1; and FIG. 8 is a third top perspective view of the plate lifter of FIG. 1; and FIG. 9 is a fourth top perspective view of the plate lifter of FIG. 1; and FIG. 10 is a first bottom perspective view of the plate lifter of FIG. 1; and FIG. 11 is a second bottom perspective view of the plate lifter of FIG. 1; and FIG. 12 is a third bottom perspective view of the plate lifter of FIG. 1; and FIG. 13 is a fourth bottom perspective view of the plate lifter of FIG. 1; and FIG. 14 is a plan view of a plate lifter of FIG. 1 with a seat spring handle cover shown in broken lines; and FIG. 15 is a left side view of the plate lifter of FIG. 1 with a seat spring handle cover shown in broken lines; and FIG. 16 is a front view of the plate lifter of FIG. 1 with a seat spring handle cover shown in broken lines; and FIG. 17 is a first top perspective view of the plate lifter of FIG. 1 with a seat spring handle cover shown in broken lines; and FIG. 18 is a second top perspective view of the plate lifter of FIG. 1 with a seat spring handle cover shown in broken lines; and FIG. 19 is a third top perspective view of the plate lifter of FIG. 1 with a seat spring handle cover shown in broken lines; and, FIG. 20 is a fourth top perspective view of the plate lifter of FIG. 1 with a seat spring handle cover shown in broken lines.

The broken line showing of parts of the drawings is included for the purpose of illustrating use and environment and forms no part of the claimed design.

**1 Claim, 20 Drawing Sheets**



(58) **Field of Classification Search**

CPC ..... A47J 43/283; A47J 45/10; A47J 45/00;  
A47J 45/06; A47J 45/08; A47J 45/07;  
A47J 37/0786; A47J 37/07; A47G  
23/0266

See application file for complete search history.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20