



US00D835971S

(12) **United States Design Patent**  
**Moreau et al.**

(10) **Patent No.:** **US D835,971 S**  
(45) **Date of Patent:** **\*\* Dec. 18, 2018**

(54) **TOOL TETHERING APPARATUS**  
(71) Applicant: **Ty-Flot, Inc.**, Manchester, NH (US)  
(72) Inventors: **Darrell A. Moreau**, Manchester, NH (US); **Andre W. Moreau**, Bedford, NH (US)  
(73) Assignee: **Ty-Flot, Inc.**, Manchester, NH (US)  
(\*\*) Term: **15 Years**

6,227,016 B1 \* 5/2001 Yu ..... E05B 37/025  
70/30  
D448,273 S \* 9/2001 Lai ..... D20/27  
D457,417 S \* 5/2002 De Lima Castro ..... D8/333  
D535,177 S \* 1/2007 Hsieh ..... D8/333  
D654,746 S \* 2/2012 Watson ..... D6/572  
8,381,920 B2 \* 2/2013 Chang ..... B65D 73/0064  
211/113  
8,857,777 B2 \* 10/2014 Chang ..... B25B 13/06  
206/378  
D738,703 S \* 9/2015 Thomson ..... D8/333  
D739,706 S \* 9/2015 Klaus ..... D8/333  
D785,439 S \* 5/2017 Baus ..... D8/333

(21) Appl. No.: **29/599,912**  
(22) Filed: **Apr. 7, 2017**  
(51) **LOC (11) Cl.** ..... **08-07**  
(52) **U.S. Cl.**  
USPC ..... **D8/333**; D8/330; D8/343  
(58) **Field of Classification Search**  
USPC ..... D8/330, 331, 333, 343, 345, 367, 499;  
70/14, 18, 23, 30, 51, 57.1, 58, 61, 431,  
70/465; 292/246, 95, 262, 307 R, 327;  
119/792, 795, 802; 361/679.57; 211/8,  
211/85, 86.01, 88.02, 90.03;  
D30/152-154; 206/349; D3/328, 905;  
248/317, 322, 328, 339, 309.1  
CPC ..... E05B 17/00; E05B 67/36; E05B 73/00;  
E05B 73/0005; E05B 73/0082  
See application file for complete search history.

**OTHER PUBLICATIONS**

Capital Safety, D-Ring Attachment with Cord, Model #150009 (Apr. 6, 2017).  
Gear Keeper, Retractable Lanyard RT3-5601 (Apr. 6, 2017).

\* cited by examiner

*Primary Examiner* — Elizabeth J Oswecki  
(74) *Attorney, Agent, or Firm* — Dicke, Billig & Czaja, PLLC

(57) **CLAIM**

The ornamental design for a tool tethering apparatus, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a tool tethering apparatus showing our new design;  
FIG. 2 is a rear view thereof;  
FIG. 3 is a side view thereof;  
FIG. 4 is a front, right side perspective view thereof; and,  
FIG. 5 is a rear, left side perspective view thereof.

**1 Claim, 2 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D228,618 S \* 10/1973 Falk ..... D8/333  
4,141,452 A \* 2/1979 Martin ..... A47L 13/512  
211/66  
D347,157 S \* 5/1994 Brown ..... D8/333




Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5

