



US00D835974S

(12) **United States Design Patent** (10) **Patent No.:** **US D835,974 S**  
**Moore et al.** (45) **Date of Patent:** **\*\* Dec. 18, 2018**

(54) **SAFETY TOOL CARABINER** 7,047,604 B2 \* 5/2006 Axel ..... A01K 27/00  
16/422  
(71) Applicants: **Joseph Kelly Moore**, Lexington, KY D523,515 S \* 6/2006 Hacker ..... D22/149  
(US); **Matthew Able**, Winchester, KY D544,792 S \* 6/2007 Camarella ..... D9/434  
(US) D572,573 S \* 7/2008 Abels ..... D8/356  
D598,732 S \* 8/2009 Bizzell ..... D8/356  
D622,574 S \* 8/2010 Garcia ..... D8/105  
(72) Inventors: **Joseph Kelly Moore**, Lexington, KY D658,042 S \* 4/2012 Shetler ..... D8/355  
(US); **Matthew Able**, Winchester, KY D739,713 S \* 9/2015 Kelleghan ..... D8/356  
(US) D745,375 S \* 12/2015 Gobbi ..... D8/356  
D818,391 S \* 5/2018 Chang ..... D11/208  
D818,392 S \* 5/2018 Chang ..... D11/218  
(73) Assignee: **Binerworks, LLC**, Lexington, KY (US) 2006/0087139 A1 \* 4/2006 Ayres ..... A45F 5/1026  
294/137  
(\*\*) Term: **15 Years** 2014/0059782 A1 \* 3/2014 Duncan ..... B25F 1/00  
7/138

(21) Appl. No.: **29/624,189**

\* cited by examiner

(22) Filed: **Oct. 30, 2017**

*Primary Examiner* — Cynthia R Underwood

(51) **LOC (11) Cl.** ..... **09-06**

(74) *Attorney, Agent, or Firm* — Francis Law Firm

(52) **U.S. Cl.** ..... **D8/356**  
USPC ..... **D8/356**

PLLC; James M. Francis

(58) **Field of Classification Search**  
USPC ..... D8/356, 354, 105  
CPC ..... B65H 57/16; B63B 21/045; A63B 29/08;  
A63B 27/02  
See application file for complete search history.

(57) **CLAIM**

We claim the ornamental design for a safety tool carabiner, as shown and described.

**DESCRIPTION**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D271,466 S \* 11/1983 Boissonnet ..... D8/367  
D281,483 S \* 11/1985 Faidide ..... D8/367  
D376,095 S \* 12/1996 Curtis ..... D8/356  
6,223,372 B1 \* 5/2001 Barber ..... B25F 1/00  
7/118  
D475,591 S \* 6/2003 Luquire ..... D8/34  
D484,770 S \* 1/2004 Green ..... D8/105

FIG. 1 is a right side anterior perspective view of a safety tool carabiner.

FIG. 2 is a right side view of a safety tool carabiner.

FIG. 3 is a left side view of a safety tool carabiner.


FIG. 4 is an anterior view of a safety tool carabiner.


FIG. 5 is a posterior view of a safety tool carabiner.

FIG. 6 is a top view of a safety tool carabiner; and,


FIG. 7 is a bottom view of a safety tool carabiner.

**1 Claim, 5 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**