



US00D835997S

(12) **United States Design Patent** (10) **Patent No.:** **US D835,997 S**
Vandenbos (45) **Date of Patent:** **** Dec. 18, 2018**

(54) **SINGLE-SERVE CONTAINER WITH
SURFACE ORNAMENTATION**

(71) Applicant: **Rodney W. Vandenbos**, Palm Desert,
CA (US)

(72) Inventor: **Rodney W. Vandenbos**, Palm Desert,
CA (US)

(73) Assignee: **Buzzbox Beverages, Inc.**, Palm Desert,
CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/612,876**

(22) Filed: **Aug. 4, 2017**

(51) **LOC (11) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/600; D9/432; D9/433**

(58) **Field of Classification Search**
USPC D3/270, 271.1–271.4; D9/600, 649,
D9/414–434; 206/457, 459.5, 527;
215/381–384, 400; 229/116.1, 137, 140
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D140,559 S * 3/1945 Clark D9/600
4,294,362 A * 10/1981 Martensson B65D 5/065
229/140

(Continued)

OTHER PUBLICATIONS

Distillerista Buzzbox cocktail review, Jun. 24, 2016. <http://distillerista.com/buzz-boxes/>.*

Primary Examiner — Sandra L Morris

(74) *Attorney, Agent, or Firm* — Barnes & Thornburg
LLP

(57) **CLAIM**

I claim the ornamental design for a single-serve container with surface ornamentation, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a single-serve container with surface ornamentation in its blank, unassembled condition, according to a new design.

FIG. 2 is a top view of the single-serve container of FIG. 1 in its blank, unassembled condition.

FIG. 3 is a perspective view of the single-serve container of FIG. 1, showing the container in a constructed state.

FIG. 4 is a front view of the single-serve container of FIG. 1, showing the container in a constructed state.

FIG. 5 is a rear view of the single-serve container of FIG. 1, showing the container in a constructed state.

FIG. 6 is a left side view of the single-serve container of FIG. 1, showing the container in a constructed state.

FIG. 7 is a right side view of the single-serve container of FIG. 1, showing the container in a constructed state.

FIG. 8 is a top view of the single-serve container of FIG. 1, showing the container in a constructed state.

FIG. 9 is a bottom view of the single-serve container of FIG. 1, showing the container in a constructed state.

FIG. 10 is a perspective view of a second embodiment of a single-serve container with surface ornamentation in its blank, unassembled condition, according to a new design.

FIG. 11 is a top view of the single-serve container of FIG. 10 in its blank, unassembled condition.

FIG. 12 is a perspective view of the single-serve container of FIG. 10, showing the container in a constructed state.

FIG. 13 is a front view of the single-serve container of FIG. 10, showing the container in a constructed state.

FIG. 14 is a rear view of the single-serve container of FIG. 10, showing the container in a constructed state.


FIG. 15 is a left side view of the single-serve container of FIG. 10, showing the container in a constructed state.

FIG. 16 is a right side view of the single-serve container of FIG. 10, showing the container in a constructed state.

FIG. 17 is a top view of the single-serve container of FIG. 10, showing the container in a constructed state; and,

FIG. 18 is a bottom view of the single-serve container of FIG. 10, showing the container in a constructed state.

(Continued)



Features shown in broken lines in the drawings are not part of the claim.

1 Claim, 8 Drawing Sheets

(58) Field of Classification Search

CPC B65D 5/42; B65D 5/4208; B65D 81/30;
B65D 81/60; B65D 81/365; B65D
81/366; B65D 81/368; B65D 2203/00;
B65D 2203/02; B65D 67/00; B65D 5/75;
B65D 71/16; B65D 71/20; B65D 5/08;
B65D 5/065; A63H 81/16

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

4,343,402 A * 8/1982 Holmstrom B65D 5/065
229/216
D281,668 S * 12/1985 Berard D9/416

5,474,232 A * 12/1995 Ljungstrom B65D 5/067
229/137
D464,566 S * 10/2002 Anchor D9/432
D494,861 S * 8/2004 Guidotti D9/431
D558,058 S * 12/2007 Raso D9/600
D617,386 S * 6/2010 Heinke D20/20
D617,843 S * 6/2010 Heinke D20/23
D621,275 S * 8/2010 Marotti D9/600
D634,625 S * 3/2011 Wallace D9/433
D635,018 S * 3/2011 Wallace D9/433
D656,837 S * 4/2012 Lanz D9/434
D677,335 S * 3/2013 Murphy D9/600
D691,882 S * 10/2013 Barbieri D9/430
D714,638 S * 10/2014 Mohn D9/432
D715,640 S * 10/2014 Okezawa B65D 5/067
D9/430
D721,576 S * 1/2015 De Pietri Tonelli D9/431
D733,556 S * 7/2015 De Pietri Tonelli ... B65D 5/065
D9/431
D748,470 S * 2/2016 Mohn B65D 5/065
D9/432
D764,283 S * 8/2016 Mohn D9/432

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18