



US00D836418S

(12) **United States Design Patent**  
**Gokcebay**

(10) **Patent No.:** **US D836,418 S**

(45) **Date of Patent:** **\*\* Dec. 25, 2018**

- (54) **ELECTRONIC LOCKER LOCK**
- (71) Applicant: **Digilock Asia Ltd.**, Kowloon (HK)
- (72) Inventor: **Asil T. Gokcebay**, Petaluma, CA (US)
- (73) Assignee: **Digilock Asia Ltd.**, Kowloon (HK)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/590,755**
- (22) Filed: **Jan. 12, 2017**
- (51) **LOC (11) Cl.** ..... **08-07**
- (52) **U.S. Cl.**  
USPC ..... **D8/331; D8/330**
- (58) **Field of Classification Search**  
USPC ..... D8/301, 302, 330, 331, 349, 400, 499;  
70/57, 57.1, 14, 20, 91, 92, 102, 141,  
70/237, 262, 263, 266, 278.1, 279.1, 416,  
70/465, 442, 443, 214, 78, 447; 340/5.6,  
340/5.61, 5.64, 5.73, 286.01, 542, 547,  
340/545.1, 545.7; 292/336.3, 257, 194,  
292/195, 198, 164, 165  
CPC ..... E05B 49/00; E05B 41/00; E05B 65/52;  
E05B 51/00; E06B 65/00; B65D 55/07  
See application file for complete search history.

- 6,016,955 A \* 1/2000 De Rooij ..... G06Q 20/04  
235/379
- D426,833 S \* 6/2000 Vanelli ..... D14/387
- D495,578 S \* 9/2004 Sampson ..... D8/330
- D512,898 S \* 12/2005 Metivier ..... D10/106.1
- 7,336,150 B2 \* 2/2008 Gokcebay ..... E05B 47/06  
340/5.2
- D730,712 S 6/2015 Gokcebay et al.
- D730,714 S 6/2015 Gokcebay et al.
- D730,715 S 6/2015 Gokcebay et al.
- D731,286 S 6/2015 Gokcebay et al.
- D731,287 S 6/2015 Gokcebay et al.
- D733,519 S 7/2015 Gokcebay et al.
- D734,125 S 7/2015 Kodama
- D734,650 S \* 7/2015 Kodama ..... D8/330
- D737,114 S 8/2015 Gokcebay et al.
- D744,314 S \* 12/2015 Ng ..... D8/330
- D752,945 S 4/2016 Gokcebay et al.
- D752,947 S 4/2016 Gokcebay et al.
- D752,948 S 4/2016 Gokcebay et al.
- D752,949 S 4/2016 Gokcebay et al.
- D753,463 S 4/2016 Gokcebay et al.

(Continued)

*Primary Examiner* — Elizabeth J Oswecki  
(74) *Attorney, Agent, or Firm* — Thomas M. Freiburger

(57) **CLAIM**

The ornamental design for an electronic locker lock, as shown and described.

**DESCRIPTION**


FIG. 1 is a front, left perspective view of a first embodiment of an electronic locker lock, showing our new design; FIG. 2 is a top plan view thereof; FIG. 3 is a left side elevation view thereof; FIG. 4 is a front elevation view thereof; FIG. 5 is a right side elevation view thereof; and, FIG. 6 is a bottom plan view thereof. Features shown in dashed lines are not part of the claimed design.

**1 Claim, 1 Drawing Sheet**

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,148,092 A \* 4/1979 Martin ..... G07C 9/0069  
361/172
- 4,926,664 A \* 5/1990 Gartner ..... E05B 47/0012  
70/119
- 5,033,282 A \* 7/1991 Gartner ..... E05B 47/0012  
70/119
- D327,856 S \* 7/1992 Loew ..... D10/106.95
- D331,888 S \* 12/1992 Lade ..... D10/106.1
- 5,894,277 A \* 4/1999 Keskin ..... E05B 47/00  
235/382



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D762,100 S	7/2016	Gokcebay et al.
D762,101 S	7/2016	Gokcebay et al.
D762,102 S	7/2016	Gokcebay et al.
D762,103 S	7/2016	Gokcebay et al.
D764,255 S	8/2016	Gokcebay et al.
D764,891 S	8/2016	Gokcebay et al.
D764,892 S	8/2016	Gokcebay et al.
D764,893 S	8/2016	Gokcebay et al.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6