



US00D836472S

(12) **United States Design Patent**
Zhiyuan

(10) **Patent No.:** **US D836,472 S**

(45) **Date of Patent:** **** Dec. 25, 2018**

(54) **LOCATING AND TRACKING DEVICE**

(71) Applicant: **CHENGDU JAALEE TECHNOLOGY CO., LTD.**,
Shuangliu, Chengdu (CN)

(72) Inventor: **Yan Zhiyuan**, Shuangliu (CN)

(73) Assignee: **CHENGDU JAALEE TECHNOLOGY CO., LTD.**,
Shuangliu, Chengdu (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/611,290**

(22) Filed: **Jul. 20, 2017**

(30) **Foreign Application Priority Data**

Jan. 21, 2017 (CN) 2017 3 00249358

(51) **LOC (11) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70; D10/78**

(58) **Field of Classification Search**
USPC D10/65, 70, 78
CPC A41D 1/02; A44C 5/0015; A44C 5/02;
A44C 5/14; A61B 19/44; A61B
2019/446; A61B 71/00; A61B 5/02416;
A61B 5/1118; A61B 2/721; A61B 5/002;
A61B 5/112; A61B 5/1122; A61B 5/746;
A61B 5/6823; A61B 5/72; A61B 5/7445;
A61B 5/0022; A61B 5/14532; A63B
71/60; A63B 26/00; A63B 24/0075; A63B
2071/0663; A63B 71/0686; A63B
24/0062; A63B 24/0084; A63B
2024/0068; A63B 2024/0078; A63B
2024/0056; A63B 2071/0625; A63B
2071/003; A63B 2071/063; A63B
2071/065; A63B 2071/068; A63B
2071/0675; A63B 2220/40; A63B
2220/803; A63B 2220/12; A63B 2220/20;
A63B 2220/22; A63B 2220/30; A63B
2225/50; A63B 2225/02; A63B 2225/06;

A63B 2230/75; A63B 2024/0065; A63B
2024/0081; A63B 2220/51; A63B
2220/62; A63B 2220/836; A63B 71/06;
G09F 3/005; G09F 3/18; G09F 3/185;
G09F 3/20; G09F 3/201; G09F 3/202;
G09F 3/203; G09F 3/204; G09F 3/205;
G09F 3/206; G09F 3/207; G09F 3/208;
G06F 1/163; G06F 3/038; G06F 3/03547;
G04G 17/00; G04G 17/08; G04G 17/04;
G04G 21/02; G04G 21/00; G04G 21/08;
G04B 37/1486; G06Q 10/00; G06Q
50/00; G09B 9/00; G09B 19/00; G04F
10/00; G08B 13/126; G08B 13/128;
G08B 13/14; G08B 13/1427; G08B
13/1409; G08B 13/1436; G08B 13/1445;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,155,843 B2 * 10/2015 Brauker A61B 5/0002
D749,440 S * 2/2016 Farin D10/70
(Continued)

Primary Examiner — Antoine Duval Davis
(74) *Attorney, Agent, or Firm* — Ladas & Parry LLP;
Malcolm J. MacDonald


(57) **CLAIM**

The ornamental design for a locating and tracking device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view showing a first embodiment of my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a left elevational view thereof; and,
FIG. 7 is a right elevational view thereof.

1 Claim, 7 Drawing Sheets



(58) **Field of Classification Search**

CPC G08B 13/1463; G08B 13/1472; G08B
13/1481; G08B 13/149; G08B 13/2428;
G08B 13/2434; G08B 13/2437; G08B
21/24

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D762,507 S * 8/2016 Pipkin D10/70
9,597,027 B2 * 3/2017 Petisce A61B 5/14532
D790,996 S * 7/2017 Farley D10/70
9,730,160 B2 * 8/2017 San Vicente A61B 5/0015
D809,947 S * 2/2018 Farin D10/70

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7