



US00D836511S

(12) **United States Design Patent** (10) **Patent No.:** **US D836,511 S**  
**Maeda** (45) **Date of Patent:** **\*\* Dec. 25, 2018**

(54) **BRACKET**  
(71) Applicant: **Rydeen North America, Inc.**, Torrance, CA (US)  
(72) Inventor: **Philip Maeda**, Torrance, CA (US)  
(73) Assignee: **RYDEEN NORTH AMERICA, INC.**, Torrance, CA (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/630,046**  
(22) Filed: **Dec. 19, 2017**  
(51) **LOC (11) Cl.** ..... **12-16**  
(52) **U.S. Cl.**  
USPC ..... **D12/193; D8/354**  
(58) **Field of Classification Search**  
USPC ..... D8/354, 349, 355, 363, 366, 371, 373, D8/380; 160/323 A, 321, 323.1; 248/267, 268; D12/223, 193; D6/300-302  
CPC ... E02D 27/02; E04B 2005/322; E04G 11/06; E04G 11/36; A47F 5/00; A47H 1/10; B60R 13/10; B60R 13/105; B60R 19/24; B60R 19/52  
See application file for complete search history.

D644,973 S \* 9/2011 Miyawaki ..... D12/193  
D651,547 S \* 1/2012 Spencer ..... D12/193  
8,194,132 B2 \* 6/2012 Dayan ..... B60K 35/00 348/148  
D662,960 S \* 7/2012 Krieter ..... D16/203  
D684,509 S \* 6/2013 Noll ..... D12/172  
D685,307 S \* 7/2013 Chung ..... D12/193  
D692,815 S \* 11/2013 Chung ..... D12/193  
D705,845 S \* 5/2014 Chung ..... D12/193  
D723,089 S \* 2/2015 Teppan ..... D16/242  
D734,804 S \* 7/2015 Chung ..... D12/193  
D773,365 S \* 12/2016 Starke ..... D12/193  
D773,366 S \* 12/2016 Alesi ..... D12/193  
9,637,051 B2 \* 5/2017 Dayan ..... B60K 35/00  
D823,207 S \* 7/2018 Olson ..... D12/193  
D825,642 S \* 8/2018 Maiwald ..... D16/242

\* cited by examiner

*Primary Examiner* — Mark A Goodwin  
(74) *Attorney, Agent, or Firm* — Irving Keschner

(57) **CLAIM**

The ornamental design for a bracket, as shown and described.

**DESCRIPTION**


FIG. 1 is a front perspective view of a bracket showing my new design;  
FIG. 2 is a top view of the design shown in FIG. 1;  
FIG. 3 is a right side view of the design shown in FIG. 1 (the other side is a mirror image);  
FIG. 4 is an end view of the design shown in FIG. 1 looking forward from the small end;  
FIG. 5 is an opposite end view; and,  
FIG. 6 is a top perspective view of the design shown in FIG. 1 in use condition having a camera attached at one end of the bracket.  
The broken line showing of a camera is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D274,807 S \* 7/1984 Stansbury, Jr. .... D10/116.1  
D280,400 S \* 9/1985 Luthe ..... D12/193  
D294,975 S \* 3/1988 Lester ..... D12/193  
D411,499 S \* 6/1999 Porter ..... D12/193  
D496,312 S \* 9/2004 Sybilrud ..... D12/193  
D533,828 S \* 12/2006 Reimitz ..... D12/223  
D537,765 S \* 3/2007 Porter ..... D12/193  
D562,115 S \* 2/2008 Michaud ..... D8/364  
D596,015 S \* 7/2009 Scarcello ..... D8/354  
D637,129 S \* 5/2011 Speigl ..... D12/193






FIG. 1



FIG. 2





FIG. 4




FIG. 5




FIG. 6