



US00D836544S

(12) **United States Design Patent** (10) **Patent No.:** **US D836,544 S**
Tuffy et al. (45) **Date of Patent:** **** Dec. 25, 2018**

(54) **COMBINATION ACCESSORY HOOK AND CHARGING STATION**

- (71) Applicant: **HCL DESIGNS, LLC**, Naples, FL (US)
- (72) Inventors: **Robert E. Tuffy**, Hanover, MA (US);
Brian P. Antonetti, Hanover, MA (US);
Justin Aiello, Kennebunk, ME (US)
- (73) Assignee: **HCL DESIGNS, LLC**, Naples, FL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/604,367**
- (22) Filed: **May 17, 2017**

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/557,998, filed on Mar. 14, 2016, now Pat. No. Des. 790,456, and a continuation-in-part of application No. PCT/US2016/040883, filed on Jul. 1, 2016.
- (51) **LOC (11) Cl.** **13-02**
- (52) **U.S. Cl.**
USPC **D13/108**
- (58) **Field of Classification Search**
USPC D13/107–110, 118–119, 184; D14/251, D14/253, 432, 434; D8/367, 371
CPC Y02E 60/12; Y02T 90/14; Y02T 90/122; Y02T 90/128; Y02T 90/163; H02J 7/025; H02J 7/0042; H02J 7/0044; H02J 7/0045; H02J 7/0003; H01F 38/14; H01R 13/6675; H01M 2/1022; H01M 2/1055; H01M 10/44; H01M 10/46; H01M 10/425; B60L 11/182
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D201,776 S *	7/1965	Woodard	D28/8.1
D506,437 S *	6/2005	Nishizawa	D13/108
D544,339 S *	6/2007	Huang	D8/367
D572,121 S *	7/2008	Shiffler	D8/367
D596,930 S *	7/2009	Gaudron	D8/367
D599,287 S	9/2009	Kingston et al.	
D609,995 S *	2/2010	Hager	D8/367
D639,707 S *	6/2011	Caskey	D11/201
D674,381 S *	1/2013	Ma	D14/253
D682,663 S *	5/2013	Evon	D8/367
D692,374 S *	10/2013	Choi	D13/107
D694,228 S *	11/2013	Richter	D14/253
D695,217 S	12/2013	Dasbach	
D697,388 S *	1/2014	Pan	D8/367

(Continued)

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Nathaniel D. Buckner
 (74) *Attorney, Agent, or Firm* — Bergman & Song LLP;
 Michael Bergman


(57) **CLAIM**

The ornamental design for a combination accessory hook and charging station, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a combination accessory hook and charging station, of our new design;
 FIG. 2 is a rear perspective thereof;
 FIG. 3 is a front view thereof;
 FIG. 4 is a right side view thereof;
 FIG. 5 is a rear view thereof;
 FIG. 6 is a left side view thereof;
 FIG. 7 is a top view thereof; and,
 FIG. 8 is a bottom view thereof.
 The broken lines are included for the purpose of illustrating portions of the combination accessory hook and charging station that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D700,829 S * 3/2014 Nanbu D8/367
D708,573 S 7/2014 Gieniec et al.
D716,220 S * 10/2014 Kirpalani D13/103
D733,648 S 7/2015 Bianco et al.
D741,846 S * 10/2015 Jeon D14/253
D743,955 S * 11/2015 Wu D14/253
D744,418 S * 12/2015 Ogihara D13/108
D753,472 S * 4/2016 Pan D8/371
D761,638 S * 7/2016 Johnson D8/367
D772,043 S 11/2016 Forrest et al.
D772,884 S * 11/2016 Oberpriller G06K 7/1095
D14/253
D778,239 S * 2/2017 Ni D13/108
D790,456 S * 6/2017 Aiello D13/107
D801,923 S * 11/2017 Minamide D13/108
D810,014 S * 2/2018 Haranaka D13/108

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8