

US00D836567S

(12) **United States Design Patent** (10) **Patent No.:** **US D836,567 S**
Lee et al. (45) **Date of Patent:** **** Dec. 25, 2018**

(54) **REMOTE CONTROLLER**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Giljae Lee**, Seoul (KR); **Sangmin Hyun**, Seoul (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si (KR)

(**) Term: **15 Years**

(21) Appl. No.: **29/593,557**

(22) Filed: **Feb. 9, 2017**

(30) **Foreign Application Priority Data**

Nov. 4, 2016 (KR) 30-2016-0053138

(51) **LOC (11) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D13/168**

(58) **Field of Classification Search**

USPC D13/168; D14/218

CPC H03J 1/0025; H03J 9/00; H03J 9/02; H03J 9/04; H03J 9/06; H01H 9/0235; H04B 1/202; G05B 11/01; G08C 17/00; G08C 17/02; G08C 19/28; G08C 23/04; G08C 2201/20; G08C 2201/30; G08C 2201/33; G08C 2201/40; G08C 2201/91; G08C 2201/92; H04N 5/44582; H04N 21/4221; H04N 21/42204

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D514,526 S * 2/2006 Chen D13/168
D531,964 S * 11/2006 Peh D13/168
D543,197 S * 5/2007 Loughnane D14/218
D549,665 S * 8/2007 Chen D13/168
D589,963 S 4/2009 Sheba et al.

D605,179 S 12/2009 Rudolph et al.
D621,371 S * 8/2010 Sheppard D13/168
D656,488 S * 3/2012 Nakayama D14/218
D672,336 S * 12/2012 Lister D14/218
D699,223 S * 2/2014 Maier D14/218
D700,169 S * 2/2014 Peh D14/218
D704,165 S * 5/2014 Won D14/218
D716,270 S * 10/2014 Wang D14/218
D724,059 S * 3/2015 Kim D14/218
D756,969 S * 5/2016 Kim D14/218
D796,483 S * 9/2017 Einaudi D14/218

FOREIGN PATENT DOCUMENTS

EM 75534-0001 1/2003

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — McAndrews Held & Malloy, Ltd.

(57) **CLAIM**

The ornamental design for a remote controller, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a remote controller showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left-side elevation view thereof;
FIG. 5 is a right-side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a bottom front perspective view thereof;
FIG. 9 is a top rear perspective view thereof; and,
FIG. 10 is a front elevation view thereof, showing the remote controller in an alternative configuration in which a battery compartment of the remote controller is accessible.
The broken lines in the drawings depict portions of the remote controller that form no part of the claimed design.

1 Claim, 9 Drawing Sheets




FIG. 1




FIG.2




FIG.3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG.9




FIG. 10

