



US00D837024S

(12) **United States Design Patent** (10) **Patent No.:** **US D837,024 S**
Morehouse et al. (45) **Date of Patent:** **** *Jan. 1, 2019**

(54) **SAFETY HANDLE**

(71) Applicant: **Try This First, Inc.**, Berkeley, CA (US)

(72) Inventors: **Scott Morehouse**, Berkeley, CA (US); **Bradley Castillo**, San Ramon, CA (US); **Gordon L Rogers**, Walnut Creek, CA (US)

(73) Assignee: **Try This First, Inc.**, Berkeley, CA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/594,964**

(22) Filed: **Feb. 23, 2017**

Related U.S. Application Data

(62) Division of application No. 29/511,281, filed on Dec. 9, 2014.

(51) **LOC (11) Cl.** **08-06**

(52) **U.S. Cl.**
USPC **D8/107**

(58) **Field of Classification Search**
USPC D8/80, 82, 83, 84, 85, 86, 87, 107, 300, D8/303, 307; D7/393, 395; 16/110.1, 16/421, 429, 430, 431; 81/177.1, 177.85, 81/489

CPC Y10T 16/469; Y10T 16/44; Y10T 16/476; Y10T 16/473; Y10T 74/2078; Y10T 74/20828; Y10T 16/498; Y10T 16/466; Y10T 16/506; Y10T 16/513; Y10T 16/4719; Y10T 16/46; Y10T 16/4713; Y10T 74/20792; Y10T 16/4559; Y10T 74/20732; Y10T 16/4707; Y10T 403/32475; Y10T 16/455; Y10T 16/4571; Y10T 74/20876; Y10T 74/20864; Y10T 16/4554; Y10T 16/509; Y10T 74/2087;

Y10T 16/459; Y10T 16/4563; Y10T 74/20612; Y10T 16/4567; Y10T 16/4644; Y10T 16/4636; Y10S 16/12; Y10S 16/30; (Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D368,999 S * 4/1996 Chen D32/48
6,557,212 B2 * 5/2003 Huang B25G 3/26
15/145

(Continued)

Primary Examiner — Lauren R Calve

(74) *Attorney, Agent, or Firm* — Patterson & Sheridan LLP

(57) **CLAIM**

The ornamental design for a safety handle, as shown and described.

DESCRIPTION

FIG. 1 is a bottom plan view of a safety handle according to the present design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a top perspective view thereof;

FIG. 4 is a bottom perspective view thereof;

FIG. 5 is a side elevation view thereof;

FIG. 6 is an opposite side elevation view thereof;

FIG. 7 is a front elevation view thereof;


FIG. 8 is a back elevation view thereof;

FIG. 9 is a cross-sectional view thereof taken along lines 9-9 shown in FIG. 10; and,

FIG. 10 is a top plan view of the safety handle, illustrating a plane upon which the cross-sectional view of FIG. 9 is taken.

The broken lines shown represent unclaimed subject matter and form no part of the claimed design. The dash-dot-dash lines shown in FIG. 10 represent the plane upon which the cross-sectional view of FIG. 9 is taken and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(58) **Field of Classification Search**

CPC Y10S 16/24; Y10S 16/19; Y10S 16/90;
Y10S 16/41; Y10S 16/902; Y10S 16/40;
Y10S 16/903; Y10S 16/904; Y10S 16/25;
Y10S 16/901; Y10S 292/31; Y10S 56/18

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D517,393	S	*	3/2006	Chen	D32/48
D517,895	S	*	3/2006	Chen	D32/48
D520,844	S	*	5/2006	Chen	D32/48
D552,444	S	*	10/2007	Cybulski	D8/300
7,311,023	B2	*	12/2007	Ponzini	A61C 15/046 16/422
D561,527	S	*	2/2008	Giannone	D7/395
D583,211	S	*	12/2008	Grohmann	D8/300
D608,139	S	*	1/2010	Rae	D7/395
D614,471	S	*	4/2010	Meyer	D8/107
D630,470	S	*	1/2011	McEldowney	D7/395
D667,264	S	*	9/2012	Rae	D7/395
8,573,438	B1	*	11/2013	Cheng	A47J 45/071 16/422
2003/0217437	A1	*	11/2003	Chen	B25G 3/26 16/422
2005/0273959	A1	*	12/2005	Dillon	A46B 5/00 15/144.1
2009/0188061	A1	*	7/2009	Cybulski	A47J 37/0786 15/111

* cited by examiner




FIG. 1




FIG. 2




FIG. 4

FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9



9 ←

FIG. 10