

US00D837054S

(12) **United States Design Patent**
Mallahan, III

(10) **Patent No.:** **US D837,054 S**
(45) **Date of Patent:** **** Jan. 1, 2019**

(54) **CONTAINER LIQUID CATCH RING**

(71) Applicant: **Lee G. Mallahan, III**, Bossier City, LA (US)

(72) Inventor: **Lee G. Mallahan, III**, Bossier City, LA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/617,450**

(22) Filed: **Sep. 14, 2017**

(51) **LOC (11) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/443**

(58) **Field of Classification Search**
USPC D3/202, 203.1, 203.2, 203.3, 203.4, 207, D3/208, 240, 276, 318; D7/387, 392, D7/392.1, 396.1, 396.2, 397, 398, 601, D7/602, 708.1, 619.1, 620, 622, 632, 633; D8/18; D9/434-438, 440, 443-449, D9/453-457, 499, 516, 522, 537, 549, D9/562, 715, 718, 719, 722, 738, 739, D9/746; D11/4; D20/22, 27; D23/259, D23/206, 260-262, 267-269; D30/152
CPC B65D 25/00; B44D 3/128
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

134,302 A	12/1872	Miller	
D28,746 S *	5/1898	Blount	D9/434
D30,338 S *	3/1899	Mann	D9/434
D32,681 S *	5/1900	Morgenthaler	D9/434
D44,392 S *	7/1913	Whitney	D9/434
D126,200 S *	4/1941	Eisenberg	131/242
2,416,600 A	2/1947	Waddell	
2,630,241 A	3/1953	Schnabel	
3,693,829 A	9/1972	Price	
4,020,968 A	5/1977	Chiavola et al.	

D256,558 S *	8/1980	Smith	D9/454
4,369,890 A	1/1983	Bennett	
D285,778 S	9/1986	Smith	
D311,868 S *	11/1990	Armstrong	D9/452
D327,849 S *	7/1992	Armstrong	D9/435

(Continued)

OTHER PUBLICATIONS

Pop Sugar. How-To: Catch Pesky Paint Drips. May 11, 2010 [earliest online date], [site visited Apr. 24, 2018]. Available from Internet, <URL:https://www.popsugar.com/home/How--Catch-Pesky-Paint-Drips-8374852>. (Year: 2010).*

Primary Examiner — George D. Kirschbaum
Assistant Examiner — Darcey E Heflin
(74) *Attorney, Agent, or Firm* — R. Keith Harrison



(57) **CLAIM**

A container liquid catch ring, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the container liquid catch ring;
FIG. 2 is a bottom perspective view of the container liquid catch ring;
FIG. 3 is a top view of the container liquid catch ring;
FIG. 4 is a bottom view of the container liquid catch ring;
FIG. 5 is a side view of the container liquid catch ring;
FIG. 6 is another side view of the container liquid catch ring, rotated 90 degrees relative to the side view depicted in FIG. 5; and,
FIG. 7 is a side view of the container liquid catch ring, with the container liquid catch ring placed on a can in typical application of the container liquid catch ring.
FIGS. 1-7 include broken line depictions of wall spacers and a wall rim and FIG. 7 includes a broken line depiction of a can, which wall spacers, wall rim and can do not form a part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D346,433	S *	4/1994	Cooper	D23/259
D348,836	S *	7/1994	McCallum	D7/397
6,609,629	B2	8/2003	Lucey		
D529,146	S *	9/2006	Wortmann	D23/269
D557,386	S *	12/2007	Darce	D23/269
D557,387	S *	12/2007	Darce	D23/269
D557,771	S *	12/2007	Darce	D23/269
D588,002	S *	3/2009	D'Amato	D9/447
D628,080	S *	11/2010	Van Heerikhuize	D9/428
D647,400	S *	10/2011	Fields	D7/392.1
D662,767	S *	7/2012	Hotell	D7/396.2
D669,781	S *	10/2012	Fields	D9/435
D696,113	S *	12/2013	Stein	D9/447
D739,234	S *	9/2015	Antal, Sr.	D9/445
D752,975	S *	4/2016	Gatto	D9/434
D776,529	S *	1/2017	Torrison	D9/435
9,849,719	B1 *	12/2017	Mallahan, III	B44D 3/128
2003/0189068	A1	10/2003	Nash		
2016/0001589	A1	1/2016	Zimdahl et al.		

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7