



US00D837186S

(12) **United States Design Patent**
Nishioka

(10) **Patent No.:** **US D837,186 S**
(45) **Date of Patent:** **** Jan. 1, 2019**

(54) **AUDIO SIGNAL PROCESSOR**

(71) Applicant: **YAMAHA CORPORATION**, Shizuoka (JP)

(72) Inventor: **Hiroki Nishioka**, Hamamatsu (JP)

(73) Assignee: **YAMAHA CORPORATION**, Hamamatsu-shi, Shizuoka (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/623,238**

(22) Filed: **Oct. 24, 2017**

(30) **Foreign Application Priority Data**

Apr. 26, 2017 (JP) 2017-008986

(51) **LOC (11) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/217**

(58) **Field of Classification Search**

USPC D14/217, 156, 157, 188-198, 498-511, D14/168, 169, 179, 257, 265, 299

CPC H03F 2200/451; H03F 3/19; H03F 1/56; H03F 2200/171; H03F 2200/387; H03F 3/21; H03F 3/245; H03F 1/0211; H03F 1/0216; H03F 1/0227; H03F 1/307; H03F 1/3205; H03F 1/3241; H03F 1/34; H03F 1/342; H03F 2200/03; H03F 2200/102; H03F 2200/294; H03F 2200/351; H03F 2200/504; H03F 2200/511; H03F 2200/78; H03F 2200/3233; H03F 2203/21106; H03F 2203/45026; H03F 2203/45054; H03F 2203/45074; H03F 3/04; H03F 3/185; H03F 3/193; H03F 3/195; H03F 3/211; H03F 3/213; H03F 3/217; H03F 3/2171; H03F 3/2173; H03F 3/301; H03F 3/3022; H03F 3/45; H03F 3/45071; H03F 3/45183; H03F 3/45215

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D347,844 S *	6/1994	Diachyo	D14/198
D349,702 S *	8/1994	Daichyo	D14/198
D373,589 S *	9/1996	Peterson	D13/177
D529,479 S *	10/2006	Wolf, II	D14/188
D564,996 S *	3/2008	Uchiyama	D14/217
D565,537 S *	4/2008	Teulie	D14/188
D594,846 S *	6/2009	Teulie	D14/188
D617,306 S *	6/2010	Iversen	D14/188
D626,954 S *	11/2010	Giannini	D14/257
D739,375 S *	9/2015	Daniel	D14/188

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/623,263, filed Oct. 24, 2017, Hiroki Nishioksa.

Primary Examiner — Ian Simmons

Assistant Examiner — Khawaja Anwar

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for an audio signal processor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front, top and right side of an audio signal processor showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;


FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom view thereof.

The broken line showing of the audio signal processor is included for the purpose of illustrating unclaimed portions of the audio signal processor and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D754,096 S * 4/2016 Teulie D14/188
D801,298 S * 10/2017 Katsuno D14/157
D807,857 S * 1/2018 Corten D14/188

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7