



US00D837281S

(12) **United States Design Patent**
Kawamoto

(10) **Patent No.:** **US D837,281 S**

(45) **Date of Patent:** **** Jan. 1, 2019**

- (54) **NOSE PAD FOR EYEGLASSES**
- (71) Applicant: **Kawamoto Optical Industrial Co., Ltd., Osaka (JP)**
- (72) Inventor: **Shuichi Kawamoto, Osaka (JP)**
- (73) Assignee: **KAWAMOTO OPTICAL INDUSTRIAL CO., LTD., Osaka-Shi, Osaka (JP)**
- (**) Term: **15 Years**
- (21) Appl. No.: **29/581,883**
- (22) Filed: **Oct. 24, 2016**
- (30) **Foreign Application Priority Data**

- 5,457,506 A * 10/1995 Winkler G02C 5/12
351/136
- 5,907,385 A * 5/1999 Flores G02C 3/003
351/111
- 7,111,936 B1 * 9/2006 Chuang G02C 5/122
351/136
- 7,380,934 B1 * 6/2008 Wang Lee G02C 5/122
351/136
- D623,218 S * 9/2010 Wong D16/332
- D625,351 S * 10/2010 Wong D16/332
- D651,637 S * 1/2012 Chow D16/300
- D651,641 S * 1/2012 Fulton D16/333
- D651,642 S * 1/2012 Fuchs D16/333
- D681,715 S * 5/2013 Tanaka D16/333

(Continued)

Primary Examiner — Michelle E. Wilson
Assistant Examiner — Sanjeev Paul
 (74) *Attorney, Agent, or Firm* — Bacon & Thomas, PLLC

- Jun. 24, 2016 (JP) 2016-013431
- (51) **LOC (11) Cl.** **16-06**
- (52) **U.S. Cl.**
USPC **D16/332**
- (58) **Field of Classification Search**
USPC D16/101, 300–342, 900; D29/109–110;
D21/483, 659–661; D14/372; 351/41,
351/44, 45–48, 51–52, 62, 158, 92,
351/103–123, 140–153, 63, 59
CPC G02C 2200/08; G02C 1/06; G02C 5/14;
G02C 11/02; G02C 11/04; G02C 5/16;
G02C 2200/22; G02C 5/146; G02C
5/2254; G02C 5/008; G01C 5/16; A61M
2021/0044; A63B 33/002
See application file for complete search history.

(57) **CLAIM**
 The ornamental nose pad design for eyeglasses, as shown and described.


DESCRIPTION

FIG. 1 is a front perspective view of a nose pad for eyeglasses showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a right side elevational view thereof;
 FIG. 8 is a sectional view taken along line 8-8 of FIG. 2;
 FIG. 9 is a sectional view taken along line 9-9 of FIG. 2; and,
 FIG. 10 is a sectional view taken along line 10-10 of FIG. 2.

The broken lines shown in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- 4,806,009 A * 2/1989 Sordillo G02C 5/12
351/132
- 4,896,957 A * 1/1990 Speer G02C 5/124
351/136

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D719,608 S	*	12/2014	DiChiara	D16/332
D726,810 S	*	4/2015	Kroman	D16/332
D728,669 S	*	5/2015	Kroman	D16/332
D728,670 S	*	5/2015	Kroman	D16/332
D770,560 S	*	11/2016	Shin	D16/330

* cited by examiner




FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10