



US00D837298S

(12) **United States Design Patent**  
**Damman**

(10) **Patent No.:** **US D837,298 S**  
(45) **Date of Patent:** **\*\* Jan. 1, 2019**

(54) **DRAWING INSTRUMENT HOLDER**

(71) Applicant: **Matthew Damman**, Bloomfield Hills, MI (US)

(72) Inventor: **Matthew Damman**, Bloomfield Hills, MI (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/623,302**

(22) Filed: **Oct. 24, 2017**

**Related U.S. Application Data**

(62) Division of application No. 29/553,356, filed on Feb. 1, 2016, now Pat. No. Des. 804,576.

(51) **LOC (11) Cl.** ..... **19-06**

(52) **U.S. Cl.**  
USPC ..... **D19/204**

(58) **Field of Classification Search**  
USPC ..... D19/32, 75, 77-85, 135, 202-204;  
D3/315, 901, 206; D6/677.3; D7/590,  
D7/641; D9/415, 457, 722; D28/73;  
D20/28, 40, 42

CPC .. B43K 23/001; B43K 23/002; B43K 23/004;  
B43K 23/008; B43K 23/012; B43K  
23/016; B43K 23/04; B43M 99/006;  
B43M 99/008

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,721,215 A \* 7/1929 Harding ..... A61F 17/00  
206/227  
D161,695 S \* 1/1951 La Mura ..... 15/184  
2,687,116 A 8/1954 Sheets  
2,803,219 A \* 8/1957 Stoeberl ..... B43K 7/12  
401/112  
2,871,824 A \* 2/1959 Sams ..... B43K 7/08  
401/217

2,883,969 A \* 4/1959 Sams ..... B43K 7/08  
401/142  
2,972,335 A \* 2/1961 Wilhelm ..... B43K 7/02  
401/112  
3,917,416 A \* 11/1975 Steyer ..... B43K 7/005  
401/34  
D286,791 S \* 11/1986 Booker ..... D19/168  
4,798,582 A \* 1/1989 Sarath ..... A61M 37/0084  
604/47  
4,952,204 A \* 8/1990 Korteweg ..... A61M 35/006  
206/363  
5,165,814 A \* 11/1992 Buda ..... B43K 7/005  
401/195  
D410,682 S \* 6/1999 Izushima ..... D19/174  
5,931,592 A 8/1999 Timberlake  
6,241,410 B1 6/2001 Hager  
D479,270 S \* 9/2003 Strong ..... D19/200  
7,172,359 B2 \* 2/2007 Mock ..... B43K 8/022  
401/202

(Continued)

*Primary Examiner* — Elizabeth A. Albert

(74) *Attorney, Agent, or Firm* — Brooks Kushman P.C.

(57) **CLAIM**

The ornamental design for a drawing instrument holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a drawing instrument holder showing my new design.

FIG. 2 is a rear perspective view of FIG. 1;

FIG. 3 is a front elevational view of FIG. 1;

FIG. 4 is a rear elevational view of FIG. 1;


FIG. 5 is a side elevational view of FIG. 1; the other side elevational view is a mirror image of this view;

FIG. 6 is a top plan view of FIG. 1; and,

FIG. 7 is a bottom plan view of FIG. 1.

The broken lines in the drawings are included to show features that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D580,976 S \* 11/2008 Kida ..... D19/168  
D591,345 S \* 4/2009 Yu ..... D19/121  
D656,192 S \* 3/2012 Chen ..... D19/163  
D685,026 S 6/2013 Koo  
D728,025 S 4/2015 Candela  
9,004,794 B2 4/2015 Whigham  
D751,145 S 3/2016 Candela  
D751,643 S \* 3/2016 Candela ..... D19/185  
D752,146 S 3/2016 Candela  
D753,225 S 4/2016 Candela  
2018/0201048 A1\* 7/2018 Whigham ..... B43K 23/016

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7