



US00D837551S

(12) **United States Design Patent**  
**Whyte**

(10) **Patent No.:** **US D837,551 S**  
(45) **Date of Patent:** **\*\* Jan. 8, 2019**

(54) **VEHICLE SEAT**

(71) Applicant: **Jaguar Land Rover Limited**, Whitley,  
Coventry (GB)

(72) Inventor: **Malcolm Whyte**, Coventry (GB)

(73) Assignee: **Jaguar Land Rover Limited**, Whitley  
Coventry (GB)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/604,905**

(22) Filed: **May 22, 2017**

(30) **Foreign Application Priority Data**

Nov. 30, 2016 (EM) ..... 003493154-0001  
Nov. 30, 2016 (EM) ..... 003493154-0002

(51) **LOC (11) Cl.** ..... **06-01**

(52) **U.S. Cl.**  
USPC ..... **D6/356**

(58) **Field of Classification Search**  
USPC ..... D6/356, 335-338, 357, 360, 367, 716.4,  
D6/716.1, 349; D12/400, 345, 190, 195  
CPC . B60N 2/00; B60N 2/01; B60N 2/012; B60N  
2/02; B60N 2/0292; B60N 2/24; B60N  
2/32; B60N 2/34; B60N 2/38; B60N 2/42  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D396,152 S \* 7/1998 Beermann ..... D6/356  
D509,077 S \* 9/2005 Beermann ..... D6/356  
7,131,697 B2 \* 11/2006 Beermann ..... B60N 2/22  
297/354.12  
D536,185 S \* 2/2007 Ritzel ..... D6/356

D536,543 S \* 2/2007 Hsu ..... D6/356  
D587,025 S \* 2/2009 Juraschek ..... D6/356  
D685,586 S \* 7/2013 Klein ..... D6/356  
D694,031 S \* 11/2013 Ritzel ..... D6/356  
D696,035 S \* 12/2013 Hatter ..... D6/356  
D721,895 S \* 2/2015 Beermann ..... D6/356  
D723,821 S \* 3/2015 Kondou ..... D6/356  
D771,399 S \* 11/2016 Buffery ..... D6/356  
9,573,503 B2 \* 2/2017 Nie ..... B60N 2/986  
D804,205 S \* 12/2017 Godard ..... D6/356  
D805,313 S \* 12/2017 Varga ..... D6/356  
D808,675 S \* 1/2018 Fontaeus ..... D6/356  
2006/0138830 A1 \* 6/2006 Liu ..... B60N 2/24  
297/284.1  
2017/0015218 A1 \* 1/2017 Troyer ..... B60N 2/062

\* cited by examiner

*Primary Examiner* — Deanna L Pratt

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans  
LLP

(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a front right perspective view of a seat for a vehicle  
according to the present invention.  
FIG. 2 is a front left perspective view of the seat shown in  
FIG. 1.  
FIG. 3 is a rear right perspective view thereof.  
FIG. 4 is a rear left perspective view thereof.  
FIG. 5 is a front view thereof.  
FIG. 6 is a rear view thereof.  
FIG. 7 is a left side view thereof.  
FIG. 8 is a right side view thereof; and,  
FIG. 9 is a top view thereof.

**1 Claim, 9 Drawing Sheets**









FIG. 1





FIG. 2





FIG. 3





FIG. 4





FIG. 5





FIG. 6






FIG. 7






FIG. 8






FIG. 9