



US00D837569S

(12) **United States Design Patent**
Barcohana

(10) **Patent No.:** **US D837,569 S**

(45) **Date of Patent:** **** Jan. 8, 2019**

(54) **POSTURE IMPROVEMENT PILLOW WITH LEGS**

(71) Applicant: **Babak Barcohana**, Van Nuys, CA (US)

(72) Inventor: **Babak Barcohana**, Van Nuys, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/608,590**

(22) Filed: **Jun. 22, 2017**

(51) **LOC (11) Cl.** **06-09**

(52) **U.S. Cl.**
USPC **D6/601**

(58) **Field of Classification Search**

USPC D6/582-583, 587-592, 595-609,
D6/617-622

CPC A47G 9/00; A47G 2009/001; A47G
2009/002; A47G 2009/003; A47G
2009/005; A47G 2009/006; A47G 9/02;
A47G 9/0207; A47G 9/0215; A47G
9/0223; A47G 9/023; A47G 9/0238;
A47G 9/0246; A47G 9/0253; A47G
9/0261; A47G 9/06; A47G 9/062; A47G
9/066; A47G 9/068; A47G 9/08; A47G
2009/0276; A47G 9/0284; A47G 9/0292;
A47G 9/04; A47G 9/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D293,286 S * 12/1987 Alfer 5/653
D318,203 S * 7/1991 Zaghini 5/636

(Continued)

Primary Examiner — Mary Ann Calabrese

Assistant Examiner — Jennifer L Rempfer

(74) *Attorney, Agent, or Firm* — Thomas I. Rozsa

(57) **CLAIM**

The ornamental design for a posture improvement pillow with legs, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of the posture improvement pillow with legs, including an optional pocket, showing my new design;

FIG. 2 is a bottom front perspective view of the embodiment illustrated in FIG. 1;

FIG. 3 is a top view of the embodiment illustrated in FIG. 1;

FIG. 4 is a bottom view of the embodiment illustrated in FIG. 1;

FIG. 5 is a left side view of the embodiment illustrated in FIG. 1;

FIG. 6 is a right side view of the embodiment illustrated in FIG. 1;

FIG. 7 is a front view of the embodiment illustrated in FIG. 1;

FIG. 8 is a rear view of the embodiment illustrated in FIG. 1;

FIG. 9 is a top front perspective view of the posture improvement pillow with legs, without an optional pocket, showing my new design;

FIG. 10 is a bottom front perspective view of the embodiment illustrated in FIG. 9;

FIG. 11 is a top view of the embodiment illustrated in FIG. 9;

FIG. 12 is a bottom view of the embodiment illustrated in FIG. 9;


FIG. 13 is a left side view of the embodiment illustrated in FIG. 9;

FIG. 14 is a right side view of the embodiment illustrated in FIG. 9;

FIG. 15 is a front view of the embodiment illustrated in FIG. 9; and,

FIG. 16 is a rear view of the embodiment illustrated in FIG. 9.

1 Claim, 16 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,003,177 A * 12/1999 Ferris A61F 5/01
 5/636
 D418,711 S * 1/2000 Mettler D6/601
 D434,936 S * 12/2000 May D6/601
 D467,458 S * 12/2002 Norman D6/611
 6,814,405 B2 * 11/2004 Norman B60N 2/2881
 297/219.12
 D541,096 S * 4/2007 Georgescu D6/601
 D579,706 S * 11/2008 Cox D6/601
 D595,529 S * 7/2009 Deetsch D6/601
 D615,338 S * 5/2010 Balkaran D6/596
 D634,960 S * 3/2011 Anson D6/601
 8,161,588 B1 * 4/2012 Anson A47G 9/109
 5/630
 D668,092 S * 10/2012 Davis D6/601
 D673,410 S * 1/2013 O'Connell D6/601
 D690,535 S * 10/2013 Huang D6/601
 D728,272 S * 5/2015 Zimmerman D6/601
 9,138,084 B1 * 9/2015 Namolovan A47G 9/007
 D759,991 S * 6/2016 Jing D6/601
 D818,289 S * 5/2018 Facco D6/601
 2003/0217412 A1 * 11/2003 Johns A47G 9/10
 5/636
 2005/0273935 A1 * 12/2005 Cordova A47C 7/383
 5/652
 2015/0020314 A1 * 1/2015 Garcia A47C 7/383
 5/636

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16