



US00D837611S

(12) **United States Design Patent** (10) **Patent No.:** **US D837,611 S**  
**Lane et al.** (45) **Date of Patent:** **\*\* Jan. 8, 2019**

(54) **COOLER**

- (71) Applicant: **THERMOS L.L.C.**, Schaumburg, IL (US)
- (72) Inventors: **Marvin Lane**, Wheeling, IL (US);  
**Dwayne Boroski**, Lake in the Hills, IL (US)
- (73) Assignee: **THERMOS L.L.C.**, Schaumburg, IL (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/606,431**
- (22) Filed: **Jun. 5, 2017**
- (51) **LOC (11) Cl.** ..... **07-01**
- (52) **U.S. Cl.**  
USPC ..... **D7/605**
- (58) **Field of Classification Search**  
USPC ..... D7/603-608, 709; D3/272-274  
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D269,398 S 6/1983 Ruxton
  - D281,695 S 12/1985 Ryan, Jr.
- (Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/598,483 for "Cooler"; filed Mar. 27, 2017; (30 pages).

*Primary Examiner* — Terry A Wallace  
(74) *Attorney, Agent, or Firm* — Polsinelli PC

(57) **CLAIM**

The ornamental design for a cooler, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of the cooler;

FIG. 2 is a front view of the first embodiment of the cooler;  
 FIG. 3 is a rear view of the first embodiment of the cooler;  
 FIG. 4 is a left side view of the first embodiment of the cooler;  
 FIG. 5 is a right side view of the first embodiment of the cooler;  
 FIG. 6 is a top view of the first embodiment of the cooler;  
 FIG. 7 is a bottom view of the first embodiment of the cooler;  
 FIG. 8 is a perspective view of a second embodiment of the cooler;  
 FIG. 9 is a front view of the second embodiment of the cooler;  
 FIG. 10 is a rear view of the second embodiment of the cooler;  
 FIG. 11 is a left side view of the second embodiment of the cooler;  
 FIG. 12 is a right side view of the second embodiment of the cooler;  
 FIG. 13 is a top view of the second embodiment of the cooler;  
 FIG. 14 is a bottom view of the second embodiment of the cooler;  
 FIG. 15 is a perspective view of a third embodiment of the cooler;  
 FIG. 16 is a front view of the third embodiment of the cooler;  
 FIG. 17 is a rear view of the third embodiment of the cooler;  
 FIG. 18 is a left side view of the third embodiment of the cooler;  
 FIG. 19 is a right side view of the third embodiment of the cooler;  
 FIG. 20 is a top view of the third embodiment of the cooler;  
 FIG. 21 is a bottom view of the third embodiment of the cooler;  
 FIG. 22 is a perspective view of a fourth embodiment of the cooler;  
 FIG. 23 is a front view of the fourth embodiment of the cooler;  
 FIG. 24 is a rear view of the fourth embodiment of the cooler;  
 FIG. 25 is a left side view of the fourth embodiment of the cooler;

(Continued)




FIG. 26 is a right side view of the fourth embodiment of the cooler;  
 FIG. 27 is a top view of the fourth embodiment of the cooler;  
 and,  
 FIG. 28 is a bottom view of the fourth embodiment of the cooler.  
 The broken lines showing in the figures are included for the purpose of illustrating portions of the cooler that form no part of the claimed design. The dash-dot lines showing in the figures are included for defining the bounds of the claimed design that form no part thereof.

**1 Claim, 24 Drawing Sheets**

(58) **Field of Classification Search**

CPC ... A45C 11/20; A45C 9/00; F25D 3/08; F25D 3/14; F25D 3/12; B65D 81/3813; B65D 81/3823; B65D 81/3888; B65D 81/3889; B65D 81/3816; B65D 81/3858; F25B 19/00; A47J 41/022; A47G 19/2288  
 See application file for complete search history.

(56)

**References Cited**

U.S. PATENT DOCUMENTS

D283,480	S	*	4/1986	Bailey .....	D7/605
D290,080	S		6/1987	Carlson	
D305,714	S		1/1990	Carlson	
D311,476	S		10/1990	Kumakura	
D325,853	S	*	5/1992	Kahl .....	D7/605
D337,232	S		7/1993	Kahl	
5,299,732	A		4/1994	Armor et al.	
5,329,787	A		7/1994	Friday	
5,501,338	A		3/1996	Preston	
D400,053	S		10/1998	Coffee et al.	
5,860,281	A		1/1999	Coffee et al.	
D619,423	S		7/2010	Koehler et al.	
D651,860	S	*	1/2012	Nie .....	D7/605
D688,559	S		8/2013	Fleischhacker	
D780,525	S		3/2017	Jacobsen	
D781,106	S		3/2017	Boroski et al.	

\* cited by examiner




FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12






FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18






FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24






FIG. 25




FIG. 26




FIG. 27




FIG. 28