



US00D837725S

(12) **United States Design Patent**
Pierre et al.

(10) **Patent No.:** **US D837,725 S**
(45) **Date of Patent:** **** Jan. 8, 2019**

(54) **TIRE**

(71) Applicant: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(72) Inventors: **Stephen J. Pierre**, Polk City, IA (US);
Jared D. Lofland, Ankeny, IA (US);
Andrew J. Minor, Bondurant, IA (US)

(73) Assignee: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/618,592**

(22) Filed: **Sep. 22, 2017**

(51) **LOC (11) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/605, 500–501, 506, 534–538,
D12/569–573, 604, 900, 202, 502–505,
D12/507–533, 539–568, 574–603;
D5/30; D7/396.4, 396.5
CPC B60C 13/00; B60C 1/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,989,703	A *	2/1935	Leguillon	B44C 1/20 152/523
D96,797	S *	9/1935	Anderson	D12/605
2,014,255	A *	9/1935	King	B60C 11/0306 152/209.2
D264,326	S *	5/1982	Zimmerman	B60C 11/0306 D12/579
4,823,856	A	4/1989	Roberts		
D379,168	S *	5/1997	Ratliff, Jr.	F41H 3/00 D12/605

5,807,446	A	9/1998	Ratliff, Jr.		
6,536,490	B2	3/2003	Rooney		
D505,382	S *	5/2005	Green	D12/544
D505,385	S *	5/2005	Green	D12/579
D530,266	S *	10/2006	Hutz	D12/579
7,156,936	B2	1/2007	Frantz et al.		
D559,172	S *	1/2008	Umstot	D12/605
D571,287	S *	6/2008	Dixon	D12/605
7,409,975	B2	8/2008	Wallet		
D647,045	S *	10/2011	Lo	D12/605
D695,212	S	12/2013	Parr		
D750,015	S	2/2016	Scheifele		
D750,553	S	3/2016	Scheifele		

(Continued)

FOREIGN PATENT DOCUMENTS

DE	4111345	A1	11/1991
EP	0588886	B1	8/1995
EP	3030433	A1	6/2016
WO	2015165863	A1	4/2014

OTHER PUBLICATIONS

Kevin E Scheifele, Tire Sidewall, U.S. Appl. No. 29/472,944, filed Nov. 18, 2013.

(Continued)

Primary Examiner — Robin V Webster
Assistant Examiner — Rachel A Voorhies



(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a tire showing our new design;
FIG. 2 is a side perspective view thereof; and,
FIG. 3 is an enlarged fragmentary view thereof.
In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,365,080 B2* 6/2016 Iwabuchi B60C 13/001
9,562,748 B2* 2/2017 Parr F41H 3/00
2002/0174928 A1* 11/2002 Ratliff, Jr. B60C 13/001
152/555
2006/0191617 A1 8/2006 Byrne
2015/0004335 A1 1/2015 Parr et al.
2016/0152095 A1 6/2016 Berger et al.

OTHER PUBLICATIONS

Kevin E Scheifele, Tire Sidewall, U.S. Appl. No. 29/472,946, filed Nov. 18, 2013.

Stephen J. Pierre, Pneumatic Tire With a Textured Surface, Method of Manufacturing, and Textured Mold, U.S. Appl. No. 62/561,704, filed Sep. 22, 2017.

Stephen J. Pierre, Tire, U.S. Appl. No. 29/618,593, filed Sep. 22, 2017.

Stephen J. Pierre, Tire, U.S. Appl. No. 29/618,594, filed Sep. 22, 2017.

Stephen J. Pierre, Tire, U.S. Appl. No. 29/618,597, filed Sep. 22, 2017.

Stephen J. Pierre, Tire, U.S. Appl. No. 29/618,598, filed Sep. 22, 2017.

Stephen J. Pierre, Tire, U.S. Appl. No. 29/618,600, filed Sep. 22, 2017.

Stephen J. Pierre, Tire, U.S. Appl. No. 29/618,601, filed Sep. 22, 2017.

* cited by examiner





FIG. 1



See FIG. 3

FIG. 2




FIG. 3