

US00D837835S

(12) **United States Design Patent** (10) **Patent No.:** **US D837,835 S**
Schwalbe et al. (45) **Date of Patent:** **** Jan. 8, 2019**

(54) **RINSE TANK FOR AGRICULTURAL
SPRAYER**

(71) Applicant: **CNH Industrial America LLC**, New
Holland, PA (US)

(72) Inventors: **Blaine A. Schwalbe**, Valders, WI (US);
Ross P. Christiansen, Kiel, WI (US)

(73) Assignee: **CNH Industrial America LLC**, New
Holland, PA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/623,419**

(22) Filed: **Oct. 25, 2017**

(51) **LOC (11) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/28; D12/218**

(58) **Field of Classification Search**

USPC D15/28, 15, 23, 17; D12/218; 280/834,
280/288.4, 830, 124.1, 835; 180/69.4,
180/69.5, 89.12, 900, 225; 220/564, 524,
220/555, 567.2; 123/518-520

CPC B60K 15/00; B60K 15/03; B60K 15/07;
B60K 15/0306; B60K 15/063; B60K
15/073; B62D 21/16; F02M 37/0094

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,480,845 A * 11/1984 Hansen B60K 15/00
280/164.1
D433,425 S * 11/2000 Surridge D15/17
D435,503 S * 12/2000 Gukeisen D12/218
D441,710 S * 5/2001 Moehle D12/218
6,402,198 B2 * 6/2002 Gollungberg B60K 15/067
280/830
D562,350 S * 2/2008 Higashikawa D12/218

D644,160 S * 8/2011 Fries D12/218
D644,161 S * 8/2011 Fries D12/218
D647,166 S * 10/2011 Kimball D23/202
D655,372 S * 3/2012 Kimball D23/202
D656,520 S * 3/2012 Ortlund D12/218
D663,325 S * 7/2012 Thunstrom D15/13
D669,099 S * 10/2012 Ringer D15/28
D669,100 S * 10/2012 Ringer D15/28
D673,587 S * 1/2013 Truan D15/28
D694,167 S * 11/2013 Forsberg D12/218
8,657,143 B2 * 2/2014 Walker B60K 15/063
220/562
D728,632 S * 5/2015 Klassen D12/218

(Continued)

Primary Examiner — Mark A Goodwin

(74) *Attorney, Agent, or Firm* — Rebecca L. Henkel;
Rickard K. DeMille

(57) **CLAIM**

The ornamental design for a rinse tank for agricultural
sprayer, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a rinse tank for agricultural
sprayer in accordance with the present invention from a first
side and above;

FIG. 2 is an isometric view of the rinse tank of FIG. 1 from
a second side and above;

FIG. 3 is a side elevation view of a first side of the rinse tank
of FIG. 1;

FIG. 4 is a side elevation view of a second side of the rinse
tank of FIG. 1;


FIG. 5 is a front elevation view of the rinse tank of FIG. 1;

FIG. 6 is a rear elevation of the rinse tank of FIG. 1;

FIG. 7 is a top plan view of the rinse tank of FIG. 1; and,
FIG. 8 is a bottom plan view of the rinse tank of FIG. 1.

The broken line showing of surface structures is included for
the purpose of illustrating portions of the rinse tank for
agricultural sprayer and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D728,633	S	*	5/2015	Klassen		D12/218
D772,773	S	*	11/2016	Andersen		D12/218
D803,756	S	*	11/2017	Andersen		D12/218
D820,765	S	*	6/2018	Hensley		D12/218

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5





FIG. 6






FIG. 7




FIG. 8